



# SHI-PRODUKTPASS

Produkte finden - Gebäude zertifizieren



SHI-Produktpass-Nr.:

**14884-10-1026**

## tesa Powerstrips® Haken

Warengruppe: Zubehör & Werkzeuge



tesa SE  
Hugo-Kirchberg-Straße 1  
22848 Norderstedt



### Produktqualitäten:



EVIDANA

*Köttner*

Helmut Köttner  
Wissenschaftlicher Leiter  
EVIDANA GmbH  
Freiburg, den 25.09.2026



Produkt:

**tesa Powerstrips® Haken**

SHI Produktpass-Nr.:

**14884-10-1026**



## Inhalt

|                                                                                                                              |   |
|------------------------------------------------------------------------------------------------------------------------------|---|
|  SHI-Produktbewertung                       | 1 |
|  QNG - Qualitätssiegel Nachhaltiges Gebäude | 2 |
|  DGNB Neubau 2023.2                         | 3 |
|  DGNB Neubau 2023                           | 4 |
|  DGNB Neubau 2018                           | 5 |
| Produktsiegel                                                                                                                | 6 |
| Rechtliche Hinweise                                                                                                          | 7 |
| Technisches Datenblatt/Anhänge                                                                                               | 8 |

Die in der SHI-Datenbank hinterlegten Bauproduktinformationen und Nachweise werden durch das SHI kontinuierlich geprüft und aktualisiert.

Die Prozesse werden regelmäßig durch das unabhängige Prüfunternehmen SGS TÜV Saar überprüft.



### Unabhängige Prüfung durch EVIDANA

Die EVIDANA GmbH ist die unabhängige Prüfstelle für die im SHI-Produktpass ausgewiesenen Produktbewertungen. Sie prüft die vorliegenden Herstellerunterlagen und Nachweise anhand der jeweils festgelegten Kriterien und berücksichtigt – sofern erforderlich – ergänzende Laborprüfungen. Auf Grundlage des Prüfergebnisses entscheidet das Sentinel Holding Institut über die Vergabe der entsprechenden SHI-Siegel und die Darstellung der Bewertung im SHI-Produktpass.





Produkt:

**tesa Powerstrips® Haken**

SHI Produktpass-Nr.:

**14884-10-1026**



## SHI-Produktbewertung

Seit 2008 entwickelt die Sentinel Holding Institut GmbH (SHI) Kriterien für schadstoffgeprüfte Produkte. Die Einhaltung der festgelegten und transparent veröffentlichten Kriterien wird durch die unabhängige Prüfstelle EVIDANA GmbH anhand der erforderlichen Produktunterlagen, Nachweise und gegebenenfalls Laborprüfungen bewertet. Auf Grundlage des Prüfergebnisses entscheidet SHI über die Vergabe des Siegels „SHI Schadstoffgeprüft“.

| Kriterium              | Produktkategorie  | Schadstoffgrenzwert                                                                    | Bewertung         |
|------------------------|-------------------|----------------------------------------------------------------------------------------|-------------------|
| SHI-Produktbewertung   | sonstige Produkte | TVOC $\leq 300 \mu\text{g}/\text{m}^3$<br>Formaldehyd $\leq 24 \mu\text{g}/\text{m}^3$ | Schadstoffgeprüft |
| Gültig bis: 28.11.2027 |                   |                                                                                        |                   |



Produkt:

**tesa Powerstrips® Haken**

SHI Produktpass-Nr.:

**14884-10-1026**



## **QNG - Qualitätssiegel Nachhaltiges Gebäude**

Das Qualitätssiegel Nachhaltiges Gebäude, entwickelt durch das Bundesministerium für Wohnen, Stadtentwicklung und Bauwesen (BMWSB), legt Anforderungen an die ökologische, soziokulturelle und ökonomische Qualität von Gebäuden fest. Das Sentinel Holding Institut prüft Bauprodukte gemäß den QNG-Anforderungen für eine Zertifizierung und vergibt das QNG-ready Siegel. Das Einhalten des QNG-Standards ist Voraussetzung für den KfW-Förderkredit. Für bestimmte Produktgruppen hat das QNG derzeit keine spezifischen Anforderungen definiert. Diese Produkte sind als nicht bewertungsrelevant eingestuft, können jedoch in QNG-Projekten genutzt werden. Die unabhängige Prüfstelle EVIDANA GmbH bewertet anhand der vorliegenden Nachweise, ob die für das jeweilige Produkt betrachteten produktbezogenen Anforderungen erfüllt sind.

| Kriterium                                          | Pos. / Bauproduktgruppe | Betrachtete Stoffe | QNG Freigabe                          |
|----------------------------------------------------|-------------------------|--------------------|---------------------------------------|
| 3.1.3<br>Schadstoffvermeidung<br>in Baumaterialien |                         |                    | QNG-ready nicht<br>bewertungsrelevant |



Produkt:

**tesa Powerstrips® Haken**

SHI Produktpass-Nr.:

**14884-10-1026**



## DGNB Neubau 2023.2

Das DGNB-System (Deutsche Gesellschaft für Nachhaltiges Bauen) bewertet die Nachhaltigkeit von Gebäuden verschiedener Art. Das System ist sowohl anwendbar für private und gewerbliche Großprojekte als auch für kleinere Wohngebäude. Die Version 2023.2 setzt hohe Standards für ökologische, ökonomische, soziokulturelle und funktionale Aspekte während des gesamten Lebenszyklus eines Gebäudes. Die unabhängige Prüfstelle EVIDANA GmbH bewertet anhand der vorliegenden Nachweise, ob die für das jeweilige Produkt betrachteten produktbezogenen Anforderungen erfüllt sind.

| Kriterium                                | Pos. / Relevante Bauteile<br>/ Bau-Materialien /<br>Flächen | Betrachtete Stoffe / Aspekte | Qualitätsstufe           |
|------------------------------------------|-------------------------------------------------------------|------------------------------|--------------------------|
| ENV 1.2 Risiken für die<br>lokale Umwelt |                                                             |                              | nicht bewertungsrelevant |



Produkt:

**tesa Powerstrips® Haken**

SHI Produktpass-Nr.:

**14884-10-1026**



## DGNB Neubau 2023

Das DGNB-System (Deutsche Gesellschaft für Nachhaltiges Bauen) bewertet die Nachhaltigkeit von Gebäuden verschiedener Art. Das System ist sowohl anwendbar für private und gewerbliche Großprojekte als auch für kleinere Wohngebäude. Die Version 2023 setzt hohe Standards für ökologische, ökonomische, soziokulturelle und funktionale Aspekte während des gesamten Lebenszyklus eines Gebäudes. Die unabhängige Prüfstelle EVIDANA GmbH bewertet anhand der vorliegenden Nachweise, ob die für das jeweilige Produkt betrachteten produktbezogenen Anforderungen erfüllt sind.

| Kriterium                                                               | Pos. / Relevante Bauteile<br>/ Bau-Materialien /<br>Flächen | Betrachtete Stoffe / Aspekte | Qualitätsstufe           |
|-------------------------------------------------------------------------|-------------------------------------------------------------|------------------------------|--------------------------|
| ENV 1.2 Risiken für die<br>lokale Umwelt,<br>03.05.2024 (3.<br>Auflage) | nicht zutreffend                                            |                              | nicht bewertungsrelevant |

| Kriterium                                                               | Pos. / Relevante Bauteile<br>/ Bau-Materialien /<br>Flächen | Betrachtete Stoffe / Aspekte | Qualitätsstufe           |
|-------------------------------------------------------------------------|-------------------------------------------------------------|------------------------------|--------------------------|
| ENV 1.2 Risiken für die<br>lokale Umwelt,<br>29.05.2025 (4.<br>Auflage) | nicht zutreffend                                            |                              | nicht bewertungsrelevant |



Produkt:

**tesa Powerstrips® Haken**

SHI Produktpass-Nr.:

**14884-10-1026**



## **DGNB Neubau 2018**

Das DGNB-System (Deutsche Gesellschaft für Nachhaltiges Bauen) bewertet die Nachhaltigkeit von Gebäuden verschiedener Art. Das System ist sowohl anwendbar für private und gewerbliche Großprojekte als auch für kleinere Wohngebäude. Die unabhängige Prüfstelle EVIDANA GmbH bewertet anhand der vorliegenden Nachweise, ob die für das jeweilige Produkt betrachteten produktbezogenen Anforderungen erfüllt sind.

| Kriterium                                | Pos. / Relevante Bauteile<br>/ Bau-Materialien /<br>Flächen | Betrachtete Stoffe / Aspekte | Qualitätsstufe           |
|------------------------------------------|-------------------------------------------------------------|------------------------------|--------------------------|
| ENV 1.2 Risiken für die<br>lokale Umwelt | nicht zutreffend                                            | nicht zutreffend             | nicht bewertungsrelevant |



Produkt:

**tesa Powerstrips® Haken**

SHI Produktpass-Nr.:

**14884-10-1026**



## Produktsiegel

In der Baubranche spielt die Auswahl qualitativ hochwertiger Materialien eine zentrale Rolle für die Gesundheit in Gebäuden und deren Nachhaltigkeit. Produktlabels und Zertifikate bieten Orientierung, um diesen Anforderungen gerecht zu werden. Allerdings besitzt jedes Zertifikat und Label eigene Prüfkriterien, die genau betrachtet werden sollten, um sicherzustellen, dass sie den spezifischen Bedürfnissen eines Bauvorhabens entsprechen.



Dieses Produkt ist schadstoffgeprüft und wird vom Sentinel Holding Institut empfohlen. Gesundes Bauen, Modernisieren und Betreiben von Immobilien erfolgt dank des Sentinel Holding Konzepts nach transparenten und nachvollziehbaren Kriterien.



Produkte mit dem QNG-ready Siegel des Sentinel Holding Instituts eignen sich für Projekte, für welche das Qualitätssiegel Nachhaltiges Gebäude (QNG) angestrebt wird. QNG-ready Produkte erfüllen die Anforderungen des QNG Anhangdokument 3.1.3 "Schadstoffvermeidung in Baumaterialien". Das KfW-Kreditprogramm Klimafreundlicher Neubau mit QNG kann eine höhere Fördersumme ermöglichen.



Produkt:

**tesa Powerstrips® Haken**

SHI Produktpass-Nr.:

**14884-10-1026**



## Rechtliche Hinweise

(\*) Die Kriterien dieses Steckbriefs beziehen sich auf das gesamte Bauobjekt. Die Bewertung erfolgt auf Gebäudeebene. Im Rahmen einer sachgemäßen Planung und fachgerechten Installation können einzelne Produkte zur Erfüllung der jeweils relevanten Anforderungen und damit zum Gesamtergebnis der Gebäudebewertung beitragen.

Die produktbezogene Bewertung erfolgt durch die unabhängige Prüfstelle EVIDANA GmbH auf Grundlage der vorliegenden Herstellerunterlagen, Nachweise und – sofern erforderlich – ergänzender Prüfungen.

---

**Alle Kriterien finden Sie unter:**

**[www.sentinel-holding.eu/pruefkriterien](http://www.sentinel-holding.eu/pruefkriterien)**

---

### Herausgeber

Sentinel Holding Institut GmbH  
Bötzingen Str. 38  
79111 Freiburg im Breisgau  
Tel.: +49 761 590 481-70  
[info@sentinel-holding.eu](mailto:info@sentinel-holding.eu)  
[www.sentinel-holding.eu](http://www.sentinel-holding.eu)

# tesa® Powerstrips Small

## Product Information

BNR 57550, 58560

### Product Description

tesa Powerstrips Small are self-adhesive double-sided strips. They are ideal for the removable fixation of flat objects weighing up to 1 kg to most surfaces.

### Product Features

- Suitable for the whole Powerstrips Small accessory range
- Maximum hold of up to 1 kg on smooth surfaces
- Removable without trace thanks to the Powerstrips® technology
- Strong hold for objects on most surfaces\*

\*Not suitable for use on styrofoam, foamed material, surfaces with non-stick coating, porous materials

### Application Fields

- How to apply - Step by step:
1. Clean the surface with alcohol or silicone-free glass cleaner
  2. Apply the Powerstrip Small strip on the surface - press for 5 seconds minimum
  3. Fix object onto surface - press for 5 seconds minimum
  4. Make sure the tab can be accessed for removal

### Technical Information (average values)

The values in this section should be considered representative or typical only and should not be used for specification purposes.

### Product Construction

- |                    |                  |                                |      |
|--------------------|------------------|--------------------------------|------|
| • Type of adhesive | synthetic rubber | • Holding power of strip up to | 1 Kg |
| • Total thickness  | 650 µm           |                                |      |

### Properties/Performance Values

- |                                |                                                               |                             |     |
|--------------------------------|---------------------------------------------------------------|-----------------------------|-----|
| • Ageing resistance (UV)       | yes                                                           | • Oil and grease resistance | no  |
| • Application temperature from | -15 °C                                                        | • Ozone resistance          | yes |
| • Applicationfield             | Kitchen, Children's room, Office, Hall, Living room, Bathroom | • Residue-free removability | yes |
|                                |                                                               | • Solvent free              | yes |
|                                |                                                               | • UV resistant              | no  |
|                                |                                                               | • Waterproof                | no  |
| • Chemical Resistance          | no                                                            |                             |     |
| • Hazard material              | no                                                            |                             |     |
| • Humidity resistance          | no                                                            |                             |     |

# tesa® Powerstrips Small

## Product Information

### Disclaimer

tesa® products prove their impressive quality day in, day out in demanding conditions and are regularly subjected to strict controls. All information and recommendations are provided to the best of our knowledge on the basis of our practical experience. Nevertheless tesa SE can make no warranties, express or implied, including, but not limited to any implied warranty of merchantability or fitness for a particular purpose. Therefore, the user is responsible for determining whether the tesa® product is fit for a particular purpose and suitable for the user's method of application. If you are in any doubt, our technical support staff will be glad to support you.



For latest information on this product please visit <http://l.tesa.com/?cp=57550>

# tesa® Powerstrips Large

## Product Information

BNR 58000, 58826, 58060

### Product Description

tesa Powerstrips Large are self-adhesive double-sided strips. They are ideal for the removable fixation of flat objects weighing up to 2 kg to many surfaces.

### Product Features

- Suitable for the whole Powerstrips Large accessory range
- Maximum hold of up to 2 kg on smooth surfaces
- Removable without trace thanks to the Powerstrips® technology
- Strong hold for objects on most surfaces\*

\*Not suitable for use on styrofoam, foamed material, surfaces with non-stick coating, porous materials

### Application Fields

- How to apply - Step by step:
1. Clean the surface with alcohol or silicone-free glass cleaner
  2. Apply the Powerstrip Large strip on the surface - press for 5 seconds minimum
  3. Fix object onto surface - press for 5 seconds minimum
  4. Make sure the tab can be accessed for removal.

### Technical Information (average values)

The values in this section should be considered representative or typical only and should not be used for specification purposes.

### Product Construction

- |                    |                  |                                |      |
|--------------------|------------------|--------------------------------|------|
| • Type of adhesive | synthetic rubber | • Holding power of strip up to | 2 Kg |
| • Total thickness  | 650 µm           |                                |      |

### Properties/Performance Values

- |                                |                                                                     |                             |     |
|--------------------------------|---------------------------------------------------------------------|-----------------------------|-----|
| • Ageing resistance (UV)       | yes                                                                 | • Ozone resistance          | yes |
| • Application temperature from | -15 °C                                                              | • Residue-free removability | yes |
| • Applicationfield             | Kitchen, Living room,<br>Office, Hall, Children's<br>room, Bathroom | • Solvent free              | yes |
|                                |                                                                     | • Temperature resistance    | no  |
| • Chemical Resistance          | no                                                                  | • UV resistant              | no  |
| • Hazard material              | no                                                                  | • Water resistance          | no  |
| • Humidity resistance          | no                                                                  | • Waterproof                | no  |
| • Material                     | _NULL                                                               |                             |     |
| • Oil and grease resistance    | no                                                                  |                             |     |

# tesa® Powerstrips Large

## Product Information

### Disclaimer

tesa® products prove their impressive quality day in, day out in demanding conditions and are regularly subjected to strict controls. All information and recommendations are provided to the best of our knowledge on the basis of our practical experience. Nevertheless tesa SE can make no warranties, express or implied, including, but not limited to any implied warranty of merchantability or fitness for a particular purpose. Therefore, the user is responsible for determining whether the tesa® product is fit for a particular purpose and suitable for the user's method of application. If you are in any doubt, our technical support staff will be glad to support you.



For latest information on this product please visit <http://l.tesa.com/?cp=58000>

# tesa® Powerstrips 58003

## POSTER

### Product Information

Self-adhesive double-sided strips for the removable attachment of posters

### Product Description

tesa Powerstrips Poster are especially shaped double-sided self-adhesive strips. They are designed specifically for the damage-free fixation of posters, charts or illustrations. Because they neither damage the surface of the wall\* nor the poster itself, they are far more practical to nails or thumbtacks.

### Product Features

- Posters can be replaced or rearranged, leaving both surface and poster undamaged
- Secure hold of up to 200g
- Removable without trace thanks to the Powerstrips® technology
- Usable even on sensitive surfaces like wallpaper or varnished surfaces

\*Due to special shape, ideal for light and sensitive materials etc.

\*Not suitable for use on styrofoam, foamed material, surfaces with non-stick coating, porous materials

### Technical Information (average values)

The values in this section should be considered representative or typical only and should not be used for specification purposes.

### Product Construction

- |                    |                  |                                |        |
|--------------------|------------------|--------------------------------|--------|
| • Type of adhesive | synthetic rubber | • Holding power of strip up to | 0.2 Kg |
| • Total thickness  | 400 µm           |                                |        |

### Properties/Performance Values

- |                                |                                                               |                             |     |
|--------------------------------|---------------------------------------------------------------|-----------------------------|-----|
| • Ageing resistance (UV)       | yes                                                           | • Oil and grease resistance | no  |
| • Application temperature from | -15 °C                                                        | • Ozone resistance          | yes |
| • Applicationfield             | Office, Kitchen, Living room, Children's room, Hall, Bathroom | • Residue free removal      | yes |
|                                |                                                               | • Solvent free              | yes |
| • Chemical resistance          | no                                                            | • UV-resistant              | no  |
| • Hazard material              | no                                                            | • Waterproof                | no  |
| • Humidity resistance          | no                                                            |                             |     |
| • Material                     | _NULL                                                         |                             |     |

# tesa® Powerstrips 58003 POSTER

## Product Information

## Disclaimer

tesa® products prove their impressive quality day in, day out in demanding conditions and are regularly subjected to strict controls. All information and recommendations are provided to the best of our knowledge on the basis of our practical experience. Nevertheless tesa SE can make no warranties, express or implied, including, but not limited to any implied warranty of merchantability or fitness for a particular purpose. Therefore, the user is responsible for determining whether the tesa® product is fit for a particular purpose and suitable for the user's method of application. If you are in any doubt, our technical support staff will be glad to support you.



For latest information on this product please visit <http://l.tesa.com/?ip=58003>

# tesa® Powerstrips

## Product Information



58035

### Product Description

Use self-adhesive tesa Powerstrips Cable-Clips to run cables unobtrusively. They stick to just about any flat surface and come off easily to be reused anytime. Use self-adhesive tesa Powerstrips Cable-Clips to run cables unobtrusively. They stick to just about any flat surface and come off easily to be reused anytime.

### Product Features

- Easy to mount without drilling, screws or nails
- Easy to fix cables of up to 8mm diameter
- Removable without trace thanks to the Powerstrips technology
- Brings order where there is cable chaos
- Clip is reusable with tesa Powerstrip Small
- Cable-clip covers tesa Powerstrip completely
- Easy to mount without drilling, screws or nails
- Easy to fix cables of up to 8mm diameter
- Removable without trace thanks to the Powerstrips technology
- Brings order where there is cable chaos
- Clip is reusable with tesa Powerstrip Small
- Cable-clip covers tesa Powerstrip completely

### Application Fields

How to apply - Step by step 1. Clean the surface with alcohol or silicone-free glass cleaner  
 2. Apply the Powerstrip Small strip on the surface - press for 5 seconds minimum  
 3. Open the cable clip and stick the back of the clip onto the strip - press for 5 seconds minimum  
 4. Close and snap-lock the clip  
 How to apply - Step by step 1. Clean the surface with alcohol or silicone-free glass cleaner  
 2. Apply the Powerstrip Small strip on the surface - press for 5 seconds minimum  
 3. Open the cable clip and stick the back of the clip onto the strip - press for 5 seconds minimum  
 4. Close and snap-lock the clip

### Technical Information (average values)

The values in this section should be considered representative or typical only and should not be used for specification purposes.

### Product Construction

- |                       |                  |                 |             |
|-----------------------|------------------|-----------------|-------------|
| • Type of adhesive    | synthetic rubber | • Hook shape    | Rectangular |
| • Holding power up to | 1 Kg             | • Silicone free | yes         |

# tesa® Powerstrips

## Product Information

### Properties/Performance Values

|                                |                                                                     |                             |     |
|--------------------------------|---------------------------------------------------------------------|-----------------------------|-----|
| • Application temperature from | -15 °C                                                              | • Ozone resistance          | yes |
| • Applicationfield             | Kitchen, Living room,<br>Children's room,<br>Office, Hall, Bathroom | • Residue-free removability | yes |
|                                |                                                                     | • Reusable                  | yes |
| • Chemical Resistance          | no                                                                  | • Solvent free              | yes |
| • Hazard material              | no                                                                  | • Temperature resistance    | yes |
| • Humidity resistance          | no                                                                  | • UV resistant              | no  |
| • Material                     | PS (polystyrene)                                                    | • Waterproof                | no  |
| • Oil and grease resistance    | no                                                                  |                             |     |

### Disclaimer

tesa® products prove their impressive quality day in, day out in demanding conditions and are regularly subjected to strict controls. All information and recommendations are provided to the best of our knowledge on the basis of our practical experience. Nevertheless tesa SE can make no warranties, express or implied, including, but not limited to any implied warranty of merchantability or fitness for a particular purpose. Therefore, the user is responsible for determining whether the tesa® product is fit for a particular purpose and suitable for the user's method of application. If you are in any doubt, our technical support staff will be glad to support you.



For latest information on this product please visit <http://l.tesa.com/?cp=58035>

# tesa® Powerstrips Self-Adhesive Hook Rack

## Product Information

BNR 58094, 58095

## Product Description

This removable plastic hook rack by tesa is a versatile bathroom and kitchen hook rack with strong holding power.

## Product Features

- Easy to mount without drilling, screws or nails
- Strong hold up to 3kg
- Removable without trace thanks to the Powerstrips® technology
- Usable on tiles, glass, wood, plastic and variety other surfaces
- Hook rack reusable with tesa Powerstrips® Large
- Completely covered tesa Powerstrips®
- Not suitable for use on styrofoam, foamed material, surfaces with non-sticking, porous material

## Application Fields

- How to apply - Step by step:
1. Clean the surface with alcohol or silicone-free glass cleaner
  2. Apply two Powerstrips Large strips horizontally to the surface keeping a distance of 80 mm between the two strips - press for 5 seconds minimum
  3. Disengage the base plate from the hook rack and stick it onto the strips - press for 5 seconds minimum
  4. Let the hook rack slide down on the base plate until it is locked.

## Technical Information (average values)

The values in this section should be considered representative or typical only and should not be used for specification purposes.

## Product Construction

- |                       |                  |              |             |
|-----------------------|------------------|--------------|-------------|
| • Type of adhesive    | synthetic rubber | • Hook shape | Rectangular |
| • Holding power up to | 3 Kg             |              |             |

## Properties/Performance Values

- |                                |                   |                             |                   |
|--------------------------------|-------------------|-----------------------------|-------------------|
| • Application temperature from | +15 °C            | • Ozone resistance          | no                |
| • Application temperature to   | +35 °C            | • Residue-free removability | yes               |
| • Applicationfield             | Bathroom, Kitchen | • Reusable                  | yes               |
| • Chemical Resistance          | no                | • Reusable with             | Powerstrips Large |
| • Hazard material              | no                | • Solvent free              | yes               |
| • Material                     | PS (polystyrene)  | • Temperature resistance    | yes               |
| • Oil and grease resistance    | no                | • UV resistant              | no                |

# tesa® Powerstrips Self-Adhesive Hook Rack

## Product Information

### Disclaimer

tesa® products prove their impressive quality day in, day out in demanding conditions and are regularly subjected to strict controls. All information and recommendations are provided to the best of our knowledge on the basis of our practical experience. Nevertheless tesa SE can make no warranties, express or implied, including, but not limited to any implied warranty of merchantability or fitness for a particular purpose. Therefore, the user is responsible for determining whether the tesa® product is fit for a particular purpose and suitable for the user's method of application. If you are in any doubt, our technical support staff will be glad to support you.



For latest information on this product please visit <http://l.tesa.com/?cp=58094>

# tesa® Powerstrips Self-Adhesive Hooks S, Trend

## Product Information

BNR 57544, 57559

## Product Description

Self-adhesive tesa Powerstrips Hooks Small Trend combine a trendy, decorative appearance with the ability to safely hold anything weighing up to 1 kg.

## Product Features

- Easy to mount without drilling, screws or nails
- Strong hold up to 1kg
- Removable without trace thanks to the Powerstrips technology
- Made from high quality plastic
- Usable on tiles, glass, wood, plastic and a variety of other surfaces\*
- Hooks reusable with tesa Powerstrips SMALL
- Completely covered tesa Powerstrip

\*Not suitable for use on styrofoam, foamed material, surfaces with non-stick coating, porous materials

## Application Fields

How to apply - Step by step: 1. Clean the surface with alcohol or silicone-free glass cleaner  
2. Apply the Powerstrip Small strip on the surface - press for 5 seconds minimum  
3. Open the hook and stick the back of the hook onto the strip - press for 5 seconds minimum  
4. Close and snap-lock the hook

## Technical Information (average values)

The values in this section should be considered representative or typical only and should not be used for specification purposes.

## Product Construction

- |                       |                  |              |             |
|-----------------------|------------------|--------------|-------------|
| • Type of adhesive    | synthetic rubber | • Hook shape | Rectangular |
| • Holding power up to | 1 Kg             |              |             |

## Properties/Performance Values

- |                                |                   |                             |                   |
|--------------------------------|-------------------|-----------------------------|-------------------|
| • Application temperature from | +20 °C            | • Ozone resistance          | yes               |
| • Application temperature to   | +25 °C            | • Residue-free removability | yes               |
| • Applicationfield             | Bathroom, Kitchen | • Reusable                  | yes               |
| • Chemical Resistance          | no                | • Reusable with             | Powerstrips Small |
| • Hazard material              | no                | • Solvent free              | yes               |
| • Material                     | PS (polystyrene)  | • Temperature resistance    | yes               |
| • Oil and grease resistance    | no                | • UV resistant              | no                |

For latest information on this product please visit <http://l.tesa.com/?cp=57559>

# tesa® Powerstrips Self-Adhesive Hooks S, Trend

Product Information

## Disclaimer

tesa® products prove their impressive quality day in, day out in demanding conditions and are regularly subjected to strict controls. All information and recommendations are provided to the best of our knowledge on the basis of our practical experience. Nevertheless tesa SE can make no warranties, express or implied, including, but not limited to any implied warranty of merchantability or fitness for a particular purpose. Therefore, the user is responsible for determining whether the tesa® product is fit for a particular purpose and suitable for the user's method of application. If you are in any doubt, our technical support staff will be glad to support you.



For latest information on this product please visit <http://l.tesa.com/?cp=57559>



# tesa® Powerstrips Hooks Small ROUND

## Product Information

BNR 57578, 57577

## Product Description

These self-adhesive tesa Powerstrips Hooks Small Round add visual accents in any bathroom and kitchen and are both removable and reusable. || These self-adhesive tesa Powerstrips Hooks Small Round add visual accents in any bathroom and kitchen and are both removable and reusable.

## Product Features

- Easy to mount without drilling, screws or nails
- Strong hold up to 1kg
- Removable without trace thanks to the Powerstrips® technology
- Made from high quality plastic
- Usable on tiles, glass, wood, plastic and a variety of other surfaces\*
- Hooks reusable with tesa Powerstrips SMALL
- Completely covered tesa Powerstrip

\*Not suitable for use on styrofoam, foamed material, surfaces with non-stick coating, porous materials ||

- Easy to mount without drilling, screws or nails
- Strong hold up to 1kg
- Removable without trace thanks to the Powerstrips® technology
- Made from high quality plastic
- Usable on tiles, glass, wood, plastic and a variety of other surfaces\*
- Hooks reusable with tesa Powerstrips SMALL
- Completely covered tesa Powerstrip

\*Not suitable for use on styrofoam, foamed material, surfaces with non-stick coating, porous materials

## Application Fields

||

## Technical Information (average values)

The values in this section should be considered representative or typical only and should not be used for specification purposes.

## Product Construction

- |                       |                  |              |       |
|-----------------------|------------------|--------------|-------|
| • Type of adhesive    | synthetic rubber | • Hook shape | Round |
| • Holding power up to | 1 Kg             |              |       |



# tesa® Powerstrips Hooks Small ROUND

## Product Information

### Properties/Performance Values

|                                |                      |                          |                   |
|--------------------------------|----------------------|--------------------------|-------------------|
| • Application temperature      | from 20°C up to 25°C | • Ozone resistance       | no                |
| • Application temperature from | +15 °C               | • Residue free removal   | yes               |
| • Application temperature to   | +35 °C               | • Reusable               | yes               |
| • Applicationfield             | Bathroom, Kitchen    | • Reusable with          | Powerstrips Small |
| • Chemical resistance          | no                   | • Solvent free           | yes               |
| • Hazard material              | no                   | • Temperature resistance | yes               |
| • Material                     | PS (polystyrene)     | • UV-resistant           | no                |
| • Oil and grease resistance    | no                   |                          |                   |

## Disclaimer

tesa® products prove their impressive quality day in, day out in demanding conditions and are regularly subjected to strict controls. All information and recommendations are provided to the best of our knowledge on the basis of our practical experience. Nevertheless tesa SE can make no warranties, express or implied, including, but not limited to any implied warranty of merchantability or fitness for a particular purpose. Therefore, the user is responsible for determining whether the tesa® product is fit for a particular purpose and suitable for the user's method of application. If you are in any doubt, our technical support staff will be glad to support you.



For latest information on this product please visit <http://l.tesa.com/?cp=NaN>

# tesa® Powerstrips Self-Adhesive Hooks S, Oval

## Product Information

BNR 57533, 58275, 57519, 57543

## Product Description

Small self-adhesive plastic bathroom and kitchen hook. Removable fixation to safely hang up anything weighing up to 1 kg. Oval design available in white, chrome, matt-chrome and modern matt black color

## Product Features

- Easy to mount without drilling, screws or nails
- Strong hold up to 1kg
- Removable without trace thanks to the Powerstrips technology
- Made from high quality plastic
- Usable on tiles, glass, wood, plastic and a variety of other surfaces\*
- Hooks reusable with tesa Powerstrips SMALL
- Completely covered tesa Powerstrip

\*Not suitable for use on styrofoam, foamed material, surfaces with non-stick coating, porous materials

## Application Fields

How to apply - Step by step:1. Clean the surface with alcohol or silicone-free glass cleaner  
2. Apply the Powerstrip® Small strip on the surface - press for 5 seconds minimum  
3. Open the hook and stick the back of the hook onto the strip - press for 5 seconds minimum  
4. Close and snap-lock the hook.

## Technical Information (average values)

The values in this section should be considered representative or typical only and should not be used for specification purposes.

## Product Construction

- |                       |                  |              |      |
|-----------------------|------------------|--------------|------|
| • Type of adhesive    | synthetic rubber | • Hook shape | Oval |
| • Holding power up to | 1 Kg             |              |      |

## Properties/Performance Values

- |                                |                   |                             |                   |
|--------------------------------|-------------------|-----------------------------|-------------------|
| • Application temperature from | 15 °C             | • Oil and grease resistance | no                |
| • Application temperature to   | 35 °C             | • Ozone resistance          | no                |
| • Applicationfield             | Bathroom, Kitchen | • Residue-free removability | yes               |
| • Chemical Resistance          | no                | • Reusable                  | yes               |
| • Hazard material              | no                | • Reusable with             | Powerstrips Small |
| • Humidity resistance          | no                | • Solvent free              | yes               |
| • Material                     | PS (polystyrene)  | • Temperature resistance    | yes               |
| • Number of hooks              | Single            | • UV resistant              | no                |

For latest information on this product please visit <http://l.tesa.com/?cp=57533>

# tesa® Powerstrips Self-Adhesive Hooks S, Oval

## Product Information

### Disclaimer

tesa® products prove their impressive quality day in, day out in demanding conditions and are regularly subjected to strict controls. All information and recommendations are provided to the best of our knowledge on the basis of our practical experience. Nevertheless tesa SE can make no warranties, express or implied, including, but not limited to any implied warranty of merchantability or fitness for a particular purpose. Therefore, the user is responsible for determining whether the tesa® product is fit for a particular purpose and suitable for the user's method of application. If you are in any doubt, our technical support staff will be glad to support you.



For latest information on this product please visit <http://l.tesa.com/?cp=57533>

# tesa® Powerstrips Self-Adhesive Hook L Metal Rectangular



## Product Information

BNR 58266

## Product Description

Large self-adhesive metal bathroom and kitchen hook for traceless removal

## Product Features

- Easy to mount without drilling, screws or nails
- Strong hold up to 2 kg
- Removable without a trace thanks to the Powerstrips technology
- High quality design, brushed stainless steel
- Usable on tiles, glass, wood, plastic and a variety of other smooth surfaces\*
- Hooks reusable with tesa Powerstrips Large

\*Not suitable for use on styrofoam, foamed material, surfaces with non-stick coating, porous material

## Application Fields

How to apply - Step by step:

1. Clean the surface with alcohol or silicone-free glass cleaner
2. Apply the Powerstrip Large strip on the surface - press for 5 seconds minimum
3. Disengage the base plate of the hook and stick it onto the strip - press for 5 seconds minimum
4. Let the hook slide down on the base plate until it is locked

## Technical Information (average values)

The values in this section should be considered representative or typical only and should not be used for specification purposes.

## Product Construction

- |                       |                  |              |             |
|-----------------------|------------------|--------------|-------------|
| • Type of adhesive    | synthetic rubber | • Hook shape | Rectangular |
| • Holding power up to | 2 Kg             |              |             |

## Properties/Performance Values

- |                                |                   |                             |                   |
|--------------------------------|-------------------|-----------------------------|-------------------|
| • Application temperature from | +15 °C            | • Ozone resistance          | no                |
| • Application temperature to   | +35 °C            | • Residue-free removability | yes               |
| • Applicationfield             | Bathroom, Kitchen | • Reusable                  | yes               |
| • Chemical Resistance          | no                | • Reusable with             | Powerstrips Large |
| • Hazard material              | no                | • Solvent free              | yes               |
| • Material                     | Stainless steel   | • Temperature resistance    | yes               |
| • Oil and grease resistance    | no                | • UV resistant              | no                |

# tesa® Powerstrips Self-Adhesive Hook L Metal Rectangular

## Product Information

### Disclaimer

tesa® products prove their impressive quality day in, day out in demanding conditions and are regularly subjected to strict controls. All information and recommendations are provided to the best of our knowledge on the basis of our practical experience. Nevertheless tesa SE can make no warranties, express or implied, including, but not limited to any implied warranty of merchantability or fitness for a particular purpose. Therefore, the user is responsible for determining whether the tesa® product is fit for a particular purpose and suitable for the user's method of application. If you are in any doubt, our technical support staff will be glad to support you.



For latest information on this product please visit <http://l.tesa.com/?cp=58266>

# RDS

## Regulatory Data Sheet

All rights reserved. Copying and/or downloading of the below provided information on tesa SE products is permitted provided that the given information or its context is not altered.

**tesa® 58003-00079-21**

### Safety information

The above-mentioned product is an article according to Article 3 of the REACH Regulation (EC) No 1907/2006. In accordance with REACH Article 33, there is no legal requirement to provide a safety data sheet for an article. Nevertheless, please find attached to this regulatory data sheet a general safety information sheet for the above-mentioned product.

### Prohibitions and Restrictions

#### Substances of very High Concern (SVHC)

The above-mentioned product does not contain substances mentioned in the current version of the Candidate List of substances of very high concern (SVHC) published on February 4, 2026.

#### SCIP

A SCIP notification is not required according to the Waste Framework Directive 2008/98/EC as no SVHC substances above 0.1 wt% are contained in the above-mentioned product.

#### EU REACH Annex XIV

The above-mentioned product does not contain substances mentioned in Annex XIV to the REACH Regulation (EC) No 1907/2006 and its amendments in concentrations  $\geq 0.1$  wt%.

#### EU REACH Annex XVII

The above-mentioned product does not contain substances mentioned in Annex XVII to the REACH Regulation (EC) No 1907/2006 and its amendments in concentrations above the limits specified therein.

#### WEEE directive (2012/19/EU)

The above-mentioned product does not exceed the maximum concentration limits of the substances mentioned in WEEE directive (2012/19/EU).

#### RoHS directive 2011/65/EU incl. RoHS directive III 2015/863/EU, China RoHS GB/T 26572-2011

The above-mentioned product does not exceed the maximum concentration limits of the substances mentioned in RoHS directive 2011/65/EU incl. RoHS directive III 2015/863/EU and China RoHS GB/T 26572-2011.

#### Persistent Organic Pollutants (POPs) Regulation (EC) 2019/1021

The above-mentioned product does not contain reportable substances (banned or to be declared) listed in the POPs Regulation (EC) 2019/1021, as amended by Regulation (EU)

2020/784, in concentrations above the limits specified therein. This regulation implements the obligations of the Stockholm Convention on Persistent Organic Pollutants, which aims to eliminate or restrict the production and use of persistent organic pollutants globally.

**Ozone-depleting substances Regulation (EC) No 2024/590**

The above-mentioned product does not contain reportable substances listed in the Regulation (EU) 2024/590 on substances that deplete the ozone layer in concentrations above the limits specified therein.

**European packaging and packaging waste Regulation (EU) 94/62 incl. Directive (EU) 2018/852**

The above-mentioned product does not contain reportable substances listed in the Directive (EU) 2018/852 Article 11 of the European Parliament and of the Council of 2018-05-30 amending Directive 94/62/EC on packaging and packaging waste in concentrations above the limits specified therein.

**Biocides Regulation (EU) No 528/2012**

The above-mentioned product does not contain reportable substances mentioned in the Regulation (EU) No 528/2012 of the European Parliament and of the Council of 2012-05-22 concerning the making available on the market and use of biocidal products.

**Synthetic polymer Microparticles: Commission Regulation (EU) 2023/2055 and REACH, Annex XVII (78)**

Currently, data is being collected and assessed. For this specific info, please contact regulatory.affairs@tesa.com.

**Dual-Use-Substances REGULATION (EU) 2023/2616 of 15 September 2023 amending Regulation (EU) 2021/821**

The above-mentioned product does not contain reportable substances mentioned in COMMISSION DELEGATED REGULATION (EU) 2023/2616 of 2023-09-15 amending Regulation (EU) 2021/821 of the European Parliament and of the Council.

**Food Allergies REGULATION (EU) 1169/2011 of 25 October 2011 amending Regulation (EU) 1924/2006**

The above-mentioned product does not contain food allergen(s) mentioned in the Regulation (EU) 1169/2011, Annex II.

**Safe drinking Water and Toxic Enforcement Act: California Proposition 65**

The above-mentioned product does not contain substances restricted in California Proposition 65.

**Toxic Substances Control Act 1976 (TSCA), section 6 Regulation of Chemicals**

The above-mentioned product does not contain the following substances in concentrations  $\geq 0.1\%$  (w/w), mentioned under the Toxic Substances Control Act 1976 section 6 or in concentrations above the limits specified therein:

Phenol, isopropylated phosphate (3:1) (PIP (3:1), CAS 68937-41-7;

Hexachlorobutadiene HCBd, CAS 87-68-3;

Decabromodiphenyl Ether decaBDE, CAS 1163-19-5;

Pentachlorothiophenol PCTP, CAS 133-49-3;

2,4,6-Tri-tert-butylphenol 2,4,6-TTBP, CAS 732-26-3;

Trichloroethylene, CAS 79-01-6;

Tetrachloroethylene, CAS 127-18-4;

Carbon tetrachloride, CAS 56-23-5

**Conflict Minerals**

The above-mentioned product does not contain the following Conflict Minerals:

Gold  
Tungsten  
Tantalum  
Tin  
Cobalt  
Mica

**Per- and polyfluoroalkyl substances (PFAS)**

The above-mentioned product does not contain reportable substances as defined by the OECD in 2021.

**Global automotive declarable substance list (GADSL)**

The above-mentioned product does not contain substances restricted in the Global automotive declarable substance list (GADSL) in concentrations above the limits specified therein.

**Nanoparticles as per definition of the European Commission**

Currently, data is being collected and assessed. For this specific info, please contact regulatory.affairs@tesa.com.

**Halogen Free - International Electrotechnical Commission (IEC) 61249-2-21 standard**

Currently, data is being collected and assessed. For this specific info, please contact regulatory.affairs@tesa.com.

**Chlorinated and Brominated Flame retardants**

The above-mentioned product does not contain any chlorinated and/or brominated flame retardants.

**Bisphenol A, BADGE, NOGE, BFDGE**

The above-mentioned product does not contain any Bisphenol A, BADGE, NOGE or BFDGE.

**Cancerogenic, Mutagenic and reprotoxic (CMR) Substances**

CMR EU:

The above-mentioned product does contain a substance which is classed a CMR.  
As the above-mentioned product is an article according to Article 3 of the REACH Regulation (EC) No 1907/2006 and in accordance with REACH Article 33, there is no legal requirement to provide a safety data sheet for an article, hence no classification is required in the EU and under GB CLP / UK REACH.

CMR US:

Currently, data is being collected and assessed. For this specific info, please contact regulatory.affairs@tesa.com.

**Silicone****Phthalates**

Currently, data is being collected and assessed. For this specific info, please contact regulatory.affairs@tesa.com.

**Latex**

The above-mentioned product does not contain any latex.

**Antimony**

The above-mentioned product does not contain Antimony in concentration > 0,1%.

**Beryllium**

The above-mentioned product does not contain Beryllium.

**Mineral oil**

Currently, data is being collected and assessed. For this specific info, please contact regulatory.affairs@tesa.com.

**Halal/Kosher/ substances of animal origin**

The above-mentioned product is an industrially manufactured product and has not been certified to meet the Halal or Kosher requirements.

Currently, data is being collected and assessed. For this specific info, please contact regulatory.affairs@tesa.com.

**Asbestos**

The above-mentioned product does not contain Asbestos.

**Polycyclic aromatic hydrocarbons (PAH)**

The above-mentioned product does not contain Polycyclic Aromatic Hydrocarbons.

# SIS

## Safety Information Sheet for Articles

### Identification of the article and the company

Trade name: tesa® 58003-00079-21

Manufacturer/Supplier: tesa SE  
Hugo-Kirchberg-Straße 1  
22848 Norderstedt  
Germany

Informing department: tesa SE, Corporate Regulatory Affairs,  
[SDS@tesa.com](mailto:SDS@tesa.com)

### Safety information for articles

The majority of adhesive tapes produced by tesa® qualify as articles under the definition provided in the REACH Regulation (EC) No. 1907/2006. In accordance with REACH Article 33, there is no legal requirement to provide a safety data sheet for an article. The comprehensive information typically shared within a safety data sheet can be found in tesa® safety information sheets.

We would like to emphasize that these information sheets are voluntary and do are not subject to the requirements of the REACH regulation.

### Hazard Identification

Not applicable

### Composition / Information on ingredients

Chemical characterization:

Adhesive: Mixture of synthetic rubber, resins and additives

Liner: Paper

### First aid measures

No special measures required.

### Firefighting measures

Suitable extinguishing agents: CO<sub>2</sub>, extinguishing powder, or water jet. Fight larger fires with water jet. Use appropriate firefighting measures.

Special hazards arising from the substance or mixture:

Can be released in case of fire:

Nitrogen oxide (NO<sub>x</sub>)  
Carbon monoxide (CO)  
In some fire situations, it is possible that additional harmful gases may be present.

Advice for firefighters

Protective equipment:

Put on breathing apparatus.

Do not inhale explosion gases or combustion gases.

## Accidental release measures

No special measures required.

Collect mechanically.

## Handling and storage

No special measures required.

## Exposure controls/personal protections

Breathing equipment: Use respiratory protection in case of insufficient ventilation

Hand protection: Protective gloves

Eye/face protection: Safety glasses

Body protection: Work clothes (closed, long-sleeved)

## Physical and chemical properties

Form: solid

## Stability and reactivity

Not applicable.

## Toxicological information

Based on available data, the classification criteria are not met.

## Ecological information

No further relevant information available.

## Disposal considerations

Disposal according to official regulations.

## Transport information

Not applicable. Not dangerous according to the specifications mentioned above.

## Regulatory information

A Chemical Safety Assessment has not been carried out.

# FOOD CONTACT STATEMENT

## **tesa® 58003-00079-21**

tesa® 58003-00079-21 has not been formulated to come into contact with food /the packed content.

Being a technical product, it has not been manufactured under Good Manufacturing Practice (GMP) (EU Regulation (EC) No 2023/2006) conditions and therefore does neither fulfill the provisions of the German Food and Feed Code (LFGB), Regulation (EC) No 1935/2004 of the European Parliament or COM-MISSION REGULATION (EU) No 10/2011 on plastic materials and articles intended to come into contact with food, nor US FDA CFR 21.

The user must ensure that the tape does not come in direct food contact.

As the above-mentioned product is a purely technical product tesa SE has not performed any migration tests or compliance checks for the use as a food contact material in any food contact related application.

For any application involving *indirect* food contact, tesa SE must emphasize that it is the responsibility of the user to always ensure the presence of a functional barrier. This barrier must comply with the relevant regulations for the specific application to prevent any migration of potentially harmful substances into the food.

It is within the responsibility of the final food contact material manufacturer, that the finished food contact material does not transfer its constituents to food in quantities which could endanger human health or bring about an unacceptable change in the composition of the food or bring about deterioration in the organoleptic characteristics thereof.

The user must ensure the suitability of the product for the intended product application.

The assessment was performed, based on suppliers' declarations and raw material specifications, to the best of our knowledge and current state of knowledge. No further tests were carried out.

This statement is valid from the date of issue of this document and overwrites any previously issued version.

## **Other information**

We certify that the above information and statements, including but not limited to the product composition data, are valid and correct to the best of our knowledge. We have implemented systems to the best of our ability to ensure that tesa® products are compliant to global environmental regulations and laws. However, not all materials in our products may have been independently tested for their substance content, therefore we cannot assure the correctness and validity of these information and statements. We are also not in a position to make statements or provide information about our customers' products in which tesa® products are incorporated, unless the relevant information and statements are exceptionally included (marked) above.

In the event of any issues arising from the information and/or statements contained in this document, our General Terms and Conditions of Sale (Terms & Conditions - tesa®) shall apply.

Any conflicts between the information in this document and written contracts will be resolved in favor of the contracts. The information and statements in this document or this document itself do not have the effect of amending any of these contracts.

This document is electronically generated and valid without signature.