

# ANAF GROUP

EC Regulation n° 1907.12/18/2066 - REACH

### **MATERIAL SAFETY DATA SHEET**

A32/ABC Product Code: 32.000Z.0000.00

Issue / Date: November 2012 Rev. 1

### 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

### 1.1. Product identifier:

This is a result set of blend several substances.

Name A32/ABC

### 1.2. Relevant identifier uses of the substance or mixture and not recommended uses:

The product for use in fire extinguishing of class A, B and C. The formulation acts as an inhibitor of fires burning solid, liquid and / or gaseous. Recommended use in special containers for specific discharge.

### 1.3. Details of the supplier of the safety data sheet:

Company: ANAF S.P.A.

 Street:
 Via del Commercio, 4

 Town:
 IT-27020 Torre d'Isola

 Contact Person:
 Ing. Danilo Romano

 Tel.
 0039 (0)382 45 33

 Fax:
 0039 (0)382 92 02 79

e-mail: info@anaf.eu Internet: www.anaf.eu

1.4. Emergency telephone number: 02-66101029 Ospedale Niguarda (MI)

### 2. HAZARDS IDENTIFICATION

# 2.1. Classifications of the mixture:

All the components of this mixture are not classified as dangerous according to European Union legislation:

- Classification according to Regulation (EC) No. 1272/2008 (CLP): NOT CLASSIFIED - Classification according to Directive 67/548/EEC or 1999/45/EC: NOT CLASSIFIED

# 2.2. Label elements:

Labelling according to Regulation (EC) No. 1272/2008 (CLP):

 Labelling according to Directive 67/548/EEC or 1999/45/EC:
 NOT CLASSIFIED
 The product does not be labelled in accordance with

ECC directives.





### 2.3. Other hazards

This mixture presents like a very fine powder. It forms easily dust with air action and can form aerosols. A long exposure to any kind of dust is potentially harmful. There is no history of oral toxicity.

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

Mixture of substances:

Component	REACH No.	CAS No.	Content (%w/w)	Classification according to:
Monoammonium phosphate	01-2119488166- 29-xxxx	7722-7 <b>6</b> -1	20,5 %	Directive 67/548/EEC: not classified Regulation (EC) N° 1272/2008 (CLP): Not classified
Ammonium sulphate	Not applicable	7783-20-2	74,5 %	Directive 67/548/EEC: not classified Regulation (EC) N° 1272/2008 (CLP): Not classified

# 4. FIRST AID MEASURES

#### 4.1. Description of first aid measures

- **Inhalation**: Remove to fresh air. If powder ejected could appear itch eyes, discomfort with coughing and sneezing.
- Eye contact: Flush eyes with plenty of water. If trouble persist, get medical attention.
- Skin contact: Flush skin with plenty of water and soap.
- Ingestion: Never induce vomiting. Rinse the mouth with water. If necessary, get medical attention.

# 4.2. Most important symptoms and effects, both acute and delayed

Some lung effects may be delayed.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Inhalation of gas from a fire or thermal decomposition, containing ammonia, can cause lung edema. Symptoms may appear later.

# 5. FIRE-FIGHTING MEASURES

This product is a fire extinguishing agent for class A, B and C fires.

#### 5.1. Extinguishing media

- Suitable fire extinguishing media: Any extinguishing media (see Chapter 10).
- Extinguishing media which shall not be used for safety reasons: Not applicable





# 5.2. Special hazards arising from the substance or mixture

- **Special hazards:** Heating to decomposition releases toxic. If accidentally mixed with oxidants (chlorate, potassium nitrate or nitrite) risk of explosion when burning.
- Hazardous combustion products: nitrogen oxides, ammonia, may release phosphorus oxides and may sulphur dioxide and trioxide release.

# 5.3. Special protective equipment for fire-fighters:

- **Specific methods of fire fighting**: open doors and windows of the enclosure to provide maximum ventilation. Avoid breathing the fumes (toxic). Getting downwind on fire. Apply cooling water to the containers exposed to flames until the fire is out.
- **Special protection for fire fighting:** wear self-contained breathing apparatus in case of existence of smoke. Dispose of fire remains and contaminated fire fighting water in accordance with official regulations.

### 6. ACCIDENTAL RELEASE MEASURES

# 6.1. Personal precautions, protective equipment and emergency procedures:

Adequate ventilation is required. Avoid creating dusty conditions and prevent their dispersal by wind. Avoid walking through spilled product and dust exposure.

# 6.2. Environmental precautions:

Prevent entry into sewers, drains or confined areas. Keep away of drainage and groundwater (harmful to aquatic organisms). Inform the relevant authorities in case of accidental contamination of watercourses.

### 6.3. Methods and materials for containment and cleaning up:

Any spills should be cleaned up promptly, swept and put in a clean mouth open for safe disposal labelling avoiding dust formation. Clean the affected area with dust exhausting and removing the parts with hot water and soap.

### 6.4. Reference to other sections

See Section 1 for contact details, section 8 for appropriate personal protective equipment and section n. 13 for waste disposal.

# 7. HANDLING AND STORAGE

#### 7.1. Precautions for safe handling:

- Avoid excessive generation of dust.
- Avoid contamination by combustible material (eg oil, grease, etc..) and incompatible material.
- Avoid unnecessary exposure to the atmosphere to prevent moisture absorption.
- When handling the product over long periods use appropriate personal protective equipment, eg. aloves.
- Carefully clean the facility before performing maintenance or repairs.
- Prevent entry into drains, basements or confined areas.

# 7.2. Conditions for safe storage, including any incompatibilities

- Keep closed in the original and closed container
- Keep dry at ambient temperature
- Keep apart of alkalis
- Observe all local warnings and precautions for storage.





# 7.3. Specific uses:

EC Regulation n° 1907.12/18/2066 - REACH

Dry chemical powder for class A, B and C fire extinguishers.

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

# 8.1. Exposure limit values:

- Fynad	aura limit	Com	ponent	No. CAS				
	xposure limit values Monoammonium phosphate		7722-76-1					
		-	Systemic		Worl			Consumers
			Oyotomio	Indu	strial	Profe	essional	Consumers
		Oral	Short term Long Term	Not Ap	plicable	Not A	oplicable	Not available 2,1 mg/bw Kg/day
	DNEL	Inhalation	Short term Long Term		vailable ng/m³		vailable mg/m³	Not available 1,8 mg/bw Kg/day
ISQ	ISQ	Dermal	Short term Long Term		vailable ow kg/day		vailable /bw kg/day	Not available 20,8 mg/bw Kg/day
		W	ater	Air	Soil	Micro- biologic	Sediment	Oral
PNEC	Fresh water: 1,7mg/L Sea water: 0,17mg/L Intermittent emissions: 17mg/L		Not Available	Not Available	10mg/L	Not Available	Not Available	

Expos	Exposure limit Component		No. CAS					
va	values Ammonium Sulphate		7783-20-2					
		Systemic			W	orkers		Consumers
			Systemic	Indu	ustrial	Profe	ssional	Consumers
		Oral	Long Term	Not Applicable		Not Applicable		6,4 mg/bw Kg/day
	DNEL Inhalation Long		Long Term	11,17 mg/m <sup>3</sup>		11,17 mg/m <sup>3</sup>		1,67 mg/ m <sup>3</sup>
ISQ		Dermal	Long Term	42,67 mg	/bw kg/day	42,67 mg	/bw kg/day	12,8 mg/bw Kg/day
		W	ater	Air	Soil	Micro- biologic	Sediment	Oral
PNEC		Fresh water: 0,312mg/L Sea water: 0,0312mg/L Intermittent emissions: 0,53mg/L		Not Available	62,6mg/kg dry soil	16,18mg/L	0,063mg/Kg Dry sediment	Low potential to bioaccumulate





# 8.2. Exposure controls:

- **Hygiene measures:** Avoid high dust concentration and provide ventilation where necessary. When handling do not eat, drink or smoke. Wash hands after handling and before eating, drinking or smoking. Use the lavatory at the end of the workday.

- Individual protection measures:

Eyes	Safety glasses with side shields (EN 166) to prevent eye irritation. If dust goggle use.
Skin and body	Work wear
Respiratory	If dust concentration is high and / or insufficient ventilation, wear a mask or dust respirator with appropriate filter.
Thermal	

Environmental exposure controls: see section 6.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

#### 9.1. Information on fundamental chemical and physical properties:

**Appearance**: free flow powder

Odour: odourless

**pH:** (0,1% aqueous) 4,5-6,0 **Boiling point**: decomposes above 190°C

Boiling point: Vapor pressure: Not applicable 1.65-1.85 Relative density: Water Solubility: partially soluble Repartition coefficient n-octanol/water: Not applicable Flash point: Not applicable Flammability: Not applicable Not applicable Explosives properties: Oxidizing properties:

Oxidizing properties:

Viscosity:

Vapour density:

Melting point:

Change in physical state:

Apparent density:

Not applicable
Not applicable
above 190°C
-60/+85°C
-60/+85°C
0.82-0.96 g/cm3

9.2. Other information:

Not applicable

# 10. STABILITY AND REACTIVITY

#### 10.1. Reactivity:

Stable under normal conditions of storage, handling and use (see sec. 7).

#### 10.2. Chemical stability:

Stable under normal conditions of storage, handling and use (see sec. 7).

### 10.3. Possibility of hazardous reactions:

When heated above 190 ° C decomposes releasing ammonia. Contamination with incompatible materials (see section 10.5).

#### ANAF S.p.A.



ANAF GROUP

EC Regulation n° 1907.12/18/2066 - REACH

### 10.4. Conditions to avoid:

Proximity to sources of heat or fire.

Contamination by incompatible materials (see section 10.5).

Heating above 190°C (release gases)

Heating under confinement.

Welding works or thermal equipment or plants that may contain product residues.

### 10.5. Materials to avoid:

Alkalis, strong acids, copper and its alloys.

Strong oxidizers (chlorates, nitrates and nitrites) and bases.

# 10.6. <u>Hazardous decomposition products:</u>

In case of fire see section 5.

When react with strong bases releases ammonia. See Sections 2 and 9.

When heated strongly decomposes, releasing toxic gases (eg NOx, ammonia, SO2 and SO3). When in contact with alkaline materials such as lime or caustic soda, can release ammonia gas.

# 11. TOXICOLOGICAL INFORMATION

#### MONOAMMONIUM PHOSPHATE

Acute toxicity							
Component	CAS No	Method	Species	Via	Result		
MAP	7722-76-1	OECD 425  OECD 402	Rat	Oral	LD50: >2000mg/bw. Kg LC50 (4h): >5mg/L LD50: 5000mg/bw. Kg		

Sensitizer: no known significant effects or critical hazards.

Repeated dose toxicity: (OCDE 422, rat, via oral)

NOAEL = 250mg/bw. Kg /day

Carcinogenicity: no known significant effects or critical hazards.

*Mutagenicity:* no known significant effects or critical hazards.

Ames Test negative (OECD 471).

Mammalian chromosome aberration Test negative (OECD 473)

Teratogenicity: (OCDE 422, rat, via oral)

NOAEL ≥1500mg/bw. Kg /día





# AMMONIUM SULFATE:

Acute toxicity	1						
Component	CAS No	Method	Species	Via	Result		
MAP	7783-20-2	LD50	Rat	Oral	2000- 4250mg/Kg >1000mg/m3 (8h) >2000mg/Kg		
Irritation/ corr	osion: Non irritati	ng		I			
Sensitizer: No	t sensitizing.						
Repeated dos	e toxicity: no kno	own significant eff	ects or critical haza	ards.			
Carcinogecity	r. no known signifi	cant effects or cri	tical hazards.				
NOAEL = 284r	ng/bw. Kg /day						
Mutagenicity:	no known signific	ant effects or criti	cal hazards				
matagemony.	no known signine	ant chects of ont	oui riazaras.				
Reproductive	Toxicity: (OCDE	422, rat, via oral)					
	mg/bw. Kg /day						
Notes	General for a	General for ammonium salts:					
	Ingestion Nau	Ingestion Nausea, vomiting and / or diarrhea.					
	Systemic effe	cts After ingestion	of large amounts:	decreased blood	<u> </u>		
			the central nervous				
	system, respiratory paralysis, narcosis, haemolysis.						

# 12. ECOLOGICAL INFORMATION

# 12.1. Toxicity:

### Fish Toxicity:

Component	CAS No	Term	Fish (Oncorhynchus mykkis)	Crustaceans (Daphnia carinata)	Algae (Selenastrum capricornutum)
MAP	7722-76-1	Short term	LC50(96h) >85,9mg/L	LC50(72h) 1970-1825mg/L	NOEC(72h) >97,1mg/L





# Ecotoxicity:

Component	CAS No	Term	Fish (Oncorhynchus mykkis)	Crustaceans (Daphnia carinata)	Algae (Selenastrum capricornutum)
Ammonium sulfate	7783-20-2	CE50	Invertebrate Daphnia magna	96h	168,8mg/L
		CE50	Algae: Chlorellla vulgaris	18d	2700mg/L
		LC50	Oncorphynchus mykkis	96h	53mg/L

# 12.2. Persistence and degradability

Component	CAS No	Aquatic half-life	Photo dissociation	Biodegradability
MAP	7722-76-1	Not available	Not available	Easily
Ammonium sulfate	7783-20-2	Not available	No evidence of photo degradation	Not necessary. Inorganic substance

### 12.3. Bio accumulative potential:

Component	CAS No	Partition BCF coefficient octanol-water (Kow) Partition coefficient octanol-water (Kow)		Potential of bioaccumulation
MAP	7722-76-1	Not available		Not available
Ammonium sulfate	7783-20-2	Not available		

# 12.4. Mobility in soil:

Component	CAS No	Result		
MAP	7722-76-1		Soluble in water and citrate.  Are rapidly transformed by soil microorganisms	
Ammonium	7783-20-2	Adsorption	Not available	
sulphate		Volatilization	Not available	





# 12.5. Results of PBT and mPmB assessment:

Component	CAS No	Result
MAP	7722-76-1	
		Not available
Ammonium sulfate	7783-20-2	According to Annex XIII of Regulation (EC) No 1907/2006, not being PBT or vPvB because is an inorganic substance.

#### 12.6. Other adverse effects:

Soil bacteria convert ammonia to nitrate, which can be absorbed by plants or microorganisms denitrified by nitrogen and nitrous oxide.

In water, ammonium ions and phosphate can cause eutrophication, resulting in an increase in the growth of algae. The decomposition of the algae can reduce dissolved oxygen, if significant, may cause suffocation of aquatic organisms.

### 13. DISPOSAL CONSIDERATIONS

Depending on the degree of contamination removed at a licensed waste facility. Apply local or national regulations for disposal.

Do not empty into drains.

Dispose of waste material and its container in a safe way. Dispose in accordance with all local and national regulations. Empty containers shaking to remove as much about your content. In case of approval by local authorities, empty containers may be disposed of as non-hazardous material or returned for recycling. The controlled biodegradation of wastewater treatment is possible.

### 14. TRANSPORT INFORMATION

Not applicable
Not applicable

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code: Not applicable

### 15. REGULATORY INFORMATION

# 15.1. Safety health and environmental regulations/legislation specific for the substance or mixture:

Regulation 1907/2006 (REACH)

Regulation 1272/2008 (CLP)

Directives 67/548/EEC and 1999/45/EC (dangerous substances and preparations).

In Spain:

R.D. 363/95 and RD. 255/03: (Dangerous Substances and Preparations)

R.D. 374/2001 (chemical agents).

#### 15.2. Chemical Safety Assessment:

Carried out for substances components monoammonium phosphate and ammonium sulphate.



ANAF GROUP

EC Regulation nº 1907.12/18/2066 - REACH

#### 16. OTHER INFORMATION

Risk Phrases:
Hazard Phrases:
Not applicable
Precautionary:
Not applicable

References and data sources:

- Chemical Safety Assessment of MAP. Guidance Documents. EFMA / FERTILIZER EUROPE; Facts HPV TFI; NOTOX.

- Chemical Safety Assessment of ammonium sulphate; Guidance Documents. EFMA / FERTILIZER EUROPE; Facts HPV TFI; NOTOX.

### Abbreviations and acronyms

- MAP: monoammonium phosphate
- NOAEL: No Observed Adverse Effect Dose
- LD50: Lethal Dose 50%
- LC50: Lethal Concentration 50%
- DNEL: derived No Effect concentration
- PNEC: predicted no-effect concentration
- LOEC: lowest concentration effects observed
- NOEC: no observed effect concentration
- NOAEC: no observed adverse effects concentration
- Adequate training for employees mandatory training on occupational safety.

Changes in this version are due to update this SDS under COMMISSION REGULATION (EU) No 453/2010 of 20 May 2010 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH).

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of this production. The information give is designed as a guidance for safe handling, use, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. This information relates to the specific material designated and may not be valid for such material used in combination with any other materials or any process, unless specified in the text.