

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Ubbink Aqua GH/KH-Plus

Print date: 21.04.2015

Product code:

Page 1 of 8

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Ubbink Aqua GH/KH-Plus

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Water treatment chemicals

Uses advised against

any non-intended use.

1.3. Details of the supplier of the safety data sheet

Company name:	Aquarium Münster Pahlsmeier GmbH		
Street:	Galgheide 8		
Place:	D-48291 Telgte		
Telephone:	+49 (0)2504 9304 12	Telefax:	+49 (0)2504 9304 20
e-mail:	mark@aquarium-munster.com		
Contact person:	Pahlsmeier		
Responsible Department:	Dr. Timo Gans-Eichler Chemieberatung Raesfeldstr. 22 D-48149 Münster	e-mail:	info@tge-consult.de Tel.: +49 (0)251/924520-60 www.tge-consult.de

1.4. Emergency telephone number: +49 (0)30 19240 GIZ Berlin
+49 (0)2504 9304 12 (Mo-Fr 9:00-16:00)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Directive 67/548/EEC or 1999/45/EC

This mixture is not classified as hazardous according to Directive 1999/45/EC.

Classification according to Regulation (EC) No. 1272/2008 [CLP]

This mixture is not classified as hazardous according to Regulation (EC) No. 1272/2008.

2.2. Label elements

2.3. Other hazards

No risks worthy of mention. Please observe the information on the safety data sheet at all times.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Further Information

Product does not contain listed SVHC substances.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

After inhalation

In case of accident by inhalation: remove casualty to fresh air and keep at rest. In case of respiratory tract irritation, consult a physician.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Ubbink Aqua GH/KH-Plus

Print date: 21.04.2015

Product code:

Page 2 of 8

After contact with skin

Gently wash with plenty of soap and water. In case of skin irritation, seek medical treatment.

After contact with eyes

Rinse cautiously with water for several minutes. In case of troubles or persistent symptoms, consult an ophthalmologist.

After ingestion

Rinse mouth thoroughly with water. Let water be drunk in little sips (dilution effect). Do NOT induce vomiting. In all cases of doubt, or when symptoms persist, seek medical advice.

4.2. Most important symptoms and effects, both acute and delayed

No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Carbon dioxide (CO₂). Dry extinguishing powder. alcohol resistant foam. Atomized water.

Unsuitable extinguishing media

High power water jet.

5.2. Special hazards arising from the substance or mixture

Can be released in case of fire: Carbon monoxide. Carbon dioxide (CO₂).

5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing.

Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water. Co-ordinate fire-fighting measures to the fire surroundings.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Wear personal protection equipment (refer to section 8).

6.2. Environmental precautions

Discharge into the environment must be avoided.

6.3. Methods and material for containment and cleaning up

Take up mechanically.

Treat the recovered material as prescribed in the section on waste disposal.

Clean contaminated objects and areas thoroughly observing environmental regulations.

6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Wear suitable protective clothing. (See section 8.)

Advice on protection against fire and explosion

Usual measures for fire prevention. Dust clouds may present an explosion hazard.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Ubbink Aqua GH/KH-Plus

Print date: 21.04.2015

Product code:

Page 3 of 8

Further information on handling

Avoid generation of dust.

7.2. Conditions for safe storage, including any incompatibilities**Requirements for storage rooms and vessels**

Keep container tightly closed in a cool, well-ventilated place.

Advice on storage compatibilityDo not store together with: Explosives. Radioactive substances. Infectious substances.
Acid**Further information on storage conditions**Protect against: Light. UV-radiation/sunlight. heat. moisture.
Keep the packing dry and well sealed to prevent contamination and absorption of humidity.
storage temperature: <50°C**7.3. Specific end use(s)**

refer to chapter 1.

SECTION 8: Exposure controls/personal protection**8.1. Control parameters****Additional advice on limit values**

Germany

Air limit values: (Dust, general) 10 mg/ m³; E: inhalable fraction of dustAir limit values: (Dust, general) 1,25 mg/ m³; A: respirable fraction of dust**8.2. Exposure controls****Appropriate engineering controls**

Dust should be exhausted directly at the point of origin.

Protective and hygiene measuresAlways close containers tightly after the removal of product. When using do not eat, drink, smoke, sniff.
Wash hands before breaks and after work. Keep away from food, drink and animal feedingstuffs.**Eye/face protection**

Dust protection goggles. DIN EN 166

Hand protection

In case of prolonged or frequently repeated skin contact:

Wear suitable gloves.

Suitable material:

FKM (fluororubber). - Thickness of glove material: 0,4 mm

Breakthrough time >= 8 h

Butyl rubber. - Thickness of glove material: 0,5 mm

Breakthrough time >= 8 h

CR (polychloroprenes, Chloroprene rubber). - Thickness of glove material: 0,5 mm

Breakthrough time >= 8 h

NBR (Nitrile rubber). - Thickness of glove material: 0,35 mm

Breakthrough time >= 8 h

PVC (Polyvinyl chloride). - Thickness of glove material: 0,5 mm

Breakthrough time >= 8 h

The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it.

Before using check leak tightness / impermeability. In the case of wanting to use the gloves again, clean them before taking off and air them well.

Skin protection

Suitable protective clothing: Lab apron.

Minimum standard for preventive measures while handling with working materials are specified in the

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Ubbink Aqua GH/KH-Plus

Print date: 21.04.2015

Product code:

Page 4 of 8

TRGS 500.

Respiratory protection

With correct and proper use, and under normal conditions, breathing protection is not required.

Respiratory protection necessary at:

insufficient ventilation

exceeding exposure limit values

Generation/formation of dust

Suitable respiratory protection apparatus: Particle filter device (DIN EN 143) Type P-2/3

Half-face mask or quarter facepiece: maximum use concentration for substances with exposure limits: P1

filter: up to a max. of 4 times the exposure limit. P2 filter: up to a max. of 10 times the exposure limit. P3

filter: up to a max. of 30 times the expo Full-face mask or mouthpiece with particulate filter: maximum use

concentration for substances with exposure limits: P1 filter: up to a max. of 4 times the exposure limit. P2

filter: up to a max. of 15 times the exposure limit. P3 filter: up to a max. of

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state:	solid
Colour:	white
Odour:	characteristic

Test method

pH-Value:	not determined
-----------	----------------

Changes in the physical state

Melting point:	not determined
----------------	----------------

Initial boiling point and boiling range:	not determined
--	----------------

Flash point:	not determined
--------------	----------------

Explosive properties

none

Lower explosion limits:	not determined
-------------------------	----------------

Upper explosion limits:	not determined
-------------------------	----------------

Decomposition temperature:	not determined
----------------------------	----------------

Oxidizing properties

none

Vapour pressure:	not determined
------------------	----------------

Density:	not determined
----------	----------------

Bulk density:	not determined
---------------	----------------

Water solubility:	not determined
-------------------	----------------

Viscosity / dynamic:	not determined
----------------------	----------------

Viscosity / kinematic:	not determined
------------------------	----------------

9.2. Other information

Solid content:	not determined
----------------	----------------

SECTION 10: Stability and reactivity

10.1. Reactivity

No information available.

10.2. Chemical stability

Stable under normal storage and handling conditions.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Ubbink Aqua GH/KH-Plus

Print date: 21.04.2015

Product code:

Page 5 of 8

10.3. Possibility of hazardous reactions

Reacts with : Acid. Release of: Carbon dioxide (CO₂)

10.4. Conditions to avoid

Protect against: UV-radiation/sunlight. heat.

10.5. Incompatible materials

Materials to avoid: Oxidizing agents, strong. Reducing agents, strong. Strong acid.

10.6. Hazardous decomposition products

No information available.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Toxicokinetics, metabolism and distribution

No information available.

Acute toxicity

Based on available data, the classification criteria are not met.

Irritation and corrosivity

Based on available data, the classification criteria are not met.

Sensitising effects

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

Severe effects after repeated or prolonged exposure

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Specific effects in experiment on an animal

No information available.

SECTION 12: Ecological information

12.1. Toxicity

No data available.

12.2. Persistence and degradability

The methods for determining the biological degradability are not applicable to inorganic substances.

12.3. Bioaccumulative potential

No indication of bioaccumulation potential.

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment

The components in this formulation do not meet the criteria for classification as PBT or vPvB.

12.6. Other adverse effects

No data available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Ubbink Aqua GH/KH-Plus

Print date: 21.04.2015

Product code:

Page 6 of 8

Advice on disposal

Dispose of waste according to applicable legislation. Consult the appropriate local waste disposal expert about waste disposal. Non-contaminated packages may be recycled. The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process. List of proposed waste codes/waste designations in accordance with EWC

Waste disposal number of waste from residues/unused products

160304 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; off-specification batches and unused products; inorganic wastes other than those mentioned in 16 03 03

Waste disposal number of used product

160304 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; off-specification batches and unused products; inorganic wastes other than those mentioned in 16 03 03

Waste disposal number of contaminated packaging

150203 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; absorbents, filter materials, wiping cloths and protective clothing; absorbents, filter materials, wiping cloths and protective clothing other than those mentioned in 15 02 02

Contaminated packaging

Handle contaminated packages in the same way as the substance itself.

SECTION 14: Transport information**Land transport (ADR/RID)**

14.1. UN number: Not restricted
14.2. UN proper shipping name: Not restricted
14.3. Transport hazard class(es): Not restricted
14.4. Packing group: Not restricted

Inland waterways transport (ADN)

14.1. UN number: Not restricted
14.2. UN proper shipping name: Not restricted
14.3. Transport hazard class(es): Not restricted
14.4. Packing group: Not restricted

Marine transport (IMDG)

14.1. UN number: Not restricted
14.2. UN proper shipping name: Not restricted
14.3. Transport hazard class(es): Not restricted
14.4. Packing group: Not restricted

Air transport (ICAO)

14.1. UN number: Not restricted
14.2. UN proper shipping name: Not restricted
14.3. Transport hazard class(es): Not restricted
14.4. Packing group: Not restricted

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: no

14.6. Special precautions for user

Not restricted

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Ubbink Aqua GH/KH-Plus

Print date: 21.04.2015

Product code:

Page 7 of 8

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Not restricted

SECTION 15: Regulatory information**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****EU regulatory information**

2010/75/EU (VOC): No information available.

2004/42/EC (VOC): No information available.

Additional information

This mixture is classified as not hazardous according to 1999/45/EC.

This mixture is classified as not hazardous according to Regulation (EC) 1272/2008 [GHS].

Not subject to 96/82/EC

National regulatory information

Water contaminating class (D): 1 - slightly water contaminating

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information**Changes**

Rev. 1,00; 20.04.2015; Initial release

Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route

CAS Chemical Abstracts Service

DNEL: Derived No Effect Level

IARC: INTERNATIONAL AGENCY FOR RESEARCH ON CANCER

International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organization

ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO)

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

GefStoffV: Gefahrstoffverordnung (Ordinance on Hazardous Substances, Germany)

LOAEL: Lowest observed adverse effect level

LOAEC: Lowest observed adverse effect concentration

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

NOAEL: No observed adverse effect level

NOAEC: No observed adverse effect level

NTP: National Toxicology Program

N/A: not applicable

OSHA: Concerning the International Transport of Dangerous Goods by Rail)

PNEC: predicted no effect concentration

PBT: Persistent bioaccumulative toxic

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

SARA: Superfund Amendments and Reauthorization Act

SVHC: substance of very high concern

TRGS Technische Regeln für Gefahrstoffe

TSCA: Toxic Substances Control Act

VOC: Volatile Organic Compounds

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Ubbink Aqua GH/KH-Plus

Print date: 21.04.2015

Product code:

Page 8 of 8

VwVwS: Verwaltungsvorschrift wassergefährdender Stoffe
WGK: Wassergefährdungsklasse

Further Information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)

EG-Sicherheitsdatenblatt

gemäß Verordnung (EG) Nr. 1907/2006

Ubbink Aqua GH/KH-Plus

Druckdatum: 21.04.2015

Materialnummer:

Seite 1 von 8

ABSCHNITT 1: Bezeichnung des Stoffs bzw. des Gemischs und des Unternehmens**1.1. Produktidentifikator**

Ubbink Aqua GH/KH-Plus

1.2. Relevante identifizierte Verwendungen des Stoffs oder Gemischs und Verwendungen, von denen abgeraten wird**Verwendung des Stoffs/des Gemischs**

Wasserbehandlungskemikalien

Verwendungen, von denen abgeraten wird

jede nicht bestimmungsgemäße Verwendung.

1.3. Einzelheiten zum Lieferanten, der das Sicherheitsdatenblatt bereitstellt

Firmenname:	Aquarium Münster Pahlsmeier GmbH		
Straße:	Galgheide 8		
Ort:	D-48291 Telgte		
Telefon:	+49 (0)2504 9304 12	Telefax:	+49 (0)2504 9304 20
E-Mail:	mark@aquarium-munster.com		
Ansprechpartner:	Pahlsmeier		
Auskunftgebender Bereich:	Dr. Timo Gans-Eichler	e-mail:	info@tge-consult.de
	Chemieberatung	Tel.:	+49 (0)251/924520-60
	Raesfeldstr. 22		www.tge-consult.de
	D-48149 Münster		

1.4. Notrufnummer: +49 (030 19240 GIZ Berlin)
+49 (0)2504 9304 12 (Mo-Fr 9:00-16:00)

ABSCHNITT 2: Mögliche Gefahren**2.1. Einstufung des Stoffs oder Gemischs****Einstufung gemäß Richtlinie 67/548/EWG oder 1999/45/EG**

Das Gemisch ist nicht als gefährlich eingestuft im Sinne der Richtlinie 1999/45/EG.

Einstufung gemäß Verordnung (EG) Nr. 1272/2008 [CLP]

Das Gemisch ist nicht als gefährlich eingestuft im Sinne der Verordnung (EG) Nr. 1272/2008.

2.2. Kennzeichnungselemente**2.3. Sonstige Gefahren**

Keine besonders zu erwähnenden Gefahren. Bitte beachten Sie in jedem Fall die Informationen des Sicherheitsdatenblattes.

ABSCHNITT 3: Zusammensetzung/Angaben zu Bestandteilen**3.2. Gemische****Weitere Angaben**

Produkt enthält keine gelisteten SVHC Stoffe.

ABSCHNITT 4: Erste-Hilfe-Maßnahmen**4.1. Beschreibung der Erste-Hilfe-Maßnahmen****Allgemeine Hinweise**

Bei Unfall oder Unwohlsein sofort Arzt hinzuziehen (wenn möglich, Betriebsanweisung oder Sicherheitsdatenblatt vorzeigen).

EG-Sicherheitsdatenblatt

gemäß Verordnung (EG) Nr. 1907/2006

Ubbink Aqua GH/KH-Plus

Druckdatum: 21.04.2015

Materialnummer:

Seite 2 von 8

Nach Einatmen

Bei Unfall durch Einatmen: Verunfallten an die frische Luft bringen und ruhigstellen. Bei Reizung der Atemwege Arzt aufsuchen.

Nach Hautkontakt

Behutsam mit viel Wasser und Seife waschen. Bei Hautreizungen Arzt aufsuchen.

Nach Augenkontakt

Einige Minuten lang behutsam mit Wasser ausspülen. Bei auftretenden oder anhaltenden Beschwerden Augenarzt aufsuchen.

Nach Verschlucken

Mund gründlich mit Wasser ausspülen. Reichlich Wasser in kleinen Schlucken trinken lassen (Verdünnungseffekt). KEIN Erbrechen herbeiführen. Bei Auftreten von Symptomen oder in Zweifelsfällen ärztlichen Rat einholen.

4.2. Wichtigste akute und verzögert auftretende Symptome und Wirkungen

Es liegen keine Informationen vor.

4.3. Hinweise auf ärztliche Soforthilfe oder Spezialbehandlung

Symptomatische Behandlung.

ABSCHNITT 5: Maßnahmen zur Brandbekämpfung

5.1. Löschmittel

Geeignete Löschmittel

Kohlendioxid (CO₂). Trockenlöschmittel. alkoholbeständiger Schaum. Sprühwasser.

Ungeeignete Löschmittel

Wasservollstrahl.

5.2. Besondere vom Stoff oder Gemisch ausgehende Gefahren

Im Brandfall können entstehen: Kohlenmonoxid. Kohlendioxid (CO₂).

5.3. Hinweise für die Brandbekämpfung

Umgebungsluftunabhängiges Atemschutzgerät und Chemikalienschutzanzug tragen.

Zusätzliche Hinweise

Kontaminiertes Löschwasser getrennt sammeln. Nicht in die Kanalisation oder Gewässer gelangen lassen. Löschmaßnahmen auf die Umgebung abstimmen.

ABSCHNITT 6: Maßnahmen bei unbeabsichtigter Freisetzung

6.1. Personenbezogene Vorsichtsmaßnahmen, Schutzausrüstungen und in Notfällen anzuwendende Verfahren

Persönliche Schutzausrüstung tragen (siehe Abschnitt 8).

6.2. Umweltschutzmaßnahmen

Ein Eintrag in die Umwelt ist zu vermeiden.

6.3. Methoden und Material für Rückhaltung und Reinigung

Mechanisch aufnehmen.

Das aufgenommene Material gemäß Abschnitt Entsorgung behandeln.

Verschmutzte Gegenstände und Flächen unter Beachtung der Umweltvorschriften gründlich reinigen.

6.4. Verweis auf andere Abschnitte

Sichere Handhabung: siehe Abschnitt 7

Persönliche Schutzausrüstung: siehe Abschnitt 8

Entsorgung: siehe Abschnitt 13

ABSCHNITT 7: Handhabung und Lagerung

7.1. Schutzmaßnahmen zur sicheren Handhabung

EG-Sicherheitsdatenblatt

gemäß Verordnung (EG) Nr. 1907/2006

Ubbink Aqua GH/KH-Plus

Druckdatum: 21.04.2015

Materialnummer:

Seite 3 von 8

Hinweise zum sicheren Umgang

Bei der Arbeit geeignete Schutzkleidung tragen. (Siehe Abschnitt 8.)

Hinweise zum Brand- und Explosionsschutz

Übliche Maßnahmen des vorbeugenden Brandschutzes. Staubwolken können eine Explosionsgefahr darstellen.

Weitere Angaben zur Handhabung

Staubentwicklung vermeiden.

7.2. Bedingungen zur sicheren Lagerung unter Berücksichtigung von Unverträglichkeiten

Anforderungen an Lagerräume und Behälter

Behälter dicht geschlossen halten und an einem kühlen, gut gelüfteten Ort aufbewahren.

Zusammenlagerungshinweise

Nicht zusammen lagern mit: Explosivstoffe. Radioaktive Stoffe. Ansteckungsgefährliche Stoffe. Säure

Weitere Angaben zu den Lagerbedingungen

Schützen gegen: Licht. UV-Einstrahlung/Sonnenlicht. Hitze. Feuchtigkeit.

Die Verpackung trocken und gut verschlossen halten, um Verunreinigung und Absorption von Feuchtigkeit zu vermeiden.

Lagertemperatur: <50°C

Lagerklasse nach TRGS 510: 13 (Nicht brennbare Feststoffe, die keiner der vorgenannten LGK zuzuordnen sind)

7.3. Spezifische Endanwendungen

siehe Kapitel 1.

ABSCHNITT 8: Begrenzung und Überwachung der Exposition/Persönliche Schutzausrüstungen

8.1. Zu überwachende Parameter

Arbeitsplatzgrenzwerte (TRGS 900)

CAS-Nr.	Bezeichnung	ppm	mg/m ³	F/m ³	Spitzenbegr.	Art
7778-18-9	Calciumsulfat		6 A			

Zusätzliche Hinweise zu Grenzwerten

Deutschland

Luftgrenzwerte: (Staub, allgemein) 10 mg/ m³; E: einatembare Staubfraktion

Luftgrenzwerte: (Staub, allgemein) 1,25 mg/ m³; A: alveolengängige Staubfraktion

8.2. Begrenzung und Überwachung der Exposition

Geeignete technische Steuerungseinrichtungen

Staub sollte unmittelbar am Entstehungsort abgesaugt werden.

Schutz- und Hygienemaßnahmen

Behälter nach Produktentnahme immer dicht verschliessen. Am Arbeitsplatz nicht essen, trinken, rauchen, schnupfen. Vor den Pausen und bei Arbeitsende Hände waschen. Von Nahrungsmitteln, Getränken und Futtermitteln fernhalten.

Augen-/Gesichtsschutz

Staubschutzbrille. DIN EN 166

Handschutz

Bei längerem oder oftmals wiederholtem Hautkontakt:

Geeignete Schutzhandschuhe tragen.

Geeignetes Material:

FKM (Fluorkautschuk). - Dicke des Handschuhmaterials: 0,4 mm

Durchbruchzeit: >= 8 h

EG-Sicherheitsdatenblatt

gemäß Verordnung (EG) Nr. 1907/2006

Ubbink Aqua GH/KH-Plus

Druckdatum: 21.04.2015

Materialnummer:

Seite 4 von 8

Butylkautschuk. - Dicke des Handschuhmaterials: 0,5 mm

Durchbruchzeit: >= 8 h

CR (Polychloropren, Chloroprenkautschuk). - Dicke des Handschuhmaterials: 0,5 mm

Durchbruchzeit: >= 8 h

NBR (Nitrilkautschuk). - Dicke des Handschuhmaterials: 0,35 mm

Durchbruchzeit: >= 8 h

PVC (Polyvinylchlorid). - Dicke des Handschuhmaterials: 0,5 mm

Durchbruchzeit: >= 8 h

Die einzusetzenden Handschuhe müssen den Spezifikationen der EG-Richtlinie 89/686/EWG und der sich daraus ergebenden Norm EN 374 genügen.

Vor Gebrauch auf Dichtheit / Undurchlässigkeit überprüfen. Bei beabsichtigter Wiederverwendung Handschuhe vor dem Ausziehen reinigen und gut durchlüftet aufbewahren.

Körperschutz

Geeigneter Körperschutz: Laborkittel.

Mindeststandards für Schutzmaßnahmen beim Umgang mit Arbeitsstoffen sind in der TRGS 500 aufgeführt.

Atemschutz

Bei sachgemäßer Verwendung und unter normalen Bedingungen ist ein Atemschutz nicht erforderlich.

Atemschutz ist erforderlich bei:

unzureichender Belüftung

Grenzwertüberschreitung

Stauberzeugung/-bildung

Geeignetes Atemschutzgerät: Partikelfiltergerät (DIN EN 143) Filtertyp P-2/3

Halbmaske oder Viertelmaske: Maximale Einsatzkonzentration für Stoffe mit Grenzwerten: P1-Filter bis max. 4-facher Grenzwert; P2-Filter bis max. 10-facher Grenzwert; P3-Filter bis max. 30-facher Grenzwert.

Vollmaske oder Mundstückgarnitur mit Partikelfilter: Maximale Einsatzkonzentration für Stoffe mit Grenzwerten: P1-Filter bis max. 4-facher Grenzwert; P2-Filter bis max. 15-facher Grenzwert; P3-Filter bis max. 400-facher Grenzwert.

Einzelheiten zu Einsatzvoraussetzungen und maximalen Einsatzkonzentrationen sind den "Regeln für den Einsatz von Atemschutzgeräten" (BGR 190) zu entnehmen.

ABSCHNITT 9: Physikalische und chemische Eigenschaften

9.1. Angaben zu den grundlegenden physikalischen und chemischen Eigenschaften

Aggregatzustand:	fest
Farbe:	weiß
Geruch:	charakteristisch

Prüfnorm

pH-Wert:	nicht bestimmt
----------	----------------

Zustandsänderungen

Schmelzpunkt:	nicht bestimmt
---------------	----------------

Siedebeginn und Siedebereich:	nicht bestimmt
-------------------------------	----------------

Flammpunkt:	nicht bestimmt
-------------	----------------

Explosionsgefahren

keine/keiner

Untere Explosionsgrenze:	nicht bestimmt
--------------------------	----------------

Obere Explosionsgrenze:	nicht bestimmt
-------------------------	----------------

Zersetzungstemperatur:	nicht bestimmt
------------------------	----------------

Brandfördernde Eigenschaften

keine/keiner

EG-Sicherheitsdatenblatt

gemäß Verordnung (EG) Nr. 1907/2006

Ubbink Aqua GH/KH-Plus

Druckdatum: 21.04.2015

Materialnummer:

Seite 5 von 8

Dampfdruck:	nicht bestimmt
Dichte:	nicht bestimmt
Schüttdichte:	nicht bestimmt
Wasserlöslichkeit:	nicht bestimmt
Dyn. Viskosität:	nicht bestimmt
Kin. Viskosität:	nicht bestimmt

9.2. Sonstige Angaben

Festkörpergehalt:	nicht bestimmt
-------------------	----------------

ABSCHNITT 10: Stabilität und Reaktivität**10.1. Reaktivität**

Es liegen keine Informationen vor.

10.2. Chemische Stabilität

Stabil bei bestimmungsgemäßer Lagerung und Handhabung.

10.3. Möglichkeit gefährlicher ReaktionenReagiert mit : Säure. Freisetzung von: Kohlendioxid (CO₂)**10.4. Zu vermeidende Bedingungen**

Schützen gegen: UV-Einstrahlung/Sonnenlicht. Hitze.

10.5. Unverträgliche Materialien

Zu vermeidende Stoffe: Oxidationsmittel, stark. Reduktionsmittel, stark. Starke Säure.

10.6. Gefährliche Zersetzungsprodukte

Es liegen keine Informationen vor.

ABSCHNITT 11: Toxikologische Angaben**11.1. Angaben zu toxikologischen Wirkungen****Toxikokinetik, Stoffwechsel und Verteilung**

Es liegen keine Informationen vor.

Akute Toxizität

Aufgrund der verfügbaren Daten sind die Einstufungskriterien nicht erfüllt.

Reiz- und Ätzwirkung

Aufgrund der verfügbaren Daten sind die Einstufungskriterien nicht erfüllt.

Sensibilisierende Wirkungen

Aufgrund der verfügbaren Daten sind die Einstufungskriterien nicht erfüllt.

Spezifische Zielorgan-Toxizität bei einmaliger Exposition

Aufgrund der verfügbaren Daten sind die Einstufungskriterien nicht erfüllt.

Schwerwiegende Wirkungen nach wiederholter oder längerer Exposition

Aufgrund der verfügbaren Daten sind die Einstufungskriterien nicht erfüllt.

Krebserzeugende, erbgutverändernde und fortpflanzungsgefährdende Wirkungen

Aufgrund der verfügbaren Daten sind die Einstufungskriterien nicht erfüllt.

Aspirationsgefahr

Aufgrund der verfügbaren Daten sind die Einstufungskriterien nicht erfüllt.

Spezifische Wirkungen im Tierversuch

Es liegen keine Informationen vor.

ABSCHNITT 12: Umweltbezogene Angaben

EG-Sicherheitsdatenblatt

gemäß Verordnung (EG) Nr. 1907/2006

Ubbink Aqua GH/KH-Plus

Druckdatum: 21.04.2015

Materialnummer:

Seite 6 von 8

12.1. Toxizität

Keine Daten verfügbar.

12.2. Persistenz und Abbaubarkeit

Die Methoden zur Bestimmung der biologischen Abbaubarkeit sind bei anorganischen Substanzen nicht anwendbar.

12.3. Bioakkumulationspotenzial

Kein Hinweis auf Bioakkumulationspotential.

12.4. Mobilität im Boden

Keine Daten verfügbar.

12.5. Ergebnisse der PBT- und vPvB-Beurteilung

Die Inhaltsstoffe in dieser Zubereitung erfüllen nicht die Kriterien für eine Einstufung als PBT oder vPvB.

12.6. Andere schädliche Wirkungen

Keine Daten verfügbar.

ABSCHNITT 13: Hinweise zur Entsorgung**13.1. Verfahren der Abfallbehandlung****Empfehlung**

Entsorgung gemäß den behördlichen Vorschriften. Wegen einer Abfallentsorgung den zuständigen zugelassenen Entsorger ansprechen. Nicht kontaminierte und restentleerte Verpackungen können einer Wiederverwertung zugeführt werden. Die Zuordnung der Abfallschlüsselnummern/Abfallbezeichnungen ist entsprechend EAKV branchen- und prozessspezifisch durchzuführen. Vorschlagsliste für Abfallschlüssel/Abfallbezeichnungen gemäß EAKV

Abfallschlüssel Produkt

160304 Abfälle, die nicht anderswo im Verzeichnis aufgeführt sind; Fehlchargen und ungebrauchte Erzeugnisse; anorganische Abfälle mit Ausnahme derjenigen, die unter 16 03 03 fallen

Abfallschlüssel Produktreste

160304 Abfälle, die nicht anderswo im Verzeichnis aufgeführt sind; Fehlchargen und ungebrauchte Erzeugnisse; anorganische Abfälle mit Ausnahme derjenigen, die unter 16 03 03 fallen

Abfallschlüssel ungereinigte Verpackung

150203 Verpackungsabfall, Aufsaugmassen, Wischtücher, Filtermaterialien und Schutzkleidung (a. n. g.); Aufsaug- und Filtermaterialien, Wischtücher und Schutzkleidung; Aufsaug- und Filtermaterialien, Wischtücher und Schutzkleidung mit Ausnahme derjenigen, die unter 15 02 02 fallen

Entsorgung ungereinigter Verpackung und empfohlene Reinigungsmittel

Kontaminierte Verpackungen sind wie der Stoff zu behandeln.

ABSCHNITT 14: Angaben zum Transport**Landtransport (ADR/RID)****14.1. UN-Nummer:** Nicht eingeschränkt**14.2. Ordnungsgemäße UN-Versandbezeichnung:** Nicht eingeschränkt**14.3. Transportgefahrenklassen:** Nicht eingeschränkt**14.4. Verpackungsgruppe:** Nicht eingeschränkt**Binnenschifftransport (ADN)****14.1. UN-Nummer:** Nicht eingeschränkt**14.2. Ordnungsgemäße UN-Versandbezeichnung:** Nicht eingeschränkt

EG-Sicherheitsdatenblatt

gemäß Verordnung (EG) Nr. 1907/2006

Ubbink Aqua GH/KH-Plus		
Druckdatum: 21.04.2015	Materialnummer:	Seite 7 von 8

<u>14.3. Transportgefahrenklassen:</u>	Nicht eingeschränkt
<u>14.4. Verpackungsgruppe:</u>	Nicht eingeschränkt
Seeschifftransport (IMDG)	
<u>14.1. UN-Nummer:</u>	Nicht eingeschränkt
<u>14.2. Ordnungsgemäße UN-Versandbezeichnung:</u>	Nicht eingeschränkt
<u>14.3. Transportgefahrenklassen:</u>	Nicht eingeschränkt
<u>14.4. Verpackungsgruppe:</u>	Nicht eingeschränkt
Lufttransport (ICAO)	
<u>14.1. UN-Nummer:</u>	Nicht eingeschränkt
<u>14.2. Ordnungsgemäße UN-Versandbezeichnung:</u>	Nicht eingeschränkt
<u>14.3. Transportgefahrenklassen:</u>	Nicht eingeschränkt
<u>14.4. Verpackungsgruppe:</u>	Nicht eingeschränkt
<u>14.5. Umweltgefahren</u>	
UMWELTGEFÄHRDEND:	nein
<u>14.6. Besondere Vorsichtsmaßnahmen für den Verwender</u>	
Nicht eingeschränkt	
<u>14.7. Massengutbeförderung gemäß Anhang II des MARPOL-Übereinkommens 73/78 und gemäß IBC-Code</u>	
Nicht eingeschränkt	

ABSCHNITT 15: Rechtsvorschriften

15.1. Vorschriften zu Sicherheit, Gesundheits- und Umweltschutz/spezifische Rechtsvorschriften für den Stoff oder das Gemisch

EU-Vorschriften

Angaben zur IE-Richtlinie 2010/75/EU (VOC): Es liegen keine Informationen vor.

Angaben zur VOC-Richtlinie 2004/42/EG: Es liegen keine Informationen vor.

Zusätzliche Hinweise

Das Gemisch ist als nicht gefährlich eingestuft im Sinne der 1999/45/EG.
 Das Gemisch ist als nicht gefährlich eingestuft im Sinne der Verordnung (EG) Nr. 1272/2008 [GHS].
 Unterliegt nicht der 96/82/EG

Nationale Vorschriften

Störfallverordnung: Unterliegt nicht der StörfallVO.
 Katalognr. gem. StörfallVO:
 Mengenschwellen:
 Technische Anleitung Luft I: 5.2.1: Gesamtstaub, einschließlich Feinstaub bei m > 0.2 kg/h: Konz. 20 mg/m³ bzw. bei <= 0.2 kg/h: Konz. 0.15 g/m³
 Anteil:
 Wassergefährdungsklasse: 1 - schwach wassergefährdend
 Status: Mischungsregel gemäß VwVwS Anhang 4, Nr. 3

15.2. Stoffsicherheitsbeurteilung

Stoffsicherheitsbeurteilungen für Stoffe in dieser Mischung wurden nicht durchgeführt.

ABSCHNITT 16: Sonstige Angaben

EG-Sicherheitsdatenblatt

gemäß Verordnung (EG) Nr. 1907/2006

Ubbink Aqua GH/KH-Plus

Druckdatum: 21.04.2015

Materialnummer:

Seite 8 von 8

Änderungen

Rev. 1,00; 20.04.2015; Neuerstellung

Abkürzungen und Akronyme

ADR: Accord européen sur le transport des marchandises dangereuses par Route

CAS Chemical Abstracts Service

DNEL: Derived No Effect Level

IARC: INTERNATIONAL AGENCY FOR RESEARCH ON CANCER

International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organization

ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO)

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

GefStoffV: Gefahrstoffverordnung (Ordinance on Hazardous Substances, Germany)

LOAEL: Lowest observed adverse effect level

LOAEC: Lowest observed adverse effect concentration

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

NOAEL: No observed adverse effect level

NOAEC: No observed adverse effect level

NTP: National Toxicology Program

N/A: not applicable

OSHA: Concerning the International Transport of Dangerous Goods by Rail)

PNEC: predicted no effect concentration

PBT: Persistent bioaccumulative toxic

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de

fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

SARA: Superfund Amendments and Reauthorization Act

SVHC: substance of very high concern

TRGS Technische Regeln für Gefahrstoffe

TSCA: Toxic Substances Control Act

VOC: Volatile Organic Compounds

VwVwS: Verwaltungsvorschrift wassergefährdender Stoffe

WGK: Wassergefährdungsklasse

Weitere Angaben

Die Angaben in diesem Sicherheitsdatenblatt entsprechen nach bestem Wissen unseren Erkenntnissen bei Drucklegung. Die Informationen sollen Ihnen Anhaltspunkte für den sicheren Umgang mit dem in diesem Sicherheitsdatenblatt genannten Produkt bei Lagerung, Verarbeitung, Transport und Entsorgung geben. Die Angaben sind nicht übertragbar auf andere Produkte. Soweit das Produkt mit anderen Materialien vermischt, vermischt oder verarbeitet wird, oder einer Bearbeitung unterzogen wird, können die Angaben in diesem Sicherheitsdatenblatt, soweit sich hieraus nicht ausdrücklich etwas anderes ergibt, nicht auf das so gefertigte neue Material übertragen werden.

(Die Daten der gefährlichen Inhaltstoffe wurden jeweils dem letztgültigen Sicherheitsdatenblatt des Vorlieferanten entnommen.)