



# MULTI MIKRO 200



## inverter

**CONNECTABLE TO POWER GENERATOR**

**TIGLIFT**

**MIG**

**MMA**

**CONNECTOR 35-50**

<b>DMSO SOCKET</b> Ø 13mm	<b>2T 4T MODE</b>
<b>CE</b>	<b>SAFETY LVD</b> IEC 60974-1
<b>EMC</b> IEC 60974-10	<b>GAS NOGAS</b>
<b>IGBT INSULATED GATE BIPOLAR TRANSISTOR</b>	<b>NO ACTIVE TORCH</b>
<b>21S IP</b>	<b>SPOOL Ø200 SUPPORTED</b>
<b>H CLASS</b>	<b>11</b>
<b>18</b>	<b>03</b>

**REEL BRACKET wire 15kg**  
COD.90870

	SG2	INOX	FLUX
Ø100/200 and with REEL BRACKET 300mm			
<b>59095</b>	0,6-1,2Ø	0,6-1,0Ø	0,8-0,9Ø

### Optional

**WELDING HELMET DIN 4/9-13**



**HELMET 1500-G**  
COD. 90356

**WELDING HELMET DIN 11 FIX**



**HELMET 2000 E 11**  
COD. 90385

**MAGNETIC HELP**



**COD. 88031**

**HAMMER**



**COD. 80010**

**TIG TORCH 17 V**



**COD. 96000**

**CONNECTOR 25 TO 35 ADAPTER**



**COD. 90634**

**KIT**  
**COD. 96009**  
(96000 + 90634)

**WIRE**



FLUX Ø0,8mm 0,5kg  
**Cod. 92953**

FLUX Ø0,8mm 1,0kg  
**Cod. 92954**

FLUX Ø0,9mm 0,5kg  
**Cod. 92960**

FLUX Ø0,9mm 1,0kg  
**Cod. 92967**

**WIRE**



STEEL Ø1,0mm 1,0kg  
**Cod. 92933**

STEEL Ø0,8mm 0,5kg  
**Cod. 92916**

INOX Ø0,8mm 0,5kg  
**Cod. 92943**



### Accessories Included



### Technical specifications

	<b>CODE</b>	<b>Input voltage</b>	<b>Absorbed power</b>	<b>No load voltage</b>	<b>Welding current</b>	<b>Duty cycle</b>	<b>Duty cycle</b>	<b>Electrodes (mm)</b>	<b>Box volume</b>	<b>Box weight</b>	<b>Box size (mm)</b>	<b>PCS per box</b>	<b>PCS per Euro pallet</b>	<b>Bar code</b>
MULTI MIKRO 200	59095	230V~1ph	kVA   kW 8,2   6,7	MIG 87 MMA 87 TIG 13	MIG 20-200 MMA 10-200 TIG 10-200	MIG 20/200 MMA 20/200 TIG 20/200	200A@60%	1,6-5,0	0,065m <sup>3</sup>	17	625x245x440	1	20	8004386590959