KAEMINGK **Test Report - Products** 



Page 1 of 15

Report No.: CN225XYQ 002 rev.02

Client: KAEMINGK CHINA OFFICE

ROOM 1108, QIAN SHU PAN FU BUILDING, NO.233,235, DONG FENG XI **Contact information:** 

ROAD, YUE XIU DISTRICT, GUANGZHOU, P.R. CHINA

Supplier: ANHUI JINYUAN HOUSEHOLD ARTS CO.,LTD

**Item Description:** KAUAI HANGCHAIR WICKER WITH FOOTREST

899167\_899168\_899169\_899170\_899171\_899172\_899180\_899181\_899182\_8 Item No.:

99183 899184 899185

**Country of Origin: CHINA** 

**Country of Destination:** THE NETHERLANDS

Sample obtaining method: SENDING BY CUSTOMER

Sample receiving date: 2022-02-22

**Testing period:** 2022-03-07 to 2022-03-16

**Test specification:** Test result:

1. EN 581-1:2017 **Pass** 2. EN 581-2:2015/AC:2016 for outdoor contract use (excluding clause 8.1) **Pass** 3. EN 1022:2018 **Pass** 4. Load Test for footrest(Client's request) **Pass** 

# Other Information:

This report supersedes the previous report number CN225XYQ 002 rev.01, Dated on 30.03.2022. Test the two forms of hanging separately.

# For and on behalf of

TÜV Rheinland (Guangdong) Ltd.

2022-03-30 Leo Zhou / Senior Test Engineer

Date Name/Position

Sample information is provided by customer. Test result is drawn according to the kind and extent of tests performed. This test report relates to the above mentioned test sample. Without permission of the test center this test report is not permitted to be duplicated in extracts. This test report does not entitle to carry any safety mark on this or similar products



# **Material list**

Item: KAUAI HANGCHAIR WICKER WITH FOOTREST

899167\_899168\_899169\_899170\_899171\_899172\_899180\_899181\_899182\_

899183\_899184\_899185

Material No.	Material	Color	Location
M001	Whole product	Refer to photo	Refer to photo

# **Dimensions:**

Weight:	28.04 kg
Overall Dimensions:	2010 mm H x 1240 mm W x 1190 mm D
Other Dimensions:	The other distance between the hang chair legs: Width direction: Ø1030 mm, Depth direction: Ø1030 mm Hang chair Height: 1120 mm, width: 1240mm, Depth: 560mm, Seat height: 530 / 510 mm

Footrest:			
Weight:	1.32 kg		
Overall Dimensions:	740 / 610 mm W x 1190 mm D		
Other Dimensions:	Footrest Width: 740 / 610 mm, Depth: 570 mm, Rope: 1300 ~ 2480 mm		



# 1. EN 581-1:2017

Clause	Requirements – Tests	Measuring results – Remarks	Result			
	<b>EN 581-1:2017</b> Outdoor furniture – Seating and tables for camping, domestic and contract use – Part 1: General Seatesty requirements					
5	Safety requirements					
5.1	General		Р			
5.2	Tubular components		Р			
5.3	Shear and squeeze points		1			
5.3.1	Shear and squeeze points when erecting, adjusting and folding away		Р			
5.3.2	Shear and squeeze points under the influence of powered mechanisms		N/A			
5.3.3	Shear and squeeze points during use		Р			



Page 4 of 15

# 2. EN 581-2:2015/AC:2016

Clause	Requirements – Tests	Measuring results – Remarks	Result
	2:2015/AC:2016 Outdoor furniture – Seating and tables fo cal safety requirements and test methods for seating	r camping, domestic and contract υ	se – Part 2:
1	Scope		
2	Normative references		
3	Terms and definitions		
4	Testing		
5	Test equipment		
6	Safety, strength and durability requirements for loun	gers	
6.1	Before and after the strength, durability and stability tests are carried out, the EN 581-1 requirements shall be fulfilled	Refer to result(s) of EN 581-1	N/A
6.2	Stability, strength and durability		1
6.2.1	Testing sequence and parameters	Refer to Table 1	1
6.2.2	Requirements	Refer below clause(s)	1
/	1. Seat and back static load test (EN 1728:2012, 8.2)		N/A
/	2. Additional seat and leg rest static load test (EN 1728:2012, 8.3)		N/A
/	3. Seat and back durability test (EN 1728:2012, 8.4.1)		N/A
/	4. Additional seat durability test (EN 1728:2012, 8.4.2)		N/A
	5. Durability test on back rest mechanism (EN 1728:2012, 8.5)		N/A
/	6. Arm rest static load test (EN 1728:2012, 8.6)		N/A
/	7. Arm rest durability test (EN 1728:2012, 8.7)		N/A
/	8. Impact test (EN 1728:2012, 8.8)		N/A
/	9. Lifting test for mobile loungers (EN 1728:2012, 8.9)		N/A
/	10. Forward stability (Annex 1.2):		N/A
/	11. Rearward stability, upright (EN 1022:2005, 6.6):		N/A
/	Rearward stability, reclined (EN 1022:2005, 7.5):		N/A
/	12. Sideways stability (Annex 1.1):		N/A
7	Safety, strength and durability requirements for othe	r seating	
7.1	Before and after the strength, durability and stability tests are carried out, the EN 581-1 requirements shall be fulfilled	Refer to result(s) of EN 581-1	Р
7.2	Stability, strength and durability		1
7.2.1	Testing sequence and parameters	Refer to Table 1	1
7.2.2	Requirements	Refer below clause(s)	1
/	1. Seat static load and back static load test (EN 1728:2012, 6.4)		Р
/	2. Seat front edge static load (EN 1728:2012, 6.5)		Р
/	3. Combined Seat and back durability test (EN 1728:2012, 6.17)		Р



Page 5 of 15

Clause	Requirements – Tests	Measuring results – Remarks	Result
/	4. Durability test on seating with multi-position back rest (EN 1728:2012, 6.19)		N/A
/	5. Arm rest static load test (EN 1728:2012, 6.11)		N/A
/	6. Arm rest durability test (EN 1728:2012, 6.20)		N/A
/	7. Leg forward static load test (EN 1728:2012, 6.15)		Р
/	8. Leg sideways static load test (EN 1728:2012, 6.16)		Р
/	9. Seat impact test (EN 1728:2012, 6.24)		Р
/	10. Foot rest static test (EN 1728:2012, 6.8)		N/A
/	11. Forward stability (EN 1022:2005):	Refer to result(s) of EN 1022	Р
/	12. Rearward stability (EN 1022:2005):	Refer to result(s) of EN 1022	Р
/	13. Sideways stability (EN 1022:2005):	Refer to result(s) of EN 1022	Р
8	Instruction for use	. ,	•
8.1	Instruction for use shall be provided in the language(s) of the country where the seating are sold. These instructions shall be headed "IMPORTANT, RETAIN FOR FUTURE REFERENCE: READ CAREFULLY" in letters no less than 5 mm high, unless if the following information are permanently marked on the product. It shall contain at least the following details:  a) name and address of the manufacturer/supplier/retailer; b) conditions for use of the product (domestic, camping or contract). If applicable: c) assembly instructions; d) instructions for the care and maintenance of the seating; e) if the seating is fitted with seat height adjustments with energy accumulators, an additional note is required pointing out that only trained personnel may replace or repair seat height adjustment components with energy	User manual was not provided.	N/T



Page 6 of 15

Clause	Requirements – Tests	Measuring results – Remarks	Result
8.2	Marking for loungers Loungers equipped with wheels, but not intended to be lifted and moved with a person in it shall be permanently marked with the pictogram as shown in Figure 2. The smallest dimension of the pictogram shall not be less than 25 mm.		N/A
9	Test report		
1	Annex A (normative) Forward and sideways stability tests for loungers		
/	Annex B (informative) Purchase Information (Guideline) To allow the consumer to select a product that will be suitable for the intended use prior to purchase, purchase information should be available without the need to open any package. This should include: - identification of the product; - product characteristics such as dimensions, storage information, maintenance.; - conditions for use of the product (camping, domestic or contract).		/



Page 7 of 15

Clause	9	Requir	ements – Tests	Measuring result: Remarks			Result
	Test	Table 1 — Test	sequence and test parameter	rs for lounge	ers		
	resc	References		Camping	Domestic	Contract	
1. Seat an	nd back static load test a	EN 1728:2012, 8.2	Specified seat load, N Specified backrest load, N	1 100	1 600 410	2 000 560	

Test	References	References Test parameters				
			Camping	Domestic	Contract	
1. Seat and back static load test a	EN 1728:2012, 8.2	Specified seat load, N	1 100	1 600	2 000	
		Specified backrest load, N Minimum specified force F2 (back), N		410 360	560 500	
		Cycles	10	10	10	
		Additional cycle 30 min ± 10 s	1	1	1	
2. Additional seat and leg	EN 1728:2012,	Seat load on loading point, N	750	750	750	
rest static load test	8.3	Force applied on D-E point, N	600	900	900	
		Cycles	10	10	10	
		Additional cycle 30 min ± 10 s	1	1	1	
3. Seat and back durability test	EN 1728:2012, 8.4.1	Specified seat load, N	750	1 000	1 000	
		Specified backrest load, N	250	333	333	
		Minimum specified force F4 (back), N	220	300	300	
		Cycles	12 500	25 000	50 000	
4. Additional seat durability test	EN 1728:2012, 8.4.2	Specified force, N	750	1 000	1 000	
		Cycles	5 000	10 000	20 000	
5. Durability test on back rest	EN 1728:2012, 8.5	Specified force, N	190	250	250	
mechanism		Seat load, N	1 000	1 000	1 000	
		Cycles	5 000	10 000	20 000	
6. Arm rest static load test	EN 1728:2012,	Vertical specified Force, N	- 1	700	900 в	
	8.6	Cycles	10	10	10	
7. Arm rest durability test	EN 1728:2012, 8.7	Specified force, N	400	400	400	
		Cycles	5 000	10 000	30 000	
8. Impact test	EN 1728:2012, 8.8	Drop height, mm	140	180	240	
70		Cycles	10	10	10	
9. Lifting test for mobile	EN 1728:2012, 8.9	Load, N	1 000	1 000	1 000	
loungers		Cycles	500	1 000	2 000	
10. Forward stability <sup>c, d</sup>	A.1.2					
11. Rearward stability <sup>c</sup>	EN 1022:2005, 6.6 fo	r upright position and 7.5 for most recline	d position			
12. Sideways stability 6.d	A.1.1					

If seat and back are of one piece of flexible material (e.g. textile), only the tests on seat shall be carried out.

 $<sup>^{\</sup>rm b}$  If armrest is less than 15 mm wide, carry out test with 700 N.

<sup>•</sup> In the case of seating which might not fulfil the stability requirements before carrying out any tests, the applicable stability tests may be carried out before starting the sequence of tests specified in this table.

This test is not applicable for seating with a seat height < 200 mm and a mass < 5 kg. The height shall be determined by measuring from the floor to the upper seating area on the geometrical centre of the unloaded seat.



Requirements - Tests

Clause

Page 8 of 15

Result

Measuring results -

Tal	ole 2 — Test sec	quence and test parameters for	other seati	ng			
Test	Reference	Test	Test parameters				
			Camping	Domestic	Contract		
1. Seat static load and back static	EN 1728:2012, 6.4	Specified seat load, N	1 100	1 600	2 000		
load test <sup>a</sup>		Load applied on seat not being tested, N	750	750	750		
		Specified backrest load, N		410	560		
		Minimum specified force F2 (back), N	-	360	500		
		Cycles	10	10	10		
		Additional cycle 30 min ± 10 s	1	1	1		
2. Seat front edge static load	EN 1728:2012, 6.5	Specified force, N	1 100	1 300	1 300		
		Seat load, N	750	750	750		
		Cycles	10	10	10		
3. combined Seat and back	EN 1728:2012, 6.17	Specified seat load, N	1 000	1 000	1 000		
durability test *		Seat load, N	750	750	750		
		Specified backrest load, N	250	333	333		
		Minimum specified force F4 (back), N	220	300	300		
		Cycles	12 500	25 000	50 000		
4. Durability test on seating with	EN 1728:2012, 6.19	Seat load, N	750	750	750		
a multi-position back rest		Specified force, N	190	250	250		
		Cycles	5 000	10 000	20 000		
5. Arm rest static load test	EN 1728:2012,	Vertical specified Force, N		700	900 b		
	6.11	Cycles	10	10	10		
6. Arm rest durability test	EN 1728:2012, 6.20	Specified force, N	400	400	400		
		Cycles	5 000	10 000	30 000		
7. Leg forward static load test	EN 1728:2012, 6.15	Seat load, N	750	1 000	1 000		
r beg for rain a static foun test	DI 17 20120 22, 0120	Horizontal specified forces, N	250	300	400		
		Minimum specified force, N	150	175	250		
		Cycles	10	10	10		
8. Leg sideways static load test	EN 1728:2012, 6.16	Seat load, N	750	1 000	1 000		
o. Deg state ways state four test	DI 17 20.2012, 0.10	Horizontal specified forces, N	200	300	300		
		Minimum specified force, N	150	175	200		
		Cycles	10	10	10		
9. Seat impact test <sup>c</sup>	EN 1728:2012, 6.24	Drop height, mm	140	180	240		
vent mapare rear	21. 27 20120 22, 012 1	Cycles	10	10	10		
10. Foot rest static test <sup>d</sup>	EN 1728:2012, 6.8	Vertical specified force, N	-	1 000	1 200		
10. Poot lest static test "	EN 1/20:2012, 6.8	Cycles	10	1000	10		
11. Forward stability *f	EN 1022	cycles	10	10	10		
•	EN 1022						
12. Rearward stability f							
13. Sideways stability <sup>e, f</sup>	EN 1022						
Test	Deference	Tost	narameters				

Test	Reference	Test parameters			
			Camping	Domestic	Contract

a If seat and back are of one piece of flexible material (e.g. textile), only the tests on seat shall be carried out.

EN 1022:2005 Domestic furniture – Seating – Determination of stability

 $<sup>^{\</sup>rm b}$   $\,$   $\,$  If armrest is less than 15 mm wide, carry out test with 700 N for contract use.

the application point shall be at least 100 mm from the front edge. This test shall not be carried out on seating with a seat height > 600 mm.

d This test is carried out only on seating with a seat height > 700 mm.

e This test is not applicable for seating with a seat height < 200 mm and a mass < 5 kg. The height shall be determined by measuring from the floor to the upper seating area on the geometrical centre of the unload seat.

f In the case of seating which might not fulfil the stability requirements before carrying out any tests, the applicable stability tests may be carried out before starting the sequence of tests specified in this table.



Page 9 of 15

Clause	Requirements – Tests	Measuring results – Remarks	Result
6.2	Forwards overbalancing, all seating		Р
6.3	Forwards overturning for seating with footrest		N/A
6.4	Sideways overbalancing, all seating without arms		Р
6.5	Sideways overbalancing, all seating with arms		N/A
6.6	Rearwards overbalancing, all seating with backs		Р
7.3	Tilting chairs		N/A
7.4	Rocking chairs		N/A
7.5	Reclining chairs with footrest		Р
7.7	Reclining chairs without footrest		N/A



Page 10 of 15

# 3. EN 1022:2018

Clause	Requirements – Tests	Measuring results – Remarks	Result
EN 1022	2:2018 Furniture – Seating – Determination of stability		
7	Test methods for assessing stability of all seating except loungers		/
7.1	General The stability tests defined in Clause 6 are not applicable to seating which has both the height of the seat loading point (6.4) < 200 mm and a mass < 5 kg.		/
7.2	Requirements When tested according to 7.3 and 7.4, the seating shall not overturn.		/
7.3	Test procedures, all seating		/
7.3.1	Forwards overturning		Р
7.3.2	Forwards overturning for seating with foot rest		N/A
7.3.3	Corner stability test		Р
7.3.4	Sideways overturning, all seating without arm rests		Р
7.3.5	Sideways overturning, all other seating		/
7.3.5.1	General This test is applicable to all seating with arms, or where the top edge of the seat on the transverse plane is more than 50 mm above the height of the seat loading point (A).		/
7.3.5.2	Seating with arm rests		N/A
7.3.5.3	Seating with raised side edges		N/A
7.3.6	Rearwards overturning all seating with back rests		Р
7.4	Additional test procedures for seating with reclining back rests		/
7.4.1	General In addition to the tests in 7.3, seating with reclining back rests shall be subjected to the tests for tilting or reclining, as specified below provided their geometry falls within the reclining angle ranges defined for the appropriate tests.  Seating with back rests permanently reclined which fall within the reclining angle ranges for reclining chairs, shall be tested as reclining chairs.  The test shall be carried out with the seating in the fully tilted or reclined condition.		/
7.4.2	Tilting seating		N/A
7.4.3	Reclining seating with leg rest		Р
7.4.4	Reclining seating without leg rest		N/A
7.4.5	Rearwards stability test for rocking chairs		N/A
8	Loungers		/



Page 11 of 15

8.1	General The stability tests defined in Clause 8 are not applicable to loungers which have both a seat height < 200 mm and a mass < 5 kg. The height shall be determined by measuring from the floor to the upper surface of the seating area at the geometrical centre of the lounger loaded with 600 N applied vertically downward using the loading pad.	/
8.2	Requirements When tested according to 8.3, the seating shall not overturn.	/
8.3	Test procedures	/
8.3.1	Forwards overturning	N/A
8.3.2	Sideways overturning	N/A



# 4. Load Test for footrest

Clause	Requirements – Tests	Measuring results – Remarks	Result
/	Load evenly the table with masses for 24 hour and 1 hour overload: Load: 17.5 kg, 24 hours Load: 1.4 x claimed maxium load, 1hour	Maximum load 17.5 kg for 24 hours. Overload 24.5 kg for 1 hour.	P



Page 13 of 15

# Sample Photo:















Page 14 of 15











# General Terms and Conditions of Business of TÜV Rheinland in Greater China

- These General Terms and Conditions of Business of TÜV Rheinland in Greater China ("GTCB") is made between the client and one or more member entities of TÜV Rheinland in Greater China as applicable as the case may be ("TÜV Rheinland"). The Greater China hereof refers to Mainland China, Hong Kong and Taiwan.The client hereof includes:
- a natural person capable to form legally binding contracts under the applicable laws who concludes the contract not for the purpose of a daily use;
- (ii) the incorporated or unincorporated entity duly organized, validly existing and capable to form legally binding contracts under the applicable law.
- 1.2 The following terms and conditions apply to agreed services including consultancy services information, deliveries and similar services as well as ancillary services and other seconda obligations provided within the scope of contract performance.
- Any standard terms and conditions of the client of any nature shall not apply and shall hereby be expressly excluded. No standard contractual terms and conditions of the client shall form part of the contract even if TÜV Rheinland does not explicitly object to them.
- In the context of an ongoing business relationship with the client, this GTCB shall also apply to future contracts with the client without TÜV Rheinland having to refer to them separately

Unless otherwise agreed, all quotations submitted by  $T\ddot{U}V$  Rheinland can be changed by  $T\ddot{U}V$  Rheinland without notice prior to its acceptance and confirmation by the other party.

## Coming into effect and duration of contracts

- The contract shall come into effect for the agreed terms upon the quotation letter of TÜV Rheinland or a separate contractual document being signed by both contracting parties, or upon the works requested by the client being carried out by TÜV Rheinland. If the client instructs TÜV Rheinland (in Quotation), TÜV Rheinland (quotation), TÜV Rhein
- 3.2 The contract term starts upon the coming into effect of the contract in accordance with article 3.1 and shall continue for the term agreed in the contract.
- If the contract provides for an extension of the contract term, the contract term will be extended by the term provided for in the contract unless terminated in writing by either party with a six-week notice prior to the end of the contractual term.

### Scope of services

- The scope and type of the services to be provided by TÜV Rheinland shall be specified in the contractually agreed service scope of TÜV Rheinland by both parties. If no such separate service scope of TÜV Rheinland exists, then the written confirmation of order by TÜV Rheinland shall be decisive for the service to be provided.
- 4.2 The agreed services shall be performed in compliance with the regulations in force at the time the contract is entered into.
- TÜV Rheinland is entitled to determine, in its sole discretion, the method and nature of the assessment unless otherwise agreed in writing or if mandatory provisions require a specific procedure to be followed.
- processors to be followed:

  On execution of the work there shall be no simultaneous assumption of any guarantee of the correctness (proper quality) and working order of either tested or examined parts no of the installation as a whole and its uppertam and/or downstream processes, organisations, use and application in accordance with regulations, nor of the systems on which the installation is but particular. TUV beheinland shall assume no responsibility for the construction, selection of m and assembly of installations examined, nor for their use and application in accordance with regulations, unless these questions are expressly overed by the contract.
- 4.5 In the case of inspection work, TÜV Rheinland shall not be responsible for the accuracy or checking of the safety programmes or safety regulations on which the inspections are based, unless otherwise expressly agreed in writing.
- 4.6 If mandatory legal regulations and standards or official requirements for the agreed service scope change after conclusion of the contract, with a written notice to the client, TÜV Rheinland shall be entitled to additional remuneration for resulting additional expenses.
- 4.7The services to be provided by TÜV Rheinland under the contract are agreed exclusively with the client. A contract of third parties with the services of TÜV Rheinland, as well as making available of and justifying confidence in the work results (sex reports, test results, expert reports, etc.) Is not part of the agreed services. This also applies if the client passes on work results In IUI or In extracts to third parties in accordance with clause 11.4.

## Performance periods/dates

- The contractually agreed periods/dates of performance are based on estimates of the work involved which are prepared in line with the details provided by the client. They shall only be binding if being confirmed as binding by TÜV Rheinland in writing.
- 5.2 If binding periods of performance have been agreed, these periods shall not commence until the client has submitted all required documents to TÜV Rheinland.
- 5.3 Articles 5.1 and 5.2 also apply, even without express approval by the client, to all extensions of agreed periods/dates of performance not caused by TÜV Rheinland.
- 5.4TÜV Rheinland is not responsible for a delay in performance, in particular if the client has not fulfilled his duties to cooperate in accordance with clause 6.1 or has not done so in time and, in particular, has not provided TÜV Rheinland with all documents and information required for the performance of the service as specified in the contract.
- 5.5If the performance of TÜV Rheinland is delayed due to unforeseeable circumstances such as force majeure, strikes, business disruptions, governmental regulations, transport obstacles, etc., TÜV Rheinland is entitled to postpone performance for a reasonable period of time which corresponds at least to the duration of the hindrance plus any time period which may be required to resume performance.

# 6. The client's obligation to cooperate

- The client shall guarantee that all cooperation required on its part, its agents or third parties will be provided in good time and at no cost to TÜV Rheinland.
- Design documents, supplies, auxiliary staff, etc. necessary for performance of the services shall be made available free of charge by the client. Moreover, collaborative action of the client must be undertaken in accordance with legal provisions, standards, safety regulations and accident prevention instructions. And the client represents and warrants that:
- a) it has required statutory qualifications;
- b) the product, service or management system to be certified complies with applicable la and regulations; and
- c) it doesn't have any illegal and dishonest behaviours or is not included in the list of Enterprises with Serious Illegal and Dishonest Acts of People's Republic of China.
- If the client breaches the aforesaid representations and warranties, TÜV Rheinland is entitled to i) immediately terminate the contract/order without prior notice; and ii) withdraw the issued testing report/certificates if any.
- 6.3 The client shall bear any additional cost incurred on account of work having to be redone or being delayed as a result of late, incorrect or incomplete information provided by or lack of proper cooperation from the client. Even where a fixed or maximum price is agreed, TÜV Rheinland shall be entitled to charge extra fees for such additional expense.

- 7.1 If the scope of performance is not laid down in writing when the order is placed, invoicing shall be based on costs actually incurred. If no price is agreed in writing, invoicing shall be made in accordance with the price list of TÜV Rheinland valid at the time of performance.
- 7.2 Unless otherwise agreed, work shall be invoiced according to the progress of the work
- 7.3 If the execution of an order extends over more than one month and the value of the contract or the agreed fixed price exceeds €2,500,00 or equivalent value in local currency, TUV Rheinland may demand payments on account or in instalments.

- 8.1 All invoice amounts shall be due for payment without deduction on receipt of the invoice. No discounts and rebates shall be granted.
- 8.2 Payments shall be made to the bank account of TÜV Rheinland as indicated on the invoice, stating the invoice and client numbers.
- In cases of default of payment, TÜV Rheinland shall be entitled to claim default interest at the applicable short term loan interest rate publicly announced by a reputable commercial bank in the country where TÜV Rheinland is located. At the same time, TÜV Rheinland reserves the right to claim further damages.
- Should the client default in payment of the invoice despite being granted a reasonable grace period, TÜV Rheinland shall be entitled to cancel the contract, withdraw the certificate, claim damages for non-performance and refuse to continue performance of the contract.
- The provisions set forth in article 8.4 shall also apply in cases involving returned cheques, cessation of payment, commencement of insolvency proceedings against the client's assets or cases in which the commencement of insolvency proceedings has been dismissed due to lack of assets.
- 8.6 Objections to the invoices of TÜV Rheinland shall be submitted in writing within two weeks of receipt of the invoice.

- 8.7 TÜV Rheinland shall be entitled to demand appropriate advance payments
- TÜV Rheinland shall be entitled to raise its fees at the beginning of a month if overheads and/or purchase costs have increased. In this case, TÜV Rheinland shall notify the client in writing of the rise in fees. This notification shall be issued one month prior to the date on which the rise in fees shall come into effect (period of notice of changes in fees). If the rise in fees shall come into effect (period of notice of changes in fees). If the rise in fees shall come into effect (period of notice of changes in fees). If the criminate the contract. If the rise in fees exceeds 5% per contractual year, the client shall be entitled to terminate the contract by the end of the period of notice of changes in fees. If the contract is not terminated, the changed fees shall be deemed to have been agreed upon by the time of the expiry of the notice period.
- 8.9 Only legally established and undisputed claims may be offset against claims by TÜV Rheinland.

- Any part of the work result ordered which is complete in itself may be presented by  $T\bar{U}V$  Rheinland for acceptance as an instalment. The client shall be obliged to accept it immediately.
- 9.2 If acceptance is required or contractually agreed in an individual case, this shall be deemed to have taken place two (2) weeks after completion and handover of the work, unless the client refuses acceptance within this period stating at least one fundmental breach of contract by TÜV Rheinland.
- 9.3 The client is not entitled to refuse acceptance due to insignificant breach of contract by TÜV Rheinland.
- 9.4 If acceptance is excluded according to the nature of the work performance of TÜV Rheinland, the completion of the work shall take its place.
- 9.5 If the client was unable to make use of the time windows provided for within the scope of a certification procedure for auditing/performance by TDV Rheinland and the certificate is therefore to be withdrawn (e.g. performance of surveillance audis), TDV Rheinland is entitled to immediately charge a lump-sum compensation of 10% of the order amount as compensation for expenses. The client reserves the right to prove that the TDV Rheinland has incurred to damage whatsoever or only a considerably lower damage than the above lump sum.
- 9.6 Insofar as the client has undertaken in the contract to accept services, TÜV Rheinland shall also be entitled to charge lump-sum damages in the amount of 10% of the order amount as compensation for expenses if the service is not called within one year after the order has been placed. The client reserves the right to prove that the TÜV Rheinland has incurred no damage whatsoever or only a considerably lower damage than the above mentioned lump

- 10. Commonitarity
  10. How the purpose of these terms and conditions, "confidential information" means all information, documents, images, drawings, know-how, data, samples and project documentation which one party (the "disclosing party) hands over, transfers or otherwise discloses to the other party (the "receiving party"), and the confidential information created uring performance of work by TUO Rherinand, including product testing data, defects, conformity to the technical standard and related reports. Confidential information is express not the data and know-how collected, compiled or otherwise obtained by TUO Rherinand (non-personal) within the scope of the provision of services by TUV Rherinand TUV Rherinand TUV Rherinand to store, use, further develop and pass on the data obtained in connection with the provision of services by TUV Rherinand TuV.
- 10.2 The disclosing party shall mark all confidential information disclosed in written form as confidential before passing it onto the receiving party. The same applies to confidential information stackclosed orally, the receiving party shall be appropriately informed in advance and the disclosing party shall confirm in writing the confidentiality nature of the information within flew exiting days of varied disclosure. Where the disclosing party fails to do so within the stipulated period, the receiving party fail not take any confidentiality obligations hereunder towards such information.
- 10.3 All confidential information which the disclosing party transmits or otherwise disclosing party and which is created during performance of work by TÜV Rheinland:
  - a)may only be used by the receiving party for the purposes of performing the contract, unless expressly otherwise agreed in writing by the disclosing party;

b)may not be copied, distributed, published or otherwise disclosed by the receiving part unless this is necessary for fulfilling the purpose of the contract or TUV Rheinland is req to pass on confidential information, inspection reports or documentation to the governm authorities, judicial court, accreditation bodies or third parties that are involved in the performance of the contract;

chimats be treated by the receiving party with the same level of confidentiality as the receiving party uses to protect its own confidential information, but never with a lesser level of confidentiality than that which is reasonably required.

- 10.4 The receiving party may disclose any confidential information received from the disclosing party only to those of its employees who need this information to perform the services required for the contract. The receiving party undertakes to oblige these employees to observe the same level of secrecy as set forth in this confidentiality clause.
- 10.5 Information for which the receiving party can furnish proof that:
  - a)it was generally known at the time of disclosure or has become general knowledge without violation of this confidentiality clause by the receiving party; or
  - b)it was disclosed to the receiving party by a third party entitled to disclose this information; or c)the receiving party already possessed this information prior to disclosure by the disclosing party; or
  - d)the receiving party developed it itself, irrespective of disclosure by the disclosing party, sha not be deemed to constitute "confidential information" as defined in this confidentiality clause
- not be deemed to constitute' confidential information' as defined in this confidentiality clause.

  10.6 All confidential information shall remain the property of the disclosing party. The receiving party hereby agrees to immediately (i) return all confidential information, including all copies, to the disclosing party, and/or (ii) on request by the disclosing party, to destroy all confidential to the disclosing party and/or (ii) on request by the disclosing party, to destroy all confidential to the disclosing party in writing, at any time if a requested by the disclosing party but at the latest and without special request after fermination or expiry of the contract. This does not settled to the confidential perspect of the client solely for the purpose of fulfilling the obligations under the contract, which shall remain with the client. However, TÜV Rheinland is entitled to make file copies of such reports, certificates and confidential information that forms the basis for preparing these reports and certificates in order to evidence the correctness of its results and for general documentation purposes required by laws, regulations and the requirements of working procedures of TÜV Rheinland.
- 7 From the start of the contract and for a period of three years after termination or expiry of the contract, the receiving party shall maintain strict secrecy of all confidential information and shall not disclose this information to any third parties or use it for itself.

# Copyrights and rights of use, publications

- 11.1 TÜV Rheinland shall retain all exclusive copyrights in the reports, expert reports/opinions, test reports/results, results, calculations, presentations etc., prepared by TÜV Rheinland, urbics otherwise agreed by the parties in a separate agreement. As the owner of the copyrights, TÜV Rheinland is free to grant others the right to use the work results for individual or all types of use ("right of use").
- 11.2 The client receives a simple, unlimited, non-transferable, non-sublicensable right of use to the contents of the work results produced within the scope of the contract, unless otherwise agreed by the parties in a separate agreement. The client may only use such reports, expert reports/opinions, test reports/results, results calculations, presentations etc. prepared within the scope of the contract trust he contract cuts fly agreed purpose.
- 11.3 The transfer of right of use of the generated work results regulated in clause 11.2. of the GTCB is subject to full payment of the remuneration agreed in favour of TÜV Rheinland.
- 11.4 The client may use work results only complete and unshortened. The client may only pa the work results in full unless TÜV Rheinland has given its prior written consent to the passing on of work results.
- 11.5 Any publication or duplication of the work results for advertising purposes or any further u the work results beyond the scope regulaed in clause 11.2 needs the prior written appror TÜV Rheinland in each individual case.
- 11.6 TÜV Rheinland may revoke a once given approval according to clause 11.5 at any time without stating reasons. In this case, the client is obliged to stop the transfer of the work results immediately at his own expense and, as far as possible, to withdraw publications.
- The consent of TÜV Rheinland to publication or duplication of the work results does not entitle the client to use the corporate logo, corporate design or test/certification mark of TÜV Rheinland.

# 12. Liability of TÜV Rheinland

12.1 Irrespective of the legal basis, to the fullest extent permitted by applicable law, in the event of a breach of contractual obligations or tort, the liability of TÜV Rheinland for all damages, losses and reimbursement of expenses caused by TÜV Rheinland, its legal representatives and/or employees shall be limited to: (i) in the case of a contract with a fixed overall fee, three times the overall fee for the entire contract; (ii) in the case of a contract for annually recurring services, the agreed annual fee; (iii) in the case of a contract expressly charged on a time and material the agreed annual fee, (iii) in the case of a contract expressly charged on a time and material basis, a maximum of 20,000 Euror or equivalent amount in local currency, and (iv) in the case of a framework agreement that provides for the possibility of placing individual orders, three times of the fee for the individual order under which the damages or losses have occurred. Nowthistanding the above, in the event that the total and accumulated bally calculate according to the foregoing provisions exceeds 2.5 Willion Euro or equivalent amount in local to the contract of the contra

- currency, the total and accumulated liability of TÜV Rheinland shall be only limited to and shall not exceed the said 2.5 Million Euro or equivalent amount in local currency.
- 12.2 The limitation of liability according to article 12.1 above shall not apply to damages and/or losses caused by malice, intent or gross negligence on the part of TÜV Rheinland or its vicarious agents. Such limitation shall not apoly to damages for a persor's death, physical injury.
- In cases involving a fundamental breach of contract, TÜV Rheinland will be liable even where minor negligence is involved. For this purpose, a "fundamental breach" is breach of a material contractual obligation, the performance of which permits the due performance of the contract. Any claim for damages for a fundamental breach of contract shall be limited to the amount of damages reasonably foreseen as a possible consequence of such breach of contract at the time of the breach (reasonably foresee able damages), unless any of the circumstance described in article 12.2 applies.
- 12.4 TÜV Rheinland shall not be läble for the acts of the personnel made available by the client to support TÜV Rheinland in the performance of its services under the contract, unless such personnel made available is regarded as vicarious agent of TÜV Rheinland is not liable for the acts of the personnel made available by the client under the foregoing provision, the client shall indemnity TÜV Rheinland against any claims made by third parties arising from or in connection with such personnel's acts.
- 12.5 Unless otherwise contractually agreed in writing, TÜV Rheinland shall only be liable under the contract to the client.
- 12.6 The limitation periods for claims for damages shall be based on statutory provisions
- 12.7 None of the provisions of this article 12 changes the burden of proof to the disadvantage of the

### 13. Export control

- 13.1When passing on the services provided by TÜV Rheinland or parts thereof to third parties in Greater China or other regions, the client must comply with the respectively applicable regulations of national and international export control law.
- 13.2The performance of a contract with the client is subject to the proviso that there are no obstacles to performance due to national or international foreign trade legislations or embargos and/or sanctions. In the event of a violation, TÜV Rheinland shall be emitted to terminate the contract with immediate effect and the client shall compensate for the losses incured thereof by TÜV Rheinland.

Data protection notice

ITÜV Rheinland processes personal data of the client for the purpose of fulfilling this contract. In addition, TÜV Rheinland disc processes the data for other legal purposes in accordance with the relevant legal basis. The personal data of the client will only be declaced to other natural or legal persons if the legal requirements are met. This also applies to transfers to third countries. The personal data of the deleted immediately as son as a corresponding reason for deletion arises. Data subjects may exercise the following rights: right of information, right of rectification, right of deletion, right of processing limitation, right of objection, right of data transferability. In addition, persons concerned by the data processing have the right to revoke their consent at any time with effect for the future, as well as the right to file accomplant with the competent data protection supervisory authority. For further details on the processing of the presonal data by TUV Rheinland as the person responsible or contract processor, please refer to the respective data protection information. You can contact the Group Data Protection Officer of TUV Rheinland by e-mail at datenschutz@ del kut.com or by post at the following address:
TÜV Rheinland AG, c/o Group Data Protection Officer, Am Grauen Stein, 51105 Cologne, Germany.

## 15. Test material: transport risk and storage

- 15.1The risk and costs for freight and transport of documents or test material to and from TÜV Rheinland as well as the costs of necessary disposal measures shall be borne by the client.
- 15.2Any destroyed and otherwise worthless test material will be disposed of by TÜV Rheinland for the client at the expense of the client, unless otherwise agreed.
- 15.3Undamaged test material shall be stored by TÜV Rheinland for four (4) weeks after completion of the test. If a longer storage period is desired, TÜV Rheinland charges an appropriate storage
- 15.4After the expiry of the 4 weeks or any longer period agreed upon, the test material will be disposed of by TÜV Rheinland for the client for a fee in accordance with clause 15.2.

## 16. Termination of the contract

- 16.1 Notwithstanding clause 3.3 of the GTCB, TÜV Rheinland and the client are entitled to terminate the contract in its entirety or, in the case of services combined in one contract, each of the combined parts of the contract individually and independently of the continuation of the remaining services with six (6) months' notice to the end of the contractually agreed term.
- 16.2For good causes, TÜV Rheinland may consider giving a written notice to the client to terminate the contract which includes but not limited to the following:
- a) the client does not immediately notify TÜV Rheinland of changes in the conditions within the company which are relevant for certification or signs of such changes;
- b) the client misuses the certificate or certification mark or uses it in violation of the contract;
- c) in the event of several consecutive delays in payment (at least three times);
- d) a substantial deterioration of the financial circumstances of the client occurs and as a re the payment claims of TÜV Rheinland under the contract are considerably endangered TÜV Rheinland cannot reasonably be expected to continue the contractual relationship.
- 16.3In the event of termination with written notice by TÜV Rheinland for good cause, TÜV Rheinland shall be entitled to a lump-sum claim for damages against the client if the conditions of a claim snat be entitled to a lump-sum claim for damages against the clear if the conditions of a claim for damages exist. In this case, the clear shall one of 15% of the remuneration to be paid until the end of the fixed contract term as lump-sum compensation. The client reserves the right to prove that there is no damage or a considerably lower damage. TUV Rheinland reserves the right to prove a considerably brigher damage in individual cases.
- 16.4TÜV Rheinland is also entitled to terminate the contract with written notice if the client heen able to make use of the time windows for auditing /service provision provided be Rheinland within the scope of a certification procedure and the certificate therefore ha withdrawn (for example during the performance of monitoring audits). Clause 16.3 accordinate.

# 17. Partial invalidity, written form, place of jurisdiction and dispute resolution

- 17.1 All amendments and supplements must be in writing in order to be effective. This also applies to amendments and supplements to this clause 17.1.
- 17.2 Should one or several of the provisions under the contract and/or these terms and conditions be or become ineffective, the contracting parties shall replace the invalid provision with a legally valid provision that comes closest to the content of the invalid provision in legal and commercial terms.
- 17.3 Unless otherwise stipulated in the contract, the governing law of the contract and these terms and conditions shall be chosen following the rules as below:
  - a)if TÜV Rheinland in question is legally registered and existing in the People's Republic of Ch the contracting parties hereby agree that the contract and these terms and conditions sha governed by the laws of the People's Republic of China.
  - b)if TÜV Rheinland in question is legally registered and existing in Taiwan, the contracting parties hereby agree that the contract and these terms and conditions shall be governed by the laws of Taiwan.
  - c)if TÜV Rheinland in question is legally registered and existing in Hong Kong, the contracting parties hereby agree that the contract and these terms and conditions shall be governed by the laws of Hong Kong.
  - Any dispute in connection with the contract and these terms and conditions or the execution thereof shall be settled friendly through negotiations. Unless otherwise stipulated in the contract, if no settlement or no agreement in respect of the extension of the negotiation period can be reached within two months of the arising of the dispute, that dispute shall be submitted:
- a)in the case of TÜV Rheinland in question being legally registered and existing in the People's Republic of China, to China International Economic and Trade Arbitration Commission (CIETAC) to be settled by arbitration under the Arbitration Rules of CIETAC in force when the arbitration is submitted. The arbitration shall take place in Beijing, Shanghai, Sherizhen or Chongqing as appropriately chosen by the claiming party.
- b)in the case of TÜV Rheinland in question being legally registered and existing in Taiwan, to Chinese Arbitration Association Taipei Branch to be arbitrated in accordance with its then current Rules of Arbitration. The arbitration shall take place in Taipei.
- c)in the case of TÜV Rheinland being legally registered and existing in Hong Kong, to Hong Kong International Arbitration Centre (HKIAC) to be settled by arbitration under the HKIAC Administered Arbitration Rules in force when the Notice of Arbitration is submitted in accordance with these rules. The arbitration shall take place in Hong Kong.
- The decision of the relevant arbitration tribunal shall be final and binding on both parties. The arbitration fee shall be borne by the losing party.