

MATERIAL SAFETY DATA SHEET

according to the European Directive 2001 /5/EC



Page 1 von 4
Alkaline Batteries
Jan. 2nd, 2019
Rev: 1

The information contained within is provided for your information only. This battery is not classified as dangerous according to the criteria of directive 99/45/EEC. The information and recommendations set forth herein are made in good faith and are believed to be accurate as of the date of preparation. However, GBT GERMAN BATTERY TRADING GMBH, MAKES NO WARRANTY, EITHER EXPRESS OR IMPLIED, WITH RESPECT TO THIS INFORMATION AND DISCLAIMS ALL LIABILITY FROM RELIANCE ON IT.

MATERIAL SAFETY DATA SHEET

PRODUCT NAME: Bauhaus and Bauhaus Profi-Depot Battery **TYPES:** all

TRADE NAME: Bauhaus and Bauhaus Profi-Depot Alkaline

CHEMICAL SYSTEM: Alkaline Manganese Dioxide-Zinc

I – MANUFACTURE INFORMATION

Manufactured for:
GBT German Battery Trading GmbH
An Gut Nazareth 18 A
52353 Düren / Germany

Telephone Numbers for Information:
+49(0)2421-208560

II – HAZARDOUS INGREDIENTS

IMPORTANT NOTE: The battery should not be opened or burned. Exposure to the ingredients contained within or their combustion products could be harmful.

MATERIAL OR INGREDIENT	Wt. %	CAS No.	EEC No.	CLASSIFICATION
Manganese Dioxide	35 – 40	1313-13-9	215-202-6	Xn, R20/22
Zinc	10 – 25	7440-66-6	231-175-3	F; R-15; R-17
Potassium Hydroxide (38 %)	5 – 10	1310-58-3	215-181-3	C; R35

III – HAZARDS IDENTIFICATION

General Advice: The common know rules for handling of chemicals should be obeyed. These chemicals are contained in a sealed steel can. For consumer use, adequate hazard warnings are printed on both the packaging and the battery. Potential for exposure should not exist unless the battery leaks, is exposed to high temperature or is mechanically. Or electrically abused. Concentrated potassium hydroxide contained is caustic. Anticipated potential leakage of potassium hydroxide is 2 – 20 mL, depending on battery size. Do not eat and drink batteries.

Hazards to man: If battery leaking, exposure to caustic ingredients may occur.

Hazards to the environment: Not applicable

Other Information: Keep batteries away from small children.

IV – FIRST AID MEASURES

MATERIAL SAFETY DATA SHEET

according to the European Directive 2001 /5/EC



Page 2 von 4
Alkaline Batteries
Jan. 2nd, 2019
Rev: 1

Inhalation:	In case of excessive inhalation due to leaking batteries remove to fresh air. Obtain medical advice.
Skin Contact:	If exposed to a leaking battery, remove contaminated clothing. Wash exposed areas with plenty of water and soap. If irritation occurs, consult a physician.
Eye contact:	If a battery is leaking and material contact eyes, flush immediately with running water for at least 15 minutes. Consult an ophthalmologist at once.
Ingestion:	Not anticipated due to size of batteries. Choking may occur with the smaller size of batteries. If exposed to a leaking battery, rinse mouth and surrounding areas with running water for at least 15 minutes. Give plenty of water to drink. Do not induce vomiting. Obtain medical advice.

V – PRECAUTIONS FOR SAFE HANDLING AND USE

Fire – fighting measures

Suitable extinguishing media: Carbon dioxide (CO₂), foam, dry chemical powder

Extinguishing media not to be used: Never use a direct water jet.

Exposures hazards from combustion products: In case of fire, carbon dioxide, carbon monoxide and other toxic organic substances will be generated. Do not inhale fumes and smoke.

Personal protective equipment: Wear full protective clothing. Use self-contained breathing apparatus.

Accidental release measures

Personal precautions: Notify safety personnel of large spills. Caustic potassium hydroxide may be released from leaking or ruptured batteries. Avoid eye or skin contact and inhalation of vapours. Increase the ventilation. Wear protective clothing. Keep unprotected persons away.

Environmental precautions: Avoid discharge and penetration into sewerage systems, waterways, pits, and cellars.

Methods of cleaning up: Collect spilled material with an inert standard absorbent like sand or silica. Care for well-ventilated conditions. Recycle or dispose of the material in an appropriate way.

Handling and storage: Obey the common known rules and precautions for handling with chemicals.

General handling: Avoid mechanical and electrical abuse. **DO NOT** short battery or install incorrectly. Batteries may explode, pyrolyze or vent if disassembled, crushed, recharged or exposed to high temperatures. Install batteries according to equipment instructions. Do not mix battery systems, such as alkaline and zinc – carbon. Replace all batteries in equipment at the same time. Do not carry batteries loose in pocket or bag. Do not remove battery labels.

Storage: Store at room temperature in a well ventilated area. Elevated temperatures can result in shortened battery life.

MATERIAL SAFETY DATA SHEET

according to the European Directive 2001 /5/EC



Page 3 von 4
Alkaline Batteries
Jan. 2nd, 2019
Rev: 1

Exposures controls and personal protection

Respiratory equipment:	None required under normal use conditions.
Hand protection:	None required under normal use conditions. Use neoprene, rubber or nitrile gloves when handling leaking batteries.
Eye protection:	None required under normal use conditions. Wear safety glasses when handling leaking batteries.
General safety and hygiene measures:	Use only as directed.

Physical and chemical properties

Form and color:	Stainless steel top battery, contents dark and gray in color
Odour:	Not applicable
Melting Point:	Not applicable
Boiling Point:	Not applicable
Flash Point:	Not applicable
Explosion limit:	Not available
Ignition temperature:	Not available
Vapour pressure:	Not available
Specific gravity:	Not applicable
Solubility in water:	Not applicable
Solubility in other solvents:	Not applicable
pH value:	Not available
Partition coefficient:	Not available
Viscosity:	Not available

Stability and Reactivity

Thermal decomposition:	Batteries may burst and release hazardous decomposition products when exposed to fire.
Substances to avoid:	Strong oxidation agents.
Hazardous reactions:	Contents incompatible with strong oxidising agents
Hazardous decomposition products:	Thermal degradation may produce hazardous fumes of zinc and manganese; hydrogen gas; caustic vapours of potassium and other toxic by-products.

MATERIAL SAFETY DATA SHEET

according to the European Directive 2001 /5/EC



Page 4 von 4
Alkaline Batteries
Jan. 2nd, 2019
Rev: 1

Toxicological Information

Toxicity information is available on the battery ingredients noted in Section II, but in general, not applicable to intact batteries.

Chronic health effects: Not applicable to intact batteries.

Ecological information: Not available

Disposable considerations

Product: Dispose in accordance with appropriate regulations. If in doubt, contact your local government office concerned for information. Do not incinerate, since batteries may explode at excessive temperatures.

Transport Information

Road (ADR/RID): Not regulated

Air (ICAO/IATA): Not regulated

Sea (IMDG): Not regulated

Regulatory Information

EC labeling: None

Risk phrases: None

Safety phrases: None

Labeling is not required because alkaline batteries are classified as "articles" under the Dangerous Preparations Directive and as such are exempt from the requirements of the Directive.