

Air Compressor Technical Data Sheet

Model No#: R78905

DESCRIPTION:

Air compressor can be used for inflating Truck Utility Vehicles, Cars Motorcycle Tyres:

1. To achieve optimal performance when operating your air compressor
2. Plug the compressor's power cord into the battery of your vehicle. Screw the air hose's brass valve tip directly onto the tire's air valve.
3. Turn the compressor ON-begin to inflate tire.
4. When the pressure gauge reaches the desired pressure switch the unit OFF and compressor. remove the air hose from the valve

Precautions on use:

- 1.Allow sufficient cooling time before storing.
- 2.All parts are lifetime lubricated and no oiling is required.
- 3.To avoid exhausting the car battery please have the engine running while using the air compressor.
- 4.Please ensure that the power switch is in the OFF position when not in use.



Usage:

1. Start your vehicle's engine then plug the compressor's power cord into the battery.
2. Nozzles are provided to fit most inflatable object.Simply screw the appropriate nozzle into the brass tip of the air hose.
- 3.Attach the appropriate nozzle to the inflatable object and turn the compressor on.When the object is inflated to desired firmness or pressure turn the compressor off.

PRODUCT SPECIFICATIONS:

Material	Plastic body cover
Voltage	12V DC
Product size	13.5*9.7*12cm
Cylinder diameter	16mm
Cable length	2.8m
Pressure	150PSI



Gearta

Air Compressor Technical Data Sheet

Model No#: 8870

DESCRIPTION:

Air compressor can be used for inflating Truck Utility Vehicles, Cars Motorcycle Tyres:

1. To achieve optimal performance when operating your air compressor
2. Plug the compressor's power cord into the battery of your vehicle. Screw the air hose's brass valve tip directly onto the tire's air valve.
3. Turn the compressor ON-begin to inflate tire.
4. When the pressure gauge reaches the desired pressure switch the unit OFF and compressor. remove the air hose from the valve

Precautions on use:

- 1.Allow sufficient cooling time before storing.
- 2.All parts are lifetime lubricated and no oiling is required.
- 3.To avoid exhausting the car battery please have the engine running while using the air compressor.
- 4.Please ensure that the power switch is in the OFF position when not in use.




Usage:

1. Start your vehicle's engine then plug the compressor's power cord into the battery.
2. Nozzles are provided to fit most inflatable object.Simply screw the appropriate nozzle into the brass tip of the air hose.
- 3.Attach the appropriate nozzle to the inflatable object and turn the compressor on.When the object is inflated to desired firmness or pressure turn the compressor off.

PRODUCT SPECIFICATIONS:

Material	Plastic body cover
Voltage	12V DC
Product size	13.5*9.7*12cm
Cylinder diameter	16mm
Cable length	2.8m
Pressure	150PSI



Air Compressor Technical Data Sheet

Model No#: 41580

DESCRIPTION:

Air compressor can be used for inflating Truck Utility Vehicles, Cars Motorcycle Tyres:

1. To achieve optimal performance when operating your air compressor
2. Plug the compressor's power cord into the battery of your vehicle. Screw the air hose's brass valve tip directly onto the tire's air valve.
3. Turn the compressor ON-begin to inflate tire.
4. When the pressure gauge reaches the desired pressure switch the unit OFF and compressor. remove the air hose from the valve

Precautions on use:

- 1.Allow sufficient cooling time before storing.
- 2.All parts are lifetime lubricated and no oiling is required.
- 3.To avoid exhausting the car battery please have the engine running while using the air compressor.
- 4.Please ensure that the power switch is in the OFF position when not in use.




Usage:

1. Start your vehicle's engine then plug the compressor's power cord into the battery.
2. Nozzles are provided to fit most inflatable object. Simply screw the appropriate nozzle into the brass tip of the air hose.
3. Attach the appropriate nozzle to the inflatable object and turn the compressor on. When the object is inflated to desired firmness or pressure turn the compressor off.

PRODUCT SPECIFICATIONS:

Material	Plastic body cover
Voltage	12V DC
Product size	13.5*9.7*12cm
Cylinder diameter	16mm
Cable length	2.8m
Pressure	150PSI



Ratchet Tie Down Technical Data Sheet

Model No#: 439

DESCRIPTION:

DETAIL DISPLAY

1. Widen and thickened binding strap

It has no elasticity, water absorption, strong adaptability, and is not easy to break. It can effectively prevent corrosion caused by long-term sunshine and rain.

2. Double row hook

The binding is not easy to fall off, and the easily accessible traceless radian is not worried about the scratches of the goods, the breakage and falling off of the hook

3. Simple operation

The operation of the new tensioner is simple. You don't need to use brute force to pull the goods. You only need to have a tensioner, saving time and effort!

Installation Instructions

1. Pass the webbing under the tensioner shaft.
2. Put the webbing through the center groove of tensioner shaft.
3. Pull the tensioner handle back and forth

Disassembly instructions

1. Fasten the fuse out-ward.
2. Open the tensioner to the horizontal position.
3. Pull out the webbing.

PRODUCT SPECIFICATIONS:

Length	2.5m
Width	25mm
Lashing Capacity	250daN
Breaking Capacity	250kgs
	2pc/set
Certificate	TUV GS



Ratchet Tie Down Technical Data Sheet

Model No#: 441

DESCRIPTION:

DETAIL DISPLAY

1. Widen and thickened binding strap

It has no elasticity, water absorption, strong adaptability, and is not easy to break. It can effectively prevent corrosion caused by long-term sunshine and rain.

2. Double row hook

The binding is not easy to fall off, and the easily accessible traceless radian is not worried about the scratches of the goods, the breakage and falling off of the hook

3. Simple operation

The operation of the new tensioner is simple. You don't need to use brute force to pull the goods. You only need to have a tensioner, saving time and effort!

Installation Instructions

1. Pass the webbing under the tensioner shaft.
2. Put the webbing through the center groove of tensioner shaft.
3. Pull the tensioner handle back and forth

Disassembly instructions

1. Fasten the fuse out-ward.
2. Open the tensioner to the horizontal position.
3. Pull out the webbing.



PRODUCT SPECIFICATIONS:

Length	5m
Width	25mm
Lashing Capacity	250daN
Breaking Capacity	250kgs
Certificate	TUV GS



Ratchet Tie Down Technical Data Sheet

Model No#: 442

DESCRIPTION:

DETAIL DISPLAY

1. Widen and thickened binding strap

It has no elasticity, water absorption, strong adaptability, and is not easy to break. It can effectively prevent corrosion caused by long-term sunshine and rain.

2. Double row hook

The binding is not easy to fall off, and the easily accessible traceless radian is not worried about the scratches of the goods, the breakage and falling off of the hook

3. Simple operation

The operation of the new tensioner is simple. You don't need to use brute force to pull the goods. You only need to have a tensioner, saving time and effort!

Installation Instructions

1. Pass the webbing under the tensioner shaft.
2. Put the webbing through the center groove of tensioner shaft.
3. Pull the tensioner handle back and forth

Disassembly instructions

1. Fasten the fuse out-ward.
2. Open the tensioner to the horizontal position.
3. Pull out the webbing.

PRODUCT SPECIFICATIONS:

Length	4.8m
Width	25mm
Lashing Capacity	250daN
Certificate	TUV GS



Ratchet Tie Down Technical Data Sheet

Model No#: 445

DESCRIPTION:

DETAIL DISPLAY

1. Widen and thickened binding strap

It has no elasticity, water absorption, strong adaptability, and is not easy to break. It can effectively prevent corrosion caused by long-term sunshine and rain.

2. Double row hook

The binding is not easy to fall off, and the easily accessible traceless radian is not worried about the scratches of the goods, the breakage and falling off of the hook

3. Simple operation

The operation of the new tensioner is simple. You don't need to use brute force to pull the goods. You only need to have a tensioner, saving time and effort!

Installation Instructions

1. Pass the webbing under the tensioner shaft.
2. Put the webbing through the center groove of tensioner shaft.
3. Pull the tensioner handle back and forth

Disassembly instructions

1. Fasten the fuse out-ward.
2. Open the tensioner to the horizontal position.
3. Pull out the webbing.

PRODUCT SPECIFICATIONS:

Length	5m
Width	35mm
Breaking Capacity	1000kgs
Certificate	TUV GS



Luggage Strips Technical Data Sheet

Model No#: 451

DESCRIPTION:

The luggage strips is made of a cord with a hollow hemisphere plastic parts.

It is an ideal choice for road trip, tent camping, cargos bundled, tarpaulin securing and canopy shelter.

We provide cords in different diameters as well as a wide range of color choices.

each rope is made of high-quality double braided rubber and latex to ensure excellent strength

the hook use high quality material to extend the life of the product

- 1) easy to use
- 2) hooks prevent scratches
- 3) multipurpose
- 4) heavy duty construction



PRODUCT SPECIFICATIONS:

Length	120cm
Diameter	8mm
Hook material	plastic
Color	yellow
Certificate	BS AU 258:1995



Luggage Strips Technical Data Sheet

Model No#: 471

DESCRIPTION:

The luggage strips is made of a cord with a hollow hemisphere plastic parts.

It is an ideal choice for road trip, tent camping, cargos bundled, tarpaulin securing and canopy shelter.

We provide cords in different diameters as well as a wide range of color choices.

each rope is made of high-quality double braided rubber and latex to ensure excellent strength


the hook use high quality material to extend the life of the product

- 1) easy to use
- 2) hooks prevent scratches
- 3) multipurpose
- 4) heavy duty construction



PRODUCT SPECIFICATIONS:

Length	120cm
Width	18mm
Thickness	4mm
Hook material	metal
Color	yellow
Certificate	BS AU 258:1995



Working Light Technical Data Sheet


Model No#: CAR2450

DESCRIPTION:



PRODUCT SPECIFICATIONS:

Light	COB 200 lumens COB+LED white light, red light warning,
5 gears	COB strong light-COB weak light-LED front light is on, Long press for 3 seconds to switch COB red light-COB red light flashing
Product size	272 *20*33mm
Battery	1500mAh lithium battery
Material	ABS
Feature	foldable, strong magnetic bottom, hook, 360°rotation



Gearta

Sun Shade Technical Data Sheet


Model No#: 645.2

DESCRIPTION:

Universal Compatibility: Our Thick Laser Summer Sun Protection Sun Block Sunshade is designed to be universally compatible with various car models, ensuring a hassle-free installation for all vehicle owners, including the user's car.

Effective Temperature Reduction: This sunshade is specifically designed to lower car interior temperatures, providing a cooler and more comfortable driving experience for users, especially for the user who spends a lot of time driving during the summer.

Durable and Long-Lasting: Made from high-quality foam material, our sunshade is durable and long-lasting, ensuring that it withstands various weather conditions and daily use.



PRODUCT SPECIFICATIONS:

Product size	145 x 70cm
Material	Aluminum film + cardboard +PE cotton



Sun Shade Technical Data Sheet


Model No#: 645.3

DESCRIPTION:

Universal Compatibility: Our Thick Laser Summer Sun Protection Sun Block Sunshade is designed to be universally compatible with various car models, ensuring a hassle-free installation for all vehicle owners, including the user's car.


Effective Temperature Reduction: This sunshade is specifically designed to lower car interior temperatures, providing a cooler and more comfortable driving experience for users, especially for the user who spends a lot of time driving during the summer.

Durable and Long-Lasting: Made from high-quality foam material, our sunshade is durable and long-lasting, ensuring that it withstands various weather conditions and daily use.



PRODUCT SPECIFICATIONS:

Product size	150 x 80cm
Material	Aluminum film + cardboard +PE cotton



Signature

Sun Shade Technical Data Sheet


Model No#: 645.4

DESCRIPTION:

Universal Compatibility: Our Thick Laser Summer Sun Protection Sun Block Sunshade is designed to be universally compatible with various car models, ensuring a hassle-free installation for all vehicle owners, including the user's car.

Effective Temperature Reduction: This sunshade is specifically designed to lower car interior temperatures, providing a cooler and more comfortable driving experience for users, especially for the user who spends a lot of time driving during the summer.

Durable and Long-Lasting: Made from high-quality foam material, our sunshade is durable and long-lasting, ensuring that it withstands various weather conditions and daily use.



PRODUCT SPECIFICATIONS:

Product size	150 x 90cm
Material	Aluminum film + cardboard +PE cotton



Luggage Strips Technical Data Sheet

Model No#: 461

DESCRIPTION:

The luggage strips is made of a cord with a hollow hemisphere plastic parts.

It is an ideal choice for road trip, tent camping, cargos bundled, tarpaulin securing and canopy shelter.

We provide cords in different diameters as well as a wide range of color choices.

each rope is made of high-quality double braided rubber and latex to ensure excellent strength


the hook use high quality material to extend the life of the product

- 1) easy to use
- 2) hooks prevent scratches
- 3) multipurpose
- 4) heavy duty construction



PRODUCT SPECIFICATIONS:

Length	120cm
Diameter	8mm
Hook material	metal
Color	red


Geater

Suction Cap Technical Data Sheet

Model No#: 377

DESCRIPTION:

1. Widely used:

Screen disassembly, machine disassembly, auxiliary maintenance tools.

2. Scope of application:

Automobiles, mobile phones, tablets, LCD screen displays.

3. Feature:

- ★Heavy duty suction cup.
- ★Made of durable ABS and natural rubber material.
- ★Can be reused many times.
- ★Used to remove phone and tablet glass panels.
- ★Ergonomic design,easy to use.



PRODUCT SPECIFICATIONS:

Material	PP+rubber
Size	diameter 11.8cm
Color	rose red



Wrench Technical Data Sheet

Model No#: 8801

DESCRIPTION:



1. Telescoping handle extends to approx 20 inches(500mm) for maximum leverage
2. Compacts to approx 13 inches(330mm) for easy storage
3. Hardened steel and precision construction
4. A perfect replacement for your standard lug wrench
5. 1/2 inch head with 2 sockets. Sockets size:17 &19MM ,21&23MM

PRODUCT SPECIFICATIONS:

Material	Carbon steel
Size	17/19mm, 21/23mm



Searta

Seat cushion Technical Data Sheet

Model No#: 78533

DESCRIPTION:

1. Universal Compatibility

This car seat cushion is designed to fit a wide range of vehicles, ensuring that it can be used by anyone, regardless of their car model or make.

2. Bamboo Material

Made from eco-friendly bamboo, this cushion provides a natural and breathable cooling experience, perfect for hot summer days.

3. Cooling Function

The cushion is designed to keep you cool and comfortable during long drives or office hours, with its cooling function helping to regulate body temperature.

4. Easy to Clean and Store

The cushion comes in a compact and lightweight design, making it easy to clean and store in your car or office chair.

5. Perfect for Home and Office Use

This versatile cushion can be used in both your car and office chair, providing a comfortable seating solution for any setting.

- 1) Fit all standard car seat
- 2) Use for summer
- 3) Decorate your car, making you fashion



PRODUCT SPECIFICATIONS:

Product	Breathable Universal Size Wood Beads for summer bamboo Car Seat Cushion
Size	44*90cm
Material	Wooden



Seata

Seat cushion Technical Data Sheet

Model No#: 40432

DESCRIPTION:

1. Universal Compatibility

This car seat cushion is designed to fit a wide range of vehicles, ensuring that it can be used by anyone, regardless of their car model or make.

2. Bamboo Material

Made from eco-friendly bamboo, this cushion provides a natural and breathable cooling experience, perfect for hot summer days.

3. Cooling Function

The cushion is designed to keep you cool and comfortable during long drives or office hours, with its cooling function helping to regulate body temperature.

4. Easy to Clean and Store

The cushion comes in a compact and lightweight design, making it easy to clean and store in your car or office chair.

5. Perfect for Home and Office Use

This versatile cushion can be used in both your car and office chair, providing a comfortable seating solution for any setting.

- 1) Fit all standard car seat
- 2) Use for summer
- 3) Decorate your car, making you fashion



PRODUCT SPECIFICATIONS:

Product	Breathable Universal Size Wood Beads for summer bamboo Car Seat Cushion
Size	44*90cm
Material	Wooden



Seat cushion Technical Data Sheet

Model No#: 78532

DESCRIPTION:

1. Universal Compatibility

This car seat cushion is designed to fit a wide range of vehicles, ensuring that it can be used by anyone, regardless of their car model or make.

2. Bamboo Material

Made from eco-friendly bamboo, this cushion provides a natural and breathable cooling experience, perfect for hot summer days.

3. Cooling Function

The cushion is designed to keep you cool and comfortable during long drives or office hours, with its cooling function helping to regulate body temperature.

4. Easy to Clean and Store

The cushion comes in a compact and lightweight design, making it easy to clean and store in your car or office chair.

5. Perfect for Home and Office Use

This versatile cushion can be used in both your car and office chair, providing a comfortable seating solution for any setting.

- 1) Fit all standard car seat
- 2) Use for summer
- 3) Decorate your car, making you fashion



PRODUCT SPECIFICATIONS:

Product	Breathable Universal Size Wood Beads for summer bamboo Car Seat Cushion
Size	95*44cm
Material	Wooden



Seater

Seat cushion Technical Data Sheet

Model No#: 40431

DESCRIPTION:

1. Universal Compatibility

This car seat cushion is designed to fit a wide range of vehicles, ensuring that it can be used by anyone, regardless of their car model or make.

2. Bamboo Material

Made from eco-friendly bamboo, this cushion provides a natural and breathable cooling experience, perfect for hot summer days.

3. Cooling Function

The cushion is designed to keep you cool and comfortable during long drives or office hours, with its cooling function helping to regulate body temperature.

4. Easy to Clean and Store

The cushion comes in a compact and lightweight design, making it easy to clean and store in your car or office chair.

5. Perfect for Home and Office Use

This versatile cushion can be used in both your car and office chair, providing a comfortable seating solution for any setting.

- 1) Fit all standard car seat
- 2) Use for summer
- 3) Decorate your car, making you fashion



PRODUCT SPECIFICATIONS:

Product	Breathable Universal Size Wood Beads for summer bamboo Car Seat Cushion
Size	95*44cm
Material	Wooden



Bearta

Seat cushion Technical Data Sheet

Model No#: 78534

DESCRIPTION:

1. Universal Compatibility

This car seat cushion is designed to fit a wide range of vehicles, ensuring that it can be used by anyone, regardless of their car model or make.

2. Bamboo Material

Made from eco-friendly bamboo, this cushion provides a natural and breathable cooling experience, perfect for hot summer days.

3. Cooling Function

The cushion is designed to keep you cool and comfortable during long drives or office hours, with its cooling function helping to regulate body temperature.

4. Easy to Clean and Store

The cushion comes in a compact and lightweight design, making it easy to clean and store in your car or office chair.

5. Perfect for Home and Office Use


This versatile cushion can be used in both your car and office chair, providing a comfortable seating solution for any setting.

- 1) Fit all standard car seat
- 2) Use for summer
- 3) Decorate your car, making you fashion



PRODUCT SPECIFICATIONS:

Product	Wooden Comfort Car Seat Covers
Size	39*127cm
Material	Wooden



Repair kit Technical Data Sheet

Model No#: 8520

DESCRIPTION:

What should I do if my tire is punctured and flat while driving? Come prepared with emergency tires.

Tire problems may occur at any time, but there are no auto repair shops everywhere. A tire repair tool set can do it all.

About our tire plug kit:

Stainless steel fork drill, formed in one piece, has good strength and flexibility, good texture and durability. The spiral and stable design polishes the tire wound to make it easier for the rubber strip to fuse.

tire repair tapes, are rich in color, strong in adhesion, resistant to friction, and can effectively stick to rubber tires. Comes with tire repair glue. When the tire is repaired and a slight leak is found, the tire repair glue can be used to seal the gap.



Specifications:

- 1PC Gun-type Tire Repair Rod
- 1PC Gun-type Tire Repair Needle
- 5PC 6*100mm Rubber strip
- 1PC 12g Glue(Not environmentally friendly)
- 1PC Needle-nose pliers

PRODUCT SPECIFICATIONS:

Product	9pcs Vacuum tire puncture flat tire repair kit
---------	--



Seaton

Repair kit Technical Data Sheet

Model No#: 41551

DESCRIPTION:

What should I do if my tire is punctured and flat while driving? Come prepared with emergency tires.

Tire problems may occur at any time, but there are no auto repair shops everywhere. A tire repair tool set can do it all.

About our tire plug kit:

Stainless steel fork drill, formed in one piece, has good strength and flexibility, good texture and durability. The spiral and stable design polishes the tire wound to make it easier for the rubber strip to fuse.

tire repair tapes, are rich in color, strong in adhesion, resistant to friction, and can effectively stick to rubber tires. Comes with tire repair glue. When the tire is repaired and a slight leak is found, the tire repair glue can be used to seal the gap.



Specifications:

- 1PC Gun-type Tire Repair Rod
- 1PC Gun-type Tire Repair Needle
- 5PC 6*100mm Rubber strip
- 1PC 12g Glue(Not environmentally friendly)
- 1PC Needle-nose pliers

PRODUCT SPECIFICATIONS:

Product	9pcs Vacuum tire puncture flat tire repair kit
---------	--



Gearta

Ratchet Tie Down Technical Data Sheet

Model No#: 7420

DESCRIPTION:

1. Description:

- ★ Ideal for around car edge.
- ★ Prevent leaks, gaps, and vibration.
- ★ Flexible PVC edge strip can easily cap any edge.
- ★ Push-on installation, no messy glue, sealant or permanent fixtures needed.



2. Features:

- ★ Heat resistance, cold resistance, dust resistance, ozone resistance anti-aging, waterproof, isolate noise.
- ★ The edge can be freely adjusted, and also can be natural recovery shape.
- ★ Seals the interior and exterior to prevent water, debris, and white-noise intrusion.

3. Function:

Waterproof, dust-proof, sound-proof, insulation, shock absorption, decorative effect, durable, elegant appearance, convenient etc.

4. Application

Widely used on doors and windows of Vehicles, Cars, Trucks, Forklifts, Trackers, Electrical Equipment, Machinery.

PRODUCT SPECIFICATIONS:

Size	65 CM
Color	Black
	2pc/pack



Seater

Ratchet Tie Down Technical Data Sheet

Model No#: 42401

DESCRIPTION:

1. Description:

- ★ Ideal for around car edge.
- ★ Prevent leaks, gaps, and vibration.
- ★ Flexible PVC edge strip can easily cap any edge.
- ★ Push-on installation, no messy glue, sealant or permanent fixtures needed.



2. Features:

- ★ Heat resistance, cold resistance, dust resistance, ozone resistance anti-aging, waterproof, isolate noise.
- ★ The edge can be freely adjusted, and also can be natural recovery shape.
- ★ Seals the interior and exterior to prevent water, debris, and white-noise intrusion.

3. Function:

Waterproof, dust-proof, sound-proof, insulation, shock absorption, decorative effect, durable, elegant appearance, convenient etc.

4. Application

Widely used on doors and windows of Vehicles, Cars, Trucks, Forklifts, Trackers, Electrical Equipment, Machinery.

PRODUCT SPECIFICATIONS:

Size	65 CM
Color	Black
	2pc/pack



Searta

Ratchet Tie Down Technical Data Sheet

Model No#: 42402

DESCRIPTION:

1. Description:

- ★ Ideal for around car edge.
- ★ Prevent leaks, gaps, and vibration.
- ★ Flexible PVC edge strip can easily cap any edge.
- ★ Push-on installation, no messy glue, sealant or permanent fixtures needed.



2. Features:

- ★ Heat resistance, cold resistance, dust resistance, ozone resistance anti-aging, waterproof, isolate noise.
- ★ The edge can be freely adjusted, and also can be natural recovery shape.
- ★ Seals the interior and exterior to prevent water, debris, and white-noise intrusion.

3. Function:

Waterproof, dust-proof, sound-proof, insulation, shock absorption, decorative effect, durable, elegant appearance, convenient etc.

4. Application

Widely used on doors and windows of Vehicles, Cars, Trucks, Forklifts, Trackers, Electrical Equipment, Machinery.

PRODUCT SPECIFICATIONS:

Size	65 CM
Color	Transparent
	2pc/pack



Bearta

Ratchet Tie Down Technical Data Sheet

Model No#: 7422

DESCRIPTION:

1. Description:

- ★ Ideal for around car edge.
- ★ Prevent leaks, gaps, and vibration.
- ★ Flexible PVC edge strip can easily cap any edge.
- ★ Push-on installation, no messy glue, sealant or permanent fixtures needed.



2. Features:

- ★ Heat resistance, cold resistance, dust resistance, ozone resistance anti-aging, waterproof, isolate noise.
- ★ The edge can be freely adjusted, and also can be natural recovery shape.
- ★ Seals the interior and exterior to prevent water, debris, and white-noise intrusion.

3. Function:

Waterproof, dust-proof, sound-proof, insulation, shock absorption, decorative effect, durable, elegant appearance, convenient etc.

4. Application

Widely used on doors and windows of Vehicles, Cars, Trucks, Forklifts, Trackers, Electrical Equipment, Machinery.

PRODUCT SPECIFICATIONS:

Size	65 CM
Color	chrome plated
	2pc/pack



J. Garcia

Ratchet Tie Down Technical Data Sheet

Model No#: 42403

DESCRIPTION:

1. Description:

- ★ Ideal for around car edge.
- ★ Prevent leaks, gaps, and vibration.
- ★ Flexible PVC edge strip can easily cap any edge.
- ★ Push-on installation, no messy glue, sealant or permanent fixtures needed.



2. Features:

- ★ Heat resistance, cold resistance, dust resistance, ozone resistance anti-aging, waterproof, isolate noise.
- ★ The edge can be freely adjusted, and also can be natural recovery shape.
- ★ Seals the interior and exterior to prevent water, debris, and white-noise intrusion.

3. Function:

Waterproof, dust-proof, sound-proof, insulation, shock absorption, decorative effect, durable, elegant appearance, convenient etc.

4. Application

Widely used on doors and windows of Vehicles, Cars, Trucks, Forklifts, Trackers, Electrical Equipment, Machinery.

PRODUCT SPECIFICATIONS:

Size	65 CM
Color	chrome plated
	2pc/pack



J. Garcia

Luggage net Technical Data Sheet

Model No#: 126

DESCRIPTION:

1. Four kinds of functions:

tank net/helmet pad/back seat net/trunk net

2. Advantage:

The net is made of elastic band and the surface is wrapped up by nylon with high elasticity. The hook is made of metal with good durability.

3. Thickened lines of the edges:

The thickened lines make the net more durable.

4. Advanced fibre

This kind fibre is more ethereal smooth than other material.

5. Metal hook


The peg is made of metal and has strong insensitivity and heat insulation. It can be used for long time.

6. Polypropylene fibersilk (PP yarn)

The extension and elasticity is the best with durability.

7. Exquisite Latex yarn

The material is waterproof and has good insulativity and extension



PRODUCT SPECIFICATIONS:

Size	60x80cm
Aperture	10*10cm Metal hook
Hook material	metal
	12pc metal hook



Gearta

Lunch box Technical Data Sheet

Model No#: 8835

DESCRIPTION:

DETAIL DISPLAY

Food grade PP material,
real material can protect health, edible peace of mind



No odor when heated
at high temperature



Easy to clean
without smell



Durable and
hard to deform

1. Heating cue light

When it is connected to the power supply and the light is on, it means that it is being heated

2. Sealed design for nutrient heating

Lock nutrients do not lose,
Lock ingredients umami

3. Fashion open and close cover

One click can open and close the cover, close and finish

4. Large capacity lunch box

Different meals can be placed

5. Humanized handle

Intimate design, easy to carry

6. Power line socket:

Hidden embedded design, beautiful does not take up space

7. Ladle Receive:

Use lunch box space to store spoons


8. Vent:

Please open the exhaust cover when electrified heating, so as not to affect the normal use



PRODUCT SPECIFICATIONS:

Voltage	Car/trucks use(12V & 24V)+house use(220V)
Material	Stainless steel inner tank+PP plastic
Power	40W
Capacity	1.5L
Size	170*108*238mm
Color	Blue
Plug type	EU plug



Bearta

Lunch box Technical Data Sheet

Model No#: 8832

DESCRIPTION:

DETAIL DISPLAY

Food grade PP material,
real material can protect health, edible peace of mind



No odor when heated
at high temperature



Easy to clean
without smell



Durable and
hard to deform

1. Heating cue light

When it is connected to the power supply and the light is on, it means that it is being heated

2. Sealed design for nutrient heating

Lock nutrients do not lose,
Lock ingredients umami

3. Fashion open and close cover

One click can open and close the cover, close and finish

4. Large capacity lunch box

Different meals can be placed

5. Humanized handle

Intimate design, easy to carry

6. Power line socket:

Hidden embedded design, beautiful does not take up space

7. Ladle Receive:

Use lunch box space to store spoons


8. Vent:

Please open the exhaust cover when electrified heating, so as not to affect the normal use



PRODUCT SPECIFICATIONS:

Voltage	Car/trucks use(12V-24V)
Power	40W
Capacity	1.05L
Color	green
Material	plastic



Sparking plug wrench Technical Data Sheet

Model No#: 8810

DESCRIPTION:

DETAIL DISPLAY

1. Durable Construction:

The socket wrench is made from high-quality carbon steel, ensuring a robust and long-lasting tool for heavy-duty industrial use.

2. Customization Options:

This product offers customizable options, including various colors, OEM (Original Equipment Manufacturer) support, and ODM (Original Design Manufacturer) services, allowing for tailored solutions to meet specific user needs.

3. Wide Jaw Capacity:

The wrench features a range of jaw capacities, including 1 3/8in, 1 9/16in, and 2 1/16in, making it suitable for a variety of applications, such as spark plug removal and other tasks

4. High Torque Capacity:

With a maximum torque capacity of 2000lb-ft, this wrench can handle demanding tasks with ease, making it an ideal choice for heavy-duty industrial use.

5. Comprehensive Warranty:

This product comes with a 1-year warranty, providing peace of mind for users and ensuring the tool remains reliable and functional throughout its lifespan.



PRODUCT SPECIFICATIONS:

PLUG SPANNER	16mm
Color	blue handle
Material	carbon steel+plastic



Seaton

Sparking plug wrench Technical Data Sheet

Model No#: 8811

DESCRIPTION:

1. Durable Construction:

The socket wrench is made from high-quality carbon steel, ensuring a robust and long-lasting tool for heavy-duty industrial use.

2. Customization Options:

This product offers customizable options, including various colors, OEM (Original Equipment Manufacturer) support, and ODM (Original Design Manufacturer) services, allowing for tailored solutions to meet specific user needs.

3. Wide Jaw Capacity:

The wrench features a range of jaw capacities, including 1 3/8in, 1 9/16in, and 2 1/16in, making it suitable for a variety of applications, such as spark plug removal and other tasks.

4. High Torque Capacity:

With a maximum torque capacity of 2000lb-ft, this wrench can handle demanding tasks with ease, making it an ideal choice for heavy-duty industrial use.

5. Comprehensive Warranty:

This product comes with a 1-year warranty, providing peace of mind for users and ensuring the tool remains reliable and functional throughout its lifespan.



PRODUCT SPECIFICATIONS:

PLUG SPANNER	21mm
Color	blue handle
Material	carbon steel+plastic



Searta

Cross wrench Technical Data Sheet


Model No#: 8802

DESCRIPTION:

1. Usage picture:



2. Socket size:



3. Feature:

Multiple specifications
High hardness
High quality carbon steel
Electroplating polishing

a. The effect of the wrench is good or bad. the connection of the sleeve handle is very important

b. High-strength equipment maintenance requires strong materials and high torque support, so the importance of the joint is self-evident.

c. Double reinforcement large force is not easy to bend
Professional welding technology + guard riveted cross reinforcement,
firm and not easy to deformation

d. Finishing electroplating
Avoid product rust
Give the metal luster beautiful, to a large extent to avoid rust
Reduce wear

e. Scope of Application
Widely used in construction machinery, machinery repair, auto repair
and other related maintenance industries

PRODUCT SPECIFICATIONS:

Diameter	14mm
Length	14inch
Material	Carbon steel
Surface treatment:	silver plastic painting
Socket size	17/19/21/23mm



Bearta

Chamois Technical Data Sheet

Model No#: 1610

DESCRIPTION:

【SUPER ABSORBENCY】

MONIRDANT 3D with no resistance cleaning chamois towel features 3D embossed design, doesn't leave behind cotton fibers or streaks and is ultra-absorbent. Every square cm has huge amounts of pores, when it comes in contact with water, it instantly absorbs and holds it.

【HIGH QUALITY】

This chamois cloth is made from macromolecule PVA material, ultra-soft, ultra-durable and built to last. The fiber-free material won't fall out after extensive usage, it won't damage surfaces, doesn't retain and granules, so you can clean your car without worry of scratching.



【MULTI-PURPOSE】

Cleaning your car or boat, wiping grime in the kitchen, toweling dry after a shower, drying your pet after a bath, etc.

【Practical Packing】

The product comes in a convenient PP tube packaging, making it easy to store and transport, as requested by environmentally conscious customers.

【Effective Car Cleaning】


The product is specifically designed for washing cars, providing an efficient cleaning function that leaves a streak-free finish. Its multi-color design allows for easy identification and usage.

【Quick Drying Technology:】

The special feature of quick dry enables the cloth to dry rapidly, preventing water spots and bacterial growth, making it ideal for outdoor and garden cleaning tasks.

PRODUCT SPECIFICATIONS:

Chamois type	3D
Size	43 X 32 CM



Pet seat belt Technical Data Sheet

Model No#: 612

DESCRIPTION:

Dog Seat Belt Medium 70cm

The seat belt that must be used for dogs traveling in the back seat;

Adjustable, can be attached to the seat belt socket and can also be used as a chest harness.

Since the carabiner can rotate 360 degrees, it does not prevent the dog from turning around and lying down

The feature-packed Dog Seat Belt Medium 70cm is designed to securely Fasten and Restrict the movement of your canine friend.

It's an adjustable Harness that easily clips to the vehicle's seat belt socket and can be comfortably used as a standard harness, as well. The Belt comes with a Rotating Dog Buckle, which offers 360-degree movement, allowing your pet to Sleep in any position without interference.

The Harness is ideal for Safe transportation of your pet in the back seat, providing Freedom of motion while ensuring Maximum Safety.

It is suitable for pets who weigh between 26-44 pounds, and it includes a user-friendly design that makes installation a breeze, ensuring that your furry friend is Securely Fastened in your vehicle.



PRODUCT SPECIFICATIONS:

Length	70cm
Width	2.5cm
Color	Black

