



Darlene 30x60

REVESTIMIENTO / WALL TILE




Beige




Cell Darlene Beige



Brown



White



Cell Darlene Grey



Grey

FORMATO / SIZE

30x60 / 12"x 23³/₄"



REVESTIMIENTO
WALL TILE

ACABADO/FINISH

Mate / Matt



MATE
MATT



PASTA ROJA
RED BODY



CEMENTO
CEMENT



CARAS DIFERENTES
DIFFERENT FACES

GRUPO / GROUP

BIII



RELIEVE
RELIEF

TIPO/ TYPE

Cemento / Cement



VARIACIÓN
VARIATION

DESCRIPCIÓN DEL TEST / TEST DESCRIPTION		VALOR DEL TEST / TEST VALUE		NORMA / STANDARD
Absorción de agua / Water absorption		Ev>10%	Cumple / Complies	UNE-EN ISO 10545-3
Fuerza de rotura / Breaking Strength		≥ 600N	Cumple / Complies	UNE-EN ISO 10545-4
Resistencia a la flexión / Modulus of rupture		≥ 12 N/ mm 2	Cumple / Complies	UNE-EN ISO 10545-4
Abrasion superficial / Surface Abrasion		-	Valor declarado / Declared value	UNE-EN-ISO 10545-7
Resistencia al cuarteo / Crazeing resistance		Requerido / Requested	Cumple / Complies	UNE-EN ISO 10545-11
Resistencia a la helada / Frost resistance		-	Valor declarado / Declared value	UNE-EN ISO 10545-12
Resistencia química / Chemical resistance	Productos domésticos y de piscina / Household chemicals and swimming pool salts	Mínimo clase B / Minimum class B	Cumple / Complies	UNE-EN ISO 10545-13
	Ácidos a baja concentración / Low concentration of acids	Mínimo clase LB / Minimum class LB	Valor declarado / Declared value	UNE-EN ISO 10545-13
	Bases a baja concentración / Low concentration of alkalis	Mínimo clase LB / Minimum class LB	Valor declarado / Declared value	UNE-EN ISO 10545-13
Resistencia a las manchas / Stain resistance		Mínimo clase 3 / Minimum Class 3	Cumple / Complies	UNE-EN ISO 10545-14

11/07/2024

Partida Casablanca 6, 12593 Moncofar, Castellón . Spain
Phone : +34 964 584 069 - email: info@keratile.es - web : www.keratile.es

KTL
CERAMICA