

## Staubex®

Safety Data Sheet in accordance with Regulation (EC) No 1907/2006  
Revision date: 30.04.2026  
Replacement of version 0001 of 15.04.2025

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade name                    **Staubex®**  
Product number            **perl0003**

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Appropriate use:  
The product is used as a stable and pressure-resistant bulk leveller for height equalisation under wet and mastic asphalt screeds.

#### 1.3 Details of the supplier of the safety data sheet

KNAUF Performance Materials GmbH  
Kipperstraße 19  
D-44147 Dortmund  
Telephone: +49-231-9980-01            E-Mail: [kpm.info@knauf.com](mailto:kpm.info@knauf.com)  
e-mail-address of the competent person responsible for this Safety Data Sheet:  
[info@gefstoff.de](mailto:info@gefstoff.de)  
**Technical contact:**  
KNAUF Performance Materials GmbH, Kipperstraße 19, D-44147 Dortmund  
Telephone: +49-231-9980-01            E-Mail: [kpm.info@knauf.com](mailto:kpm.info@knauf.com)

#### 1.4 Emergency telephone number

Giftnotruf der Charité - Universitätsmedizin Berlin, Campus Benjamin Franklin, Haus VIII  
(Wirtschaftsgebäude), UG  
Hindenburgdamm 30, 12203 Berlin  
**Giftnotruf Berlin +49-30-30686 700 (Advice in German and English)**  
**(24 hours, Monday – Sunday)**

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

The mixture does not meet the criteria for a classification as hazardous in accordance with the current version of Regulation (EC) No 1272/2008.

#### 2.2 Label elements

|                                  |                |
|----------------------------------|----------------|
| Hazard pictogram(s):             | No pictogram   |
| Signal word(s):                  | No signal word |
| Product identifier:              | Not required   |
| Hazard statements: Not required  |                |
| Precautionary statements:        | Not required   |
| Supplemental hazard information: | Not required   |

**2.3 Other hazards**

No special hazards have to be mentioned, however avoid formation of dust during processing and treatment. The mixture does not contain any substances classified as PBT/vPvB or any substances having endocrine disrupting properties in concentrations of more or equal than 0.1%.

**SECTION 3: Composition/information on ingredients****3.2 Mixtures**

REACH registration number:

The ingredients do not require registration according to Regulation (EC) No 1207/2006 [REACH] (exempted from registration or the annual tonnage does not require a registration).

**3.2.1 Characterisation**

The product is perlite of volcanic origin recovered by expansion at temperatures above 1000°C, which is treated with a special mixture.

**3.2.2 Substances presenting a health/environmental hazard within the meaning of Regulation (EC) No 1272/2008**

The mixture does not contain substances meeting the criteria for a classification as hazardous in accordance with Regulation (EC) No 1272/2008.

**3.2.3 Substances for which there are Union workplace exposure limits which are not already included under point 3.2.2 (see also Section 8.)**

No substances.

**3.2.4 Additional information**

The product contains quartz. The content of the respirable dust fraction is less than 1% in the dust fraction of perlite.

**SECTION 4: First aid measures****4.1 Description of first aid measures****4.1.1 General information**

Emergency eyewash should be provided in the immediate working surroundings.

**4.1.2 In case of inhalation**

If liberated dust is inhaled, ensure supply of fresh air.

If symptoms persist, take medical treatment.

**4.1.3 In case of contact with skin**

No special measures necessary.

**4.1.4 In case of contact with eyes**

In case of contact with eyes, rinse immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart.

Remove contact lenses, if present and easy to do.

Do not rub eyes, cornea damage is possible by mechanical stress.

If symptoms persist, consult an ophthalmologist.

**4.1.5 In case of ingestion**

No special measures necessary.

**4.2 Most important symptoms and effects, both acute and delayed**

If liberated dust is inhaled: irritant effect on the respiratory tract, e.g. burning, coughing.

In case of contact of liberated dust with eyes: burning eyes, tears.

**4.3 Indication of any immediate medical attention and special treatment needed**

Treat symptomatically. No information available.

**SECTION 5: Firefighting measures****5.1 Extinguishing media****5.1.1 Suitable extinguishing media**

Product itself is non-combustible. Fire extinguishing method of surrounding areas must be discussed.

**5.1.2 Unsuitable extinguishing media**

Product itself is non-combustible. Fire extinguishing method of surrounding areas must be discussed.

## 5.2 **Special hazards arising from the substance or mixture**

No special hazards have to be mentioned.

## 5.3 **Advice for firefighters**

Wear self-contained breathing apparatus.

Building material class according to DIN 4102 and fire classification according to Decision 96/603/EC:

A1 (Non-combustible materials)

# SECTION 6: Accidental release measures

## 6.1 **Personal precautions, protective equipment and emergency procedures**

### 6.1.1 **For non-emergency personnel**

Avoid formation of dust.

Ensure adequate ventilation.

Keep away from unprotected people.

### 6.1.2 **For emergency responders**

For suitable fabric for personal protective clothing see Section 8.

## 6.2 **Environmental precautions**

No special measures necessary.

## 6.3 **Methods and material for containment and cleaning up**

Pick up mechanically. Avoid formation of dust.

Do not use compressed air for cleaning surfaces or clothing.

Use approved industrial vacuum cleaner for removal.

## 6.4 **Reference to other sections**

For personal protective equipment see also Section 8.

For disposal considerations see also Section 13.

# SECTION 7: Handling and storage

## 7.1 **Precautions for safe handling**

### 7.1.1 **Advice on safe handling**

Avoid formation of dust.

When filling, transferring, or emptying of containers, adequate suctioning close to work place necessary.

Do not compress empty bags, except when contained in another clean bag.

Dust deposits that cannot be avoided must be taken up regularly.

Comply with the minimum standards in accordance with TRGS 500<sup>1</sup>.

In case of release of mineral dust, comply with the protective measures in accordance with TRGS 559<sup>1</sup>.

#### **Inhalation:**

In case of dust formation and release of only small amounts of dust (range of grams), the model solutions of the Control Guidance Sheets 100<sup>1</sup>, La-101<sup>1</sup> and 110<sup>1</sup> must be taken into consideration in designing the work process.

In case of dust formation and release of medium to large amounts of dust (range of kilograms up to tons), the model solutions of the Control Guidance Sheets 200<sup>1</sup>, 208<sup>1</sup> and 240<sup>1</sup> must be additionally taken into consideration.

#### **Eyes:**

In case of dust formation (release group: HIGH) and release of medium to large amounts of dust (range of kilograms up to tons), the model solutions of the Control Guidance Sheet 2020<sup>1</sup> must be additionally taken into consideration.

### 7.1.2 **Advice on general occupational hygiene**

Do not inhale dust.

Use suitable skin care products in case of sensitive skin.

Emergency eyewash should be provided in the immediate working surroundings.

**7.2 Conditions for safe storage, including any incompatibilities****7.2.1 Advice on protection against fire and explosion**

No special measures necessary.

**7.2.2 Requirements for storage rooms and vessels**

Keep only in the original container.

Keep container tightly closed.

**7.2.3 Advice on storage compatibility**

Do not store together with hydrofluoric acid.

The information about joint storage given in Table 12 of TRGS 510<sup>1</sup> must be observed.

**7.2.4 Further information on storage conditions**

Store in a dry place.

**7.2.5 Storage class (for Germany only)**

LGK 13 in accordance with TRGS 510<sup>1</sup>.

**7.3 Specific end use(s)**

The product is only intended for the uses mentioned under subsection 1.2.

Recommended use: bulk dry leveller impact sound insulation, thermal insulation and height adjustment under screeds.

Observe technical data sheet.

**SECTION 8: Exposure controls/personal protection****8.1 Control parameters**

| CAS number | Identification | Limit values                                                                                                                                                                                                                  | Remarks                                                                                                                                                          |
|------------|----------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 93763-70-3 | perlite        | 5 mg/m <sup>3</sup> inhalable aerosol<br>10 mg/m <sup>3</sup><br>4 mg/m <sup>3</sup> (and tuff, pemza)<br>10 mg/m <sup>3</sup> - total dust<br>4 mg/m <sup>3</sup> - respirable fraction<br>2 mg/m <sup>3</sup> (persulfates) | <b>National limit values – eight hours</b><br>Austria<br>Belgium<br>Latvia<br>Norway<br>Norway<br>Norway<br><b>National limit values – short-term</b><br>Austria |
|            |                | 10 mg/m <sup>3</sup> inhalable aerosol                                                                                                                                                                                        | Austria                                                                                                                                                          |

The methods for measuring chemical agents in workplace atmosphere must meet the general requirements of EN 481, EN 482 and EN 689.

**8.2 Exposure controls****8.2.1 Appropriate engineering controls**

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment.

See also subsection 7.1.

In case of dust formation exhaust ventilation at the object (initiation point) is necessary.

In case of release of dust, additionally comply with the protective measures in accordance with TRGS 559.<sup>1</sup>

The effectiveness of suitable protective measures must be controlled.

Suitable assessment methods are described in the German TRGS 402<sup>1</sup>.

**8.2.2 Individual protection measures, such as personal protective equipment**

Personal protective equipment needs to be selected specifically for the workplace, depending on concentrations and quantities of the hazardous substances handled.

In the cases of special applications, it is recommended to check the chemical resistance with the manufacturer/supplier of the personal protective equipment.

**8.2.2.1 Eye/face protection**

Goggles (safety goggles type 345) in accordance with EN 166 (in case of dust formation).

**8.2.2.2 Skin protection****Hand protection:**

Work gloves for protection against mechanical damage.

**Body protection:**

Not necessary.

**8.2.2.3 Respiratory protection**

Filtering half mask to protect against particles FFP1 – FFP3 in accordance with EN 149 (in dust-laden atmosphere).

Maximum use concentration for substances with occupational exposure limit values (OELV):

P1-filter up to max. 4 x OELV;

P2-filter up to max. 10 x OELV;

P3-filter up to max. 30 x OELV.

These values are only valid for Germany in accordance with the German DGUV Regel 112-190<sup>2</sup>.

The limitations in wearing time according to the DGUV Regel 112-190<sup>2</sup> (rule of the German employers' liability insurance association) for the use of respirators have to be observed.

**8.2.2.4 Thermal hazards**

Not relevant.

**8.2.3 Environmental exposure controls**

See Section 6.

**SECTION 9: Physical and chemical properties****9.1 Information on basic physical and chemical properties**

|                                                             |                                                                         |                                    |
|-------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------|
| Physical state:                                             | solid (granulation 0/6 mm)                                              |                                    |
| Colour:                                                     | white                                                                   |                                    |
| Odour:                                                      | odourless                                                               |                                    |
| Odour threshold:                                            | no data available                                                       |                                    |
| Melting point/freezing point (°C):                          | approx. 1400                                                            |                                    |
| Boiling point/initial boiling point/<br>boiling range (°C): | not applicable                                                          |                                    |
| Flammability:                                               | A1 (non-combustible building materials)<br>A1 (no contribution to fire) | (DIN 4102)<br>(Decision 96/603/EC) |
| Lower explosion limit:                                      | not applicable                                                          |                                    |
| Upper explosion limit:                                      | not applicable                                                          |                                    |
| Flash point (°C), closed cup:                               | not applicable                                                          |                                    |
| Auto-ignition temperature (°C):                             | not applicable                                                          |                                    |
| Decomposition temperature (°C):                             | temperature resistance up to 800°C                                      |                                    |
| pH (as supplied) (20°C):                                    | 6 – 8.5                                                                 |                                    |
| Kinematic viscosity (mm <sup>2</sup> /s):                   | not applicable                                                          |                                    |
| Solubility in water:                                        | < 1 wt %                                                                |                                    |
| Soluble in:                                                 | not determined                                                          |                                    |
| Partition coefficient: n-octanol/water<br>(log value):      | not applicable                                                          |                                    |
| Vapour pressure (20°C) (mbar):                              | not applicable                                                          |                                    |
| Bulk density (kg/m <sup>3</sup> ):                          | approx. 90                                                              |                                    |
| Relative vapour density (20°C):                             | not applicable                                                          |                                    |
| Particle characteristics:                                   | dusty granular (possible dust formation)                                |                                    |

**9.2 Other information**

None.

**SECTION 10: Stability and reactivity****10.1 Reactivity**

No data available for the product.

**10.2 Chemical stability**

The product is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

- 10.3 Possibility of hazardous reactions**  
When used as intended, no hazardous reaction known.
- 10.4 Conditions to avoid**  
When used as intended, no particular conditions known.
- 10.5 Incompatible materials**  
Avoid contact with hydrofluoric acid.
- 10.6 Hazardous decomposition products**  
No hazardous decomposition products known.

## SECTION 11: Toxicological information

- 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**  
No data are available for the product.
- 11.1.1 Acute toxicity**
- |                      |           |                    |
|----------------------|-----------|--------------------|
| LD50 rat, oral       | (mg/kg)   | No data available. |
| LD50 rat, dermal     | (mg/kg)   | No data available. |
| LC50 rat, inhalation | (mg/L/4h) | No data available. |
- 11.1.2 Skin corrosion/irritation**  
No data available.
- 11.1.3 Serious eye damage/irritation**  
No data available.
- 11.1.4 Respiratory or skin sensitisation**  
No evidence of sensitive properties of perlite has been found.
- 11.1.5 Germ cell mutagenicity**  
The mixture does not contain substances classified as germ cell mutagens.
- 11.1.6 Carcinogenicity**  
The mixture does not contain substances classified as carcinogenic.
- 11.1.7 Reproductive toxicity**  
The mixture does not contain substances classified as toxic for the reproduction.
- 11.1.8 Specific target organ toxicity (STOT)-single exposure**  
The mixture does not contain substances classified as being a specific target organ toxicant after single exposure.
- 11.1.9 Specific target organ toxicity (STOT)-repeated exposure**  
The mixture does not contain substances classified as being a specific target organ toxicant after repeated exposure.
- 11.1.10 Aspiration hazard**  
The mixture does not contain aspiration toxicants.
- 11.1.11 Symptoms related to the physical, chemical and toxicological characteristics**  
If liberated dust is inhaled: irritant effect on the respiratory tract, e.g. burning, coughing.  
In case of contact of liberated dust with eyes: burning eyes, tears.
- 11.1.12 Delayed and immediate effects as well as chronic effects from short and long-term exposure**  
If liberated dust is inhaled: irritant effect on the respiratory tract, e.g. burning, coughing.  
In case of contact of liberated dust with eyes: burning eyes, tears.
- 11.2 Information on other hazards**  
No data available for the mixture.
- 11.2.1 Endocrine disrupting properties**  
The mixture does not contain any substances having endocrine disrupting properties in concentrations of more or equal than 0.1%.
- 11.2.2 Other information**  
None.

## SECTION 12: Ecological information

### 12.1 Toxicity

#### Aquatic toxicity:

|                |                    |
|----------------|--------------------|
| LC50 (fish)    | No data available. |
| EC50 (daphnia) | No data available. |
| EC50 (algae)   | No data available. |

#### Behaviour in sewage works:

Inorganic product, insoluble in water.  
Can be mechanically refined for the most part in waste water cleaning plants.

### 12.2 Persistence and degradability

The product is insoluble in water.  
The methods for determining the biological degradability are not applicable to inorganic substances.  
Chemical oxygen demand (COD) No data available.  
Biochemical oxygen demand (BOD5) No data available.  
AOX-hint Not to apply.

### 12.3 Bioaccumulative potential

The product has not been tested.

### 12.4 Mobility in soil

The product has not been tested.

### 12.5 Results of PBT and vPvB assessment

This mixture does not contain any substances classified as PBT/vPvB in a concentration of 0.1% more or equal than 0.1%.

### 12.6 Endocrine disrupting properties

The mixture does not contain any substances having endocrine disrupting properties in concentrations of more or equal than 0.1%.

### 12.7 Other adverse effects

|                                        |                    |
|----------------------------------------|--------------------|
| Ozone depletion potential              | No data available. |
| Photochemical ozone creation potential | No data available. |
| Global warming potential               | No data available. |

**Contains according to the formulation following heavy metals and compounds of EC-Directives 2000/60/EC:**  
None.

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

Waste disposal according to official state regulations.  
Consult the local waste disposal expert about waste disposal.

#### Disposal operations/recovery operations according to Directive 2008/98/EC

|                     |      |                                                                              |
|---------------------|------|------------------------------------------------------------------------------|
| Disposal operations | D 1  | Deposit into or on to land                                                   |
| Recovery operations | R 10 | Land treatment resulting in benefit to agriculture or ecological improvement |

**Properties of waste which render it hazardous in accordance with Annex III of Directive 2008/98/EC**  
Not relevant.

#### 13.1.1 Product/unused product

Waste disposal corresponding to European Waste Catalogue.  
Wastes must be classified with respect to their origin and depending on different processing steps.  
The waste codes mentioned as follows are only constituted as our recommendations. Referring to the particular case they should be completed or revised.

EC waste code 17 06 04  
Waste notation Insulation materials other than those mentioned in 17 06 01 and 17 06 03

**Alternative:**

EC waste code 17 05 04  
Waste notation Soil and stones other than those mentioned in 17 05 03

**13.1.2 Contaminated packaging**

Recommendation: Contaminated packaging should be emptied as far as possible and after appropriate cleansing may be taken for reuse.

Recommended cleansing agent: Remove adhering residues mechanically.

Packaging that cannot be cleaned:

EC waste code: 15 01 02  
Waste notation: Plastic packaging

**SECTION 14: Transport information****14.1 UN number or ID number**

No dangerous good in accordance with the UN Model Regulations (ADR/RID/ADN/IMDG/ICAO/IATA).

**14.2 UN proper shipping name**

Not relevant.

**14.3 Transport hazard class(es)**

Not relevant.

**14.4 Packing group**

Not relevant.

**14.5 Environmental hazards**

Not relevant.

**14.6 Special precautions for user**

Not relevant.

**14.7 Maritime transport in bulk according to IMO instruments**

Not relevant.

**SECTION 15: Regulatory information****15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture****15.1.1 Information regarding relevant Union safety, health and environmental provisions**

- Regulation (EC) No 1907/2006: Annex V (7) (perlite)  
(exemptions from the obligation to register)
- Conditions of restriction in accordance with Annex XVII Regulation (EC) No 1907/2006: None
- The mixture does not contain substances classified as substances of very high concern (SVHC) in accordance with Article 57 or listed in Annex XIV of the regulation (list of substances subject to authorisation) in concentrations of more or equal than 0.1%.

**15.1.2 Information regarding national laws/national measures that may be relevant (only for Germany)**

Indications on restriction of occupation: Not relevant

Major Accident Ordinance: Not relevant

Fire and explosion hazards: Not relevant

Regulation on clean air (TA Luft): Number 5.2.1 (exhaust stream in case of liberation of dust during processing and treatment)

Water hazard class: Non-hazardous to water

|                                                                                                                                                                                                                               |                                                                                                                                                                                                                                                                                                                                                                                         |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                                                                                                                                                                                                                               | (deduction according to Annex 1 No 2.2 AwSV) <sup>3</sup>                                                                                                                                                                                                                                                                                                                               |
| German Ordinance on Hazardous Substances<br>(in accordance with EC-Directive 98/24/EC):                                                                                                                                       | Article 6 must be observed                                                                                                                                                                                                                                                                                                                                                              |
| <u>In case of liberation of dust during processing and treatment:</u>                                                                                                                                                         |                                                                                                                                                                                                                                                                                                                                                                                         |
| German ordinance on Hazardous Substances<br>(in accordance with EC-Directive 98/24/EC):                                                                                                                                       | Articles 7, 8, 9, 14, Annex I No 2                                                                                                                                                                                                                                                                                                                                                      |
| Regulation on Occupational Medical Prevention (ArbMedVV):                                                                                                                                                                     | Annex, Part 1 (1):<br><u>Obligatory prophylaxis:</u> The employer shall arrange occupational medical prophylaxis for workers conducting activities with exposure to inhalable dust, if the occupational exposure limit value is exceeded.<br>Annex, Part 1 (2):<br><u>Prophylaxis offer:</u> For activities involving inhalable dust occupational medical prevention has to be offered. |
| DGUV Recommendations on Occupational Medical Prevention:                                                                                                                                                                      | dust exposure                                                                                                                                                                                                                                                                                                                                                                           |
| Technical Rules for Hazardous Substances <sup>1</sup> :                                                                                                                                                                       | TRGS 400, 402, 500, 510, 555, 559, 900                                                                                                                                                                                                                                                                                                                                                  |
| Rules of the employers' liability insurance association <sup>2</sup> :                                                                                                                                                        | DGUV Regel 112-190, 112-192                                                                                                                                                                                                                                                                                                                                                             |
| Classification in accordance with the easy-to-use workplace control scheme for hazardous substances of the Federal Institute for Occupational Safety and Health, version 2.2, 2014 <sup>4</sup> :                             | inhalation: hazard group A<br>(in case of release of mineral dust, the protective measures in accordance with TRGS 559 <sup>1</sup> should be applied preferably)                                                                                                                                                                                                                       |
| Classification in accordance with the new module "Eyes" of the easy-to-use workplace control scheme for hazardous substances of the Federal Institute for Occupational Safety and Health, version January 2025 <sup>5</sup> : | eyes: hazard group Au-A                                                                                                                                                                                                                                                                                                                                                                 |

## 15.2 Chemical safety assessment

No chemical safety assessment has been carried out for the mixture.

## SECTION 16: Other information

### 16.1 Keeping (restrictions) Supply

Not relevant  
to industry consumer, for professional users,  
for the general public

### 16.2 Full text of the hazard statements referred to under sections 2 and 3 of the Safety Data Sheet

Not to apply.

### 16.3 Key or legend to abbreviations and acronyms used in the safety data sheet

|            |                                                                                                                                                 |
|------------|-------------------------------------------------------------------------------------------------------------------------------------------------|
| ADN:       | Accord européen relatif au transport international des marchandises dangereuses par voie de navigation intérieure                               |
| ADR:       | Accord relatif au transport international des marchandises dangereuses par route                                                                |
| AOX:       | adsorbable organically bound halogens                                                                                                           |
| AwSV:      | Verordnung über Anlagen zum Umgang mit wassergefährdenden Stoffen (Ordinance on facilities for handling substances that are hazardous to water) |
| DGUV:      | Deutsche Gesetzliche Unfallversicherung (German Social Accident Insurance)                                                                      |
| IATA-DGR:  | International Air Transport Association – Dangerous Goods Regulations                                                                           |
| ICAO-TI:   | International Civil Aviation Organisation – Technical Instructions                                                                              |
| IMDG-Code: | International Maritime Dangerous Goods-Code                                                                                                     |
| IMO:       | International Maritime Organization                                                                                                             |
| LGK:       | Lagerklasse (storage class)                                                                                                                     |
| PBT:       | persistent, bioaccumulative and toxic                                                                                                           |

RID: Règlement concernant le transport international ferroviaire des marchandises dangereuses  
TRGS: Technische Regeln für Gefahrstoffe (Technical Rules for Hazardous Substances)  
vPvB: very persistent and very bioaccumulative

#### 16.4 Literature references and sources for data

<sup>1</sup> <https://www.baua.de>

<sup>2</sup> <https://www.arbeitssicherheit.de>

<sup>3</sup> <https://www.umweltbundesamt.de>

<sup>4</sup> <https://www.baua.de/emkg>

<sup>5</sup> <https://www.baua.de/DE/Themen/Chemikalien-Biostoffe/Gefahrstoffe/EMKG/Leitfaeden>

#### 16.5 Method used for the classification of the mixture

The product does not meet the criteria for a classification as hazardous in accordance with the current version of Regulation (EC) No 1272/2008.

#### 16.6 Changes which have been made to the previous version of the safety data sheet

Revised sections: 3.2.2, 4.1.2, 4.1.4, 15.1.1, 15.2, 16.3, 16.5, 16.6( new)

**The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.**

Compiled by: **Dr. Michael Urban**

**Fachberatung Gefahrstoff Gefahrgut**

Vogelbeerweg 3

D-26180 Rastede-Ipwege / Germany

Tel.: +49-4402-695620

Fax: +49-4402-695621

Knauf Performance Materials GmbH

Kipperstrasse 19

44147 Dortmund

Germany

[www.knauf-performance-materials.com](http://www.knauf-performance-materials.com):



Knauf Performance Materials is a specialist in manufacturing natural, sustainable, and high-performance products based on refined perlite for industrial and horticultural applications. As a Dortmund-based company, they provide solutions including mineral insulation, floor fillers, PERLIGRAN® growing media, and VOLITE® additives.

All technical changes reserved. Only the current printed instructions are valid. Our warranty is expressly limited to our products in flawless condition. The constructional and structural properties and characteristic building physics of Knauf systems can solely be ensured with the exclusive use of Knauf system components, or other products expressly recommended by Knauf. All application quantities and delivery amounts are based on empirical data that are not easily transferable to other deviating areas. All rights reserved. All amendments, reprints and photocopies, including those of excerpts, require the express permission of Knauf Performance Materials GmbH, Kipperstraße 19, 44147 Dortmund, Germany.