

ROUSE 80 CM 4200°K

CM	W LED	LUMENS	W ANTIVAH/Opción W DEFOGGER/ <i>Optional</i>
80	24	3113	16

Opciones / Options :

			
			
			

Ficha técnica / Technical sheet :

 480 led/m	 20.000h	12V	 A F G	 IP44
 Clase II				



Montaje 13 / Construction 13



ROUSE 80 CM - 4200°K

LEYENDA ICONOGRAFÍA / KEY TO SYMBOLS



SENSOR LED
Aumenta y disminuye la intensidad luz, se coloca en luna.
LED SENSOR
Placed on the glass. It increases and decreases the intensity of the light.



SENSOR LATERAL
Táctil Cromo enciende y apaga la luz, aumenta y disminuye la intensidad de la luz, se coloca en el perfil no todos los modelos lo permiten.
LATERAL SENSOR
Chrome touch sensor to turn the light on and off, increases and decreases the intensity of the light, it's placed on the profile. Not available on all models.



SENSOR ANTIVAHU O LED/ANTIVAHU
Enciende y apaga el antivaho o enciende y apaga todo a la vez, aumenta y disminuye la intensidad de la luz, se coloca en la luna.
DEMISTER SENSOR OR LED/DEMISTER
Placed on the glass. It turns the light and defog or both at same time. It increases and decreases the light intensity.



SISTEMA ANTIVAHU (Doble sensor on/off led + on/off antivaho)
1 sensor enciende y apaga la luz, aumenta y disminuye la intensidad de la luz + 1 sensor enciende y apaga el antivaho.
DEMISTER SYSTEM (Double sensor on/off for led light + on/off demister).
1 sensor turns on/off the light, increase and decrease the light intensity + 1 sensor turns on/off demister.



SENSOR CAMBIO COLOR
ON/OFF LED+DIMMER aumenta y disminuye la intensidad de la luz + CAMBIO DE COLOR LED 3000°k-42000°k-5500°K
CHANGE COLOUR SENSOR
On/off led light + dimmer. It increases and decreases the intensity of light + led colour chage 3000°k-42000°k-5500°K



SENSOR GESTUAL
Enciende la luz.
GESTURE SENSOR
Turns on the light.



SISTEMA SCREEN
1 sensor led + 1 sensor pantalla + pantalla - incompatible con el sistema bluetooth.
SCREEM SYSTEM
1 led sensor + 1 screen sensor. Screen incompatible with bluetooth system



SISTEMA BLUETOOTH PARA ESPEJOS CON LUZ
1 sensor led + 1 sensor bluetooth + altavoz 12v - incompatible con el sistema screen.
BLUETOOTH SYSTEM FOR LIGHTED MIRRORS
1 led sensor + 1 bluetooth sensor + speaker 12. Incompatible with screen system.



SISTEMA DETECTOR MOVIMIENTO
MOTION DETECTION SYSTEM



AUMENTO 5X LED 17 CM
5X MAGNIFICENT LED MIRROR 17 CM.



AUMENTO 5X LED 17 CM SENSOR LED
5X MAGNIFICENT LED MIRROR 17 CM WITH SENSOR.



COLOR TEMPERATURA KELVIN
KELVIN COLOUR TEMPERATURE



COLOR TEMPERATURA KELVIN
KELVIN COLOUR TEMPERATURE



COLOR TEMPERATURA KELVIN
KELVIN COLOUR TEMPERATURE

LEYENDA ICONOGRAFÍA / KEY TO SYMBOLS



Posición horizontal y vertical

Vertical and horizontal position



Puntos led por metro
Leds per meter



Puntos led por metro
Leds per meter

Grado de protección
Degree of protection

Eficiencia energética
Energetic efficiency



Bajo consumo
Energy saving



Voltaje
Voltage

Durabilidad
Durability

Angulo de apertura luz
Opening angle of lightning



Eficiencia energética
Energetic efficiency



Clase I
Class I



Class II
Class II



Adheridos a Ecoembes
Adherent to Ecoembes (green dot)



Marcado CE
CE marking

Notas / Notes