# **ARGON TYPE WELDING GLOVES**

Ref. 2540 (réf. GYS 045194)

TECHNICAL DATA SHEET





### SIZES AND DIMENSIONS

| Size                      | 9    | 10   |
|---------------------------|------|------|
| Ref.                      | 2539 | 2540 |
| Total length (mm)         | 355  | 355  |
| Cuff height (mm)          | 145  | 145  |
| Cuff width (mm)           | 165  | 165  |
| Width of glove inlet (mm) | 130  | 135  |
| Palm width (mm)           | 115  | 125  |

## **GENERAL DESCRIPTION AND MATERIALS**

- Welder's gloves
- Argon type

- Full grain lamb leather
- 15 cm crust cuff

Dexterity

## **SPECIFIC BENEFITS**

- Comfort
- High flexibility

MAIN AREAS OF USE

- Welding work
- Metallurgy

Cold welding type Argon

# CONDITIONNEMENT

1 pair

#### NORMALIZATION

This glove conforms to the model of the personal protective equipment covered by the EC type 6479 certificate issued by SATRA (organisation n°0321)

EN420:2003+A1:2009

EN388:2016



3011X

• Abrasion = 3/4

• **Cutting** by slicing = 0/5

• Tearing = 1/4

- Perforation = 1/4
- Cutting TDM = untested
- EN12477:2001+A1:2005 Type B – greater dexterity
- Flammability resistance = 4/4
- Resistance to **contact heat** = 2/4
- Resistance to **convective heat** = 2/4
- Resistance to radiant heat = X
- Resistance to small splashes of molten metal = 4/4
- Resistance to large molten metal splashes = X



EN407:2004

422X4X